



Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Potassium peroxodisulfate

SDS No. : 6393E-4

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

e-mail address: kagakuhinanzenkanri@kishida.co.jp

Section 2. Hazards identification

GHS classification and label elements of the product**Classification of the substance or mixture****PHYSICAL AND CHEMICAL HAZARDS**

Oxidizing solids: Category 3

HEALTH HAZARDS

Acute toxicity (Oral): Category 4

Skin corrosion/irritation: Category 2

Respiratory sensitization: Category 1

Skin sensitization: Category 1

Specific target organ toxicity – single exposure: Category 2(systemic toxicity)

Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation)

Label elements

Signal word: Danger

HAZARD STATEMENT

May intensify fire; oxidizer

Harmful if swallowed

Causes skin irritation

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

May cause damage to organs(systemic toxicity)

May cause respiratory irritation

PRECAUTIONARY STATEMENT**Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep away from clothing and other combustible materials.

Do not breathe dust/fume/gas/mist/vapors/spray.

In case of inadequate ventilation wear respiratory protection.

Use only outdoors or in a well-ventilated area.



Wash contaminated parts thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
Do not eat, drink or smoke when using this product.

Response

In case of fire: Use appropriate media to extinguish.
Call a POISON CENTER/doctor/physician if you feel unwell.
IF exposed or concerned: Call a POISON CENTER/doctor/physician.
If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
IF SWALLOWED: Rinse mouth.

Storage

Store in a well-ventilated place. Keep container tightly closed.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Specific Physical and Chemical hazards

Oxidizing material. Organic or combustible material may catch fire in contact with it.

Section 3. Composition/information on ingredients**Mixture/Substance selection:****Substance**

Ingredient name:Potassium peroxodisulfate

Content (%):95(min)

Chemical formula:K₂S₂O₈

Chemicals No, Japan:1-456

CAS No.:7727-21-1

MW:270.32

ECNO:231-781-8

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures**Descriptions of first-aid measures****General measures**

Call a POISON CENTER/doctor/physician if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.



Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses or low areas.

Avoid raising dust.

Methods and materials for containment and cleaning up

Sweep up, place in a bag and hold for waste disposal.

Preventive measures for secondary accident

Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep away from clothing and other combustible materials.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

When using do not eat, drink or smoke.

Any incompatibilities



See "10.Stability and Reactivity"

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash it before reuse.

Storage

Conditions for safe storage

Keep container tightly closed.

Store in a cool, dry place. Do not store in direct sunlight.

Container and packaging materials for safe handling

Glass

Polyethylene

Section 8. Exposure controls/personal protection

Control parameters

Adopted value

(Potassium peroxodisulfate)

ACGIH(2006) TWA: 0.1mg/m³ (Skin irr)

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection.

Hand protection

Wear protective gloves.

Eye protection

Wear eye/face protection.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Crystals to powder

Color: White to pale yellow

Odor: Slightly pungent odor

Melting point/Freezing point: (decomposes) 100°C

Boiling point or initial boiling point data is not available.

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point data is not available.

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: 5.2 g/100 ml (20°C)

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Density and/or relative density: 2.5 g/cm³



Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available.

Section 10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Heating may cause violent combustion or explosion. Decomposes on heating. This produces toxic fumes including sulfur oxides. The substance is a strong oxidant. It reacts with combustible and reducing materials. The solution in water is a medium strong acid. Reacts violently with chlorates and perchlorates. This generates explosion hazard. Reacts in the presence of water with metals such as aluminium. This generates fire hazard. (ICSC 1133)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Reducing agents, Combustible materials, Chlorates ,Perchlorates

Hazardous decomposition products

Sulfur oxides

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Data for components of the product]

[GHS Cat. Japan, base data]

(Potassium peroxodisulfate)

male rat LD50=1130mg/kg (SIDS, 2005)

Irritant properties

Skin corrosion/irritation

[Data for components of the product]

[GHS Cat. Japan, base data]

(Potassium peroxodisulfate)

human aqueous solution (>5%) can cause skin irritation (SIDS, 2005)

Serious eye damage/irritation data is not available.

Sensitization

Respiratory sensitization

[Data for components of the product]

[GHS Cat. Japan, base data]

(Potassium peroxodisulfate)

cat. 1; SIDS, 2005

Skin sensitization

[Data for components of the product]

[GHS Cat. Japan, base data]

(Potassium peroxodisulfate)

cat. 1; SIDS, 2005

Mutagenic effects data is not available.

Carcinogenic effects data is not available.

Reproductive toxicity data is not available.

Specific target organ toxicity (STOT)



STOT-single exposure

[Data for components of the product]

[cat.2]

[GHS Cat. Japan, base data]

(Potassium peroxodisulfate)

systemic toxicity (SIDS, 2005)

[cat.3 (resp. irrit.)]

[GHS Cat. Japan, base data]

(Potassium peroxodisulfate)

respiratory tract irritation (SIDS, 2005)

STOT-repeated exposure data is not available.

Aspiration hazard data is not available.

Information on other hazards

May cause lung disorders by massive inhalation of powdered substance.

-e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax

Section 12. Ecological Information

Toxicity

Toxicity data is not available.

Water solubility

(Potassium peroxodisulfate)

5.2 g/100 ml (20°C) (ICSC, 2002)

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

Bioaccumulative potential data is not available.

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

Section 14. Transport Information

UN No. or ID No.: 1492

UN Proper Shipping Name :

POTASSIUM PERSULPHATE

Class or division (Transport hazard class) : 5.1

Packing group : III

ERG GUIDE No.: 140

IMDG Code (International Maritime Dangerous Goods Regulations)

UN No.: 1492

Proper Shipping Name :

POTASSIUM PERSULPHATE

Class or division : 5.1

Packing group : III

**IATA Dangerous Goods Regulations**

UN No.: 1492
Proper Shipping Name :
POTASSIUM PERSULPHATE
Class or division : 5.1
Hazard labels : Oxidizer
Packing group : III
Special provisions No.: A803

Environmental hazards

MARPOL Annex III – Prevention of pollution by harmful substances
Marine pollutants (yes/no) : no

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Potassium peroxodisulfate

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

GHS classification and labelling

Oxidising Solids, Category 3: H272 May intensify fire; oxidiser

Acute toxicity, Category 4: H302 Harmful if swallowed

Skin corrosion/irritation, Category 2: H315 Causes skin irritation

Respiratory sensitization, Category 1: H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

Skin sensitization, Category 1: H317 May cause an allergic skin reaction

STOT – single exposure, Category 2: H371 May cause damage to organs

STOT – single exposure, Category 3, Respiratory tract irritation: H335 May cause respiratory irritation.

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN

IMDG Code, 2018 Edition (Incorporating Amendment 39–18)

IATA Dangerous Goods Regulations (62nd Edition) 2021

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2022 TLVs and BEIs. (ACGIH)

Supplier's data/information

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2021).