

Date of issue: 2019/04/09 Date of revision: 2024/01/16

# Safety Data Sheet

# Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Aniline-gentian violet solution

SDS No.: E0005E-3

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

#### Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 2

**HEALTH HAZARDS** 

Acute toxicity (Oral): Category 4 Acute toxicity (Dermal): Category 3 Acute toxicity (Inhalation): Category 2

Serious eye damage/eye irritation: Category 2

Skin sensitization: Category 1 Germ cell mutagenicity: Category 2 Carcinogenicity: Category 1A Reproductive toxicity: Category 1A

Specific target organ toxicity - single exposure: Category 1 (blood system, nervous system) Specific target organ toxicity - single exposure: Category 3 (Respiratory tract irritation)

Specific target organ toxicity - single exposure: Category 3 (Narcotic effects) Specific target organ toxicity - repeated exposure: Category 1 (blood system, liver,

nervous system)

Specific target organ toxicity - repeated exposure: Category 2 (central nervous system)

## **ENVIRONMENT HAZARDS**

Hazardous to the aquatic environment, short-term (acute): Category 1 Hazardous to the aquatic environment, long-term (chronic): Category 1

(Note) GHS classification without description: Not classified/Classification not possible Label elements



Signal word: Danger HAZARD STATEMENT

H225 Highly flammable liquid and vapor



H302 Harmful if swallowed

H311 Toxic in contact with skin

H330 Fatal if inhaled

H319 Causes serious eye irritation

H317 May cause an allergic skin reaction

H341 Suspected of causing genetic defects

H350 May cause cancer

H360 May damage fertility or the unborn child

H370 Causes damage to organs (blood system, nervous system)

H335 May cause respiratory irritation

H336 May cause drowsiness or dizziness

H372 Causes damage to organs through prolonged or repeated exposure (blood system, liver, nervous system)

H373 May cause damage to organs through prolonged or repeated exposure (central nervous system)

H410 Very toxic to aquatic life with long lasting effects

#### PRECAUTIONARY STATEMENT

## Prevention

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P284 In case of inadequate ventilation wear respiratory protection.

P271 Use only outdoors or in a well-ventilated area.

P264 Wash contaminated parts thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Use personal protective equipment as required.

P270 Do not eat, drink or smoke when using this product.

#### Response

P370 + P378 In case of fire: Use appropriate media to extinguish.

P391 Collect spillage.

P314 Get medical advice/attention if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor/physician.

P312 Call a POISON CENTER/doctor/physician if you feel unwell.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.

P362 + P364 Take off contaminated clothing and wash it before reuse.

## Aniline-gentian violet solution, E0005E-3,2024/01/16

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P330 IF SWALLOWED: Rinse mouth.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

#### Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

#### Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".

#### Section 3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

Ingredient name	Content (%)	CAS No.	Chemicals No, Japan	Chemical formula
Ethanol	56	64-17-5	2-202	C2H5OH
Aniline	42	62-53-3	3-105	C6H5NH2
C.I. Basic Violet 3	2.0	548-62-9	5-1971	C25H30N3CI

Note: The figures shown above are not the specifications of the product. The content of products may exceed the figures shown above.

#### Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

## IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

## IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

## IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

# IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.



### Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

In case of fire, use spraying loaded liquid, foam (water-soluble liquid: alcohol-resistant

foam), inactive gases, dry powder, dry sand to extinguish.

\*Fire Service Act Group 4 Hazardous Materials

Unsuitable extinguishing media

Indoor Fire Plug System or Outdoor Fire Plug System

Sprinkler System

Dry Chemical Extinguishing System-Others (except for phosphates etc., Hydrogen Carbonates etc.)

Fire Extinguisher Discharging Jet Water/Spraying Water

Fire Extinguisher Discharging Jet Loaded Liquid

Fire Extinguisher Discharging Dry Extinguishing agents-Others (except for phosphates etc.,

Hydrogen Carbonates etc.)

Water Bucket or Water Tank

\*Cabinet Order Concerning the Control of Hazardous Materials (Attached Table 5) Group 4

Hazardous Materials

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

### Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.



### Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

#### Safety Measures

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands et al thoroughly after handling.

When using do not eat, drink or smoke.

#### Any incompatibilities

See "10.Stability and Reactivity".

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Take off immediately all contaminated clothing and wash it before reuse.

## Storage

Conditions for safe storage

Keep container tightly closed.

Store locked up. (P405)

Store in a cool, dry place. Do not store in direct sunlight.

Storage in accordance with local/national regulation.

Container and packaging materials for safe handling

Use closed unbreakable containers.

## Section 8. Exposure controls/personal protection

Control parameters

Adopted value

(Ethanol)

ACGIH(2009) STEL: 1000ppm (URT irr)

(Aniline)

ACGIH(1996) TWA: 2ppm (MeHb-emia)

Notation

(Aniline)



Skin

#### Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Recommend to use protective equipment in conformity with the standards.

Respiratory protection

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

Hand protection

Wear impervious protective glove.

Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.

### Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid Color: Bluish-purple Odor: Characteristic odor

Melting point/Freezing point data is not available.

Boiling point or initial boiling point data is not available.

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point: 15.8°C

Auto-ignition temperature data is not available. Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Soluble

Solubility in solvent data is not available.

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available. Density and/or relative density: 0.9

Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available.

Other information

Other information is not available.

## Section 10. Stability and Reactivity

Reactivity

Not available.

Chemical stability



Stable under normal storage/handling conditions.

#### Possibility of hazardous reactions

(Ethanol)

The vapour mixes well with air, explosive mixtures are easily formed.

Reacts slowly with calcium hypochlorite, silver oxide and ammonia. This generates fire and explosion hazard. Reacts violently with strong oxidants such as nitric acid, silver nitrate, mercuric nitrate and magnesium perchlorate. This generates fire and explosion hazard. (ICSC 0044)

(Aniline)

Decomposes above 190°C . This produces toxic and corrosive fumes of nitrogen oxides and ammonia and flammable vapours. Reacts with strong acids and strong oxidants. This generates fire and explosion hazard. Attacks copper and its alloys. (ICSC 0011)

#### Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Strong acids, Strong oxidizing agents, Calcium hypochlorite, Silver oxide, Ammonia

Hazardous decomposition products

Carbon oxides, Nitrogen oxides, Ammonia, Chlorine compounds

### Section 11. Toxicological Information

```
Information on toxicological effects
```

Acute toxicity

Acute toxicity (Oral)

[Product]

Category 4, Harmful if swallowed

[Data for components of the product]

[GHS Cat. Japan, base data]

(Aniline)

rat LD50=440mg/kg (ACGIH 7th, 2001)

(C.I. Basic Violet 3)

rat LD50=180mg/kg (JECFA FAS69, 2014)

Acute toxicity (Dermal)

[Product]

Category 3, Toxic in contact with skin

[Data for components of the product]

[GHS Cat. Japan, base data]

(Aniline)

rat LD50=670mg/kg (DFGOT vol.26, 2010)

Acute toxicity (Inhalation)

[Product]

Category 2, Fatal if inhaled

[Data for components of the product]

[GHS Cat. Japan, base data]

(Aniline)

mist: rat LC50=1.86mg/L/4hr (EU-RAR, 2004)

vapor: rat LC50=250ppm/4hr (EU-RAR, 2004)

Irritant properties

Skin corrosion/irritation data is not available.



```
Serious eye damage/irritation
     [Product]
        Category 2, Causes serious eye irritation
     [Data for components of the product]
       [GHS Cat. Japan, base data]
        (Ethanol)
        rabbit recover within 7 days (ECETOC TR No.48(2), 1998 et al)
        (Aniline)
       rabbit severe irritation (EU-RAR, 2004)
        (C.I. Basic Violet 3)
       human eyes irritation (HSDB, Access on May 2019)
Sensitization
  Skin sensitization
     [Product]
        Category 1, May cause an allergic skin reaction
     [Data for components of the product]
        [GHS Cat. Japan, base data]
       (Aniline)
        cat. 1; guinea pig/positive (SIAT) EU-RAR, 2004
Germ cell mutagenicity
     [Product]
        Category 2, Suspected of causing genetic defects
     [Data for components of the product]
        [GHS Cat. Japan, base data]
       (Aniline)
        cat. 2; NTP DB, Access on June 2016
Carcinogenicity
     [Product]
        Category 1A, May cause cancer
     [Data for components of the product]
        [GHS Cat. Japan, base data]
        (Ethanol)
        cat.1A; (IARC, 2010)
        (Aniline)
        cat.1B; IARC Gr.2A (IARC 127, 2021)
       (C.I. Basic Violet 3)
        cat.1B; (JECFA FAS69, 2014 et al.)
        [IARC]
        (Ethanol)
        Group 1: Carcinogenic to humans
        (Aniline)
        Group 2A: Probably carcinogenic to humans
        (C.I. Basic Violet 3)
        Group 2B : Possibly carcinogenic to humans
        [ACGIH]
        (Ethanol)
        A3(2009): Confirmed Animal Carcinogen with Unknown Relevance to Humans
        (Aniline)
        A3(1996): Confirmed Animal Carcinogen with Unknown Relevance to Humans
        [EU]
```



```
(Aniline)
        Category 2; Substances suspected human carcinogens
        (C.I. Basic Violet 3)
        Category 2; Substances suspected human carcinogens
Reproductive toxicity
     [Product]
        Category 1A, May damage fertility or the unborn child
     [Data for components of the product]
        [GHS Cat. Japan, base data]
        (Ethanol)
        cat. 1A; human: PATTY 6th, 2012
        (Aniline)
        cat. 2; MHLW report, 2016 (Anilinium chloride (CAS RN 142-04-1))
Specific target organ toxicity (STOT)
  STOT-single exposure
     [Product]
        Category 1, Causes damage to organs
        Category 3, May cause respiratory irritation
        Category 3, May cause drowsiness or dizziness
     [Data for components of the product]
     [cat.1]
        [GHS Cat. Japan, base data]
       blood system, nervous system (EU-RAR, 2004; NITE Initial Risk Assessment Report, 2007)
     [cat.3 (respiratory tract irritation)]
        [GHS Cat. Japan, base data]
       (Ethanol)
       respiratory tract irritation (PATTY 6th, 2012)
     [cat.3 (narcotic effects)]
        [GHS Cat. Japan, base data]
        (Ethanol)
        narcotic effect (PATTY 6th, 2012; SIDS, 2005)
  STOT-repeated exposure
     [Product]
        Category 1, Causes damage to organs through prolonged or repeated exposure
        Category 2, May cause damage to organs through prolonged or repeated exposure
     [Data for components of the product]
     [cat.1]
        [GHS Cat. Japan, base data]
        (Ethanol)
       liver (DFGOT vol.12, 1999)
       (Aniline)
       blood system, nervous system (NITE Initial Risk Assessment Report, 2007)
     [cat.2]
       [GHS Cat. Japan, base data]
       (Ethanol)
        central nervous system (HSDB, Access on Jun. 2013)
       (C.I. Basic Violet 3)
       female genitalia, liver (JECFA FAS69, 2014 et al.)
Aspiration hazard data is not available.
```



### Section 12. Ecological Information

**Toxicity** 

Aquatic toxicity

[Product]

Category 1, Very toxic to aquatic life

Category 1, Very toxic to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[GHS Cat. Japan, base data]

(Ethanol)

Algae (Chlorella) EC50=1000mg/L/96hr (SIDS, 2005)

(Aniline)

Crustacea (Daphnia magna) EC50=0.1mg/L/48hr (CEPA, 1994; EURAR, 2004)

Hazardous to the aquatic environment, long-term (chronic)

[GHS Cat. Japan, base data]

(Ethanol)

Crustacea (Ceriodaphnia sp.) NOEC=9.6mg/L/10days (SIDS, 2005)

(Aniline)

Crustacea (Daphnia magna) NOEC=0.004mg/L /21days (ECETOC TR91, 2003; NITE Initial Risk

Assessment Report, 2007; MOE Japan, 2002)

Water solubility

(Ethanol)

miscible (ICSC, 2000)

(Aniline)

3.4g/100 ml (20°C) (ICSC, 2014)

Persistence and degradability

[Data for components of the product]

(Ethanol)

Rapidly degradable (BOD\_Degradation: 89% (METI existing chemical safety inspections,

1993))

(Aniline)

BOD\_Degradation: 85% (METI existing chemical safety inspections, 1993)

Bioaccumulative potential

[Data for components of the product]

(Ethanol)

log Pow=-0.32 (ICSC, 2000)

(Aniline)

log Pow=0.9 (PHYSPROP DB, 2009)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

## Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

## Aniline-gentian violet solution, E0005E-3,2024/01/16

Dispose of contents/container as industrial waste. Accordance with local/national regulation.

#### Section 14. Transport Information

UN Number or ID Number : 1992 UN Proper Shipping Name :

FLAMMABLE LIQUID, TOXIC, N.O.S.

Class or division (Transport hazard class): 3

Subsidiary hazard(s): 6.1 Packing group: II ERG GUIDE No.: 131

Special provisions No.: 274

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 1992 UN Proper Shipping Name :

FLAMMABLE LIQUID, TOXIC, N.O.S.

Class or division (Transport hazard class): 3

Subsidiary hazard(s): 6.1

Packing group: II

Special provisions No.: 274
IATA (Dangerous Goods Regulations)
UN Number or ID Number: 1992
UN Proper Shipping Name:

FLAMMABLE LIQUID, TOXIC, N.O.S.

Class or division (Transport hazard class): 3

Subsidiary hazard(s): 6.1

Hazard labels : Flamm.liquid & Toxic

Packing group : II

Special provisions No.: A3

Environmental hazards

Marine pollutants (yes/no): yes

### Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Aniline: Ethanol: C.I. Basic Violet 3

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

## Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN IMDG Code, 2020 Edition (Incorporating Amendment 40–20)

IATA Dangerous Goods Regulations (64th Edition) 2023

# Aniline-gentian violet solution, E0005E-3, 2024/01/16

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT) 2023 TLVs and BEIs. (ACGIH)

Supplier's data/information

### General Disclaimer

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2022).