



## Safety Data Sheet

### 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Safranine solution 2.5w/v%

SDS No. : E0100E-1

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Safety Management Dept. of Chemicals

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

e-mail address: kagakuhinanzenkanri@kishida.co.jp

### 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 2

HEALTH HAZARDS

Serious eye damage/eye irritation: Category 2B

Carcinogenicity: Category 1A

Reproductive toxicity: Category 1A

Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation)

Specific target organ toxicity – single exposure: Category 3 (Narcosis)

Specific target organ toxicity – repeated exposure: Category 1 (liver)

Specific target organ toxicity – repeated exposure: Category 2 (CNS)

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

Highly flammable liquid and vapor

Causes eye irritation

May cause cancer

May damage fertility or the unborn child

May cause respiratory irritation

May cause drowsiness or dizziness

Causes damage to organs through prolonged or repeated exposure (liver)

May cause damage to organs through prolonged or repeated exposure (CNS)

PRECAUTIONARY STATEMENT

Prevention

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.



Take precautionary measures against static discharge.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Use only outdoors or in a well-ventilated area.  
Wash contaminated parts thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Do not eat, drink or smoke when using this product.

**Response**

In case of fire: Use appropriate media other than water for extinction.  
Get medical advice/attention if you feel unwell.  
IF exposed or concerned: Get medical advice/attention.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

**Storage**

Store in a well-ventilated place. Keep container tightly closed. Keep cool.

**Disposal**

Dispose of contents/container in accordance with local/national regulation.

**Specific Physical and Chemical hazards**

Highly flammable liquid. Vapor/air mixture may explode.

---

**3. Composition/information on ingredients****Mixture/Substance selection:****Mixture**

Ingredient name:Safranine  
Content (%):3.1  
Chemicals No, Japan:5-1948  
CAS No.:477-73-6  
ECNO:207-518-8

Ingredient name:Ethanol  
Content (%):97  
Chemical formula:C<sub>2</sub>H<sub>5</sub>OH  
Chemicals No, Japan:2-202  
CAS No.:64-17-5  
MW:46.07  
ECNO:200-578-6

Note : The figures shown above are not the specifications of the product.

---

**4. First-aid measures****Descriptions of first-aid measures****General measures**

Get medical attention/advice if you feel unwell.

**IF INHALED**

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

**IF ON SKIN (or hair)**

Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation or rash occurs: Get medical advice/attention.

**IF IN EYES**



Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**IF SWALLOWED**

Rinse mouth.

Call a POISON CENTER or doctor/physician if you feel unwell.

---

**5. Fire-fighting measures****Extinguishing media****Suitable extinguishing media**

In case of fire, use water mist, alcohol-resistant foam, dry powder, CO2 to extinguish.

**Unsuitable extinguishing media**

Indoor firefighting equipment or outdoor firefighting equipment

Sprinkler equipment

Dry-powder firefighting equipment – except for phosphate etc.,hydrogen carbonate etc.

Straight stream water extinguisher

Water mist extinguisher

Reinforcing liquid jet extinguisher

Dry-powder extinguisher – except for phosphate etc.,hydrogen carbonate etc.

Bucket of water or tank of water

**Specific hazards arising from the substance or mixture**

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

**Advice for firefighters****Specific fire-fighting measures**

Evacuate non-essential personnel to safe area.

**Special protective equipment and precautions for fire-fighters**

Wear fire/flame resistant/retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

---

**6. Accidental release measures****Personnel precautions, protective equipment and emergency procedures**

Ventilate area until material pick up is complete.

Wear proper protective equipment.

**Environmental precautions**

Prevent spills from entering sewers, watercourses or low areas.

**Methods and materials for containment and cleaning up**

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

**Preventive measures for secondary accident**

Collect spillage.

---

**7. Handling and storage****Precautions for safe handling****Preventive measures**

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.



Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity"

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Storage

Conditions for safe storage

Keep container tightly closed.

Store in a cool, dry place. Do not store in direct sunlight.

Container and packaging materials for safe handling

Glass

---

## 8. Exposure controls/personal protection

Control parameters

Adopted value

(Ethanol)

ACGIH(2008) STEL: 1000ppm (URT irr)

OSHA-PEL

(Ethanol)

TWA: 1000ppm, 1900mg/m<sup>3</sup>

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection.

Hand protection

Wear protective gloves.

Eye protection

Wear eye/face protection.

---

## 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: Dark red, clear

Odor: Alcohol odor

pH data is not available.



Boiling point or initial boiling point data is not available.  
Boiling range data is not available.  
Melting point/Freezing point data is not available.  
Decomposition temperature data is not available.  
Flammability (gases, liquids and solids) data is not available.  
Flash point: (Ethanol)13°C  
Auto-ignition temperature data is not available.  
Lower and upper explosion limit/flammability limit data is not available.  
Vapor pressure data is not available.  
Relative vapor density (Air=1) data is not available.  
Density and/or relative density: 0.8g/cm<sup>3</sup>  
Kinematic viscosity data is not available.  
Solubility:  
Solubility in water: Soluble  
n-Octanol/water partition coefficient data is not available.  
No Particle characteristics data is not available.

---

## 10. Stability and Reactivity

### Reactivity

Not available.

### Chemical stability

Stable under normal storage/handling conditions.

### Possibility of hazardous reactions

(Ethanol)

The vapour mixes well with air, explosive mixtures are easily formed.

Reacts slowly with calcium hypochlorite, silver oxide and ammonia. This generates fire and explosion hazard. Reacts violently with strong oxidants such as nitric acid, silver nitrate, mercuric nitrate and magnesium perchlorate. This generates fire and explosion hazard. (ICSC 0044)

### Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

### Incompatible materials

Strong oxidizing agents, Calcium hypochlorite, Silver oxide, Ammonia

### Hazardous decomposition products

Carbon oxides

---

## 11. Toxicological Information

### Information on toxicological effects

Acute toxicity data is not available.

### Irritant properties

Skin corrosion/irritation data is not available.

Serious eye damage/irritation

[GHS Cat. Japan, base data]

(Ethanol)

rabbit recover within 7 days (ECETOC TR No.48(2), 1998 et al)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

### Carcinogenicity

[GHS Cat. Japan, base data]

(Ethanol)

cat.1A; (ACGIH 7th, 2012; IARC, 2010)



(Ethanol)

IARC-Gr.1 : Carcinogenic to humans

(Ethanol)

ACGIH-A3(2008) : Confirmed Animal Carcinogen with Unknown Relevance to Humans

Reproductive toxicity

[GHS Cat. Japan, base data]

(Ethanol)

cat. 1A; human : PATTY 6th, 2012

STOT

STOT-single exposure

[cat.3 (resp. irrit.)]

[GHS Cat. Japan, base data]

(Ethanol)

respiratory tract irritation (PATTY 6th, 2012)

[cat.3 (drow./dizz.)]

[GHS Cat. Japan, base data]

(Ethanol)

narcosis (PATTY 6th, 2012; SIDS, 2005)

STOT-repeated exposure

[cat.1]

[GHS Cat. Japan, base data]

(Ethanol)

liver (DFGOT vol.12, 1999)

[cat.2]

[GHS Cat. Japan, base data]

(Ethanol)

CNS (HSDB, Access on Jun. 2013)

Aspiration hazard data is not available.

---

## 12. Ecological Information

Ecotoxicity

Aquatic toxicity

Aquatic acute toxicity component(s) data

[GHS Cat. Japan, base data]

(Ethanol)

Algae (Chlorella) EC50=1000mg/L/96hr (SIDS, 2005)

Aquatic chronic toxicity component(s) data

[GHS Cat. Japan, base data]

(Ethanol)

Crustacea (Ceriodaphnia reticulata) NOEC=9.6mg/L/10days (SIDS, 2005)

Water solubility

(Ethanol)

miscible (ICSC, 2000)

Persistence and degradability

(Ethanol)

Degrade rapidly (BOD\_Degradation : 89% (Registered chemicals data check & review, 1993))

Bioaccumulative potential

(Ethanol)

log Pow=-0.32 (ICSC, 2000)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.



---

**13. Disposal considerations**

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

---

**14. Transport Information**

UN No.: 1170

Proper Shipping Name :

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Class or division : 3

Packing group : II

ERG GUIDE No.: 127

Special provisions No.: 144

IMDG Code (International Maritime Dangerous Goods Regulations)

UN No.: 1170

Proper Shipping Name :

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Class or division : 3

Packing group : II

Special provisions No.: 144

IATA Dangerous Goods Regulations

UN No.: 1170

Proper Shipping Name :

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Class or division : 3

Hazard labels : Flamm.liquid

Packing group : II

Special provisions No.: A3; A58; A180

Environmental hazards

MARPOL Annex III – Prevention of pollution by harmful substances

Marine pollutants (yes/no) : no

MARPOL Annex V – Prevention of pollution by garbage discharge

Carcinogenicity: cat.1, 1A, 1B

Ethanol

Reproductive toxicity: cat.1, 1A, 1B

Ethanol

Specific target organ toxicity – repeated exposure: cat.1

Ethanol

Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Noxious Liquid ; Cat. Z

Ethanol

---

**15. Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

US major regulations

Chemicals listed in TSCA Inventory

Ethanol; Safranine

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.



---

**16. Other information****GHS classification and labelling**

Flam. Liq. 2: H225 Highly flammable liquid and vapor

Eye Irrit. 2B: H320 Causes eye irritation

Carc. 1A: H350 May cause cancer

Repr. 1A: H360 May damage fertility or the unborn child

STOT SE 3: H335 May cause respiratory irritation

STOT SE 3: H336 May cause drowsiness or dizziness

STOT RE 1: H372 Causes damage to organs through prolonged or repeated exposure

**Reference Book**

Globally Harmonized System of classification and labelling of chemicals, (6th ed., 2015), UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 20th edit., 2017 UN

IMDG Code, 2018 Edition (Incorporating Amendment 39-18)

IATA Dangerous Goods Regulations (60th Edition) 2019

Classification, labelling and packaging of substances and mixtures (table3-1 ECNO6182012)

2016 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2019 TLVs and BEIs. (ACGIH)

<http://monographs.iarc.fr/ENG/Classification/index.php>

Supplier's data/information

**General Disclaimer**

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2018).