Date of issue: 2017/10/26 Date of revision: 2021/09/01

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Antimony(III) oxide

SDS No.: 0533E-3

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku,Osaka ,JAPAN Division: Safety Management Dept. of Chemicals

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

e-mail address: kagakuhinanzenkanri@kishida.co.jp

2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

HEALTH HAZARDS

Carcinogenicity: Category 1B

Specific target organ toxicity – single exposure: Category 2(respiratory system)

Specific target organ toxicity – repeated exposure: Category 1(respiratory system)

Label elements



Signal word: Danger

HAZARD STATEMENT

May cause cancer

May cause damage to organs(respiratory system)

Causes damage to organs through prolonged or repeated exposure(respiratory system)

PRECAUTIONARY STATEMENT

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Response

Get medical advice/attention if you feel unwell.

IF exposed or concerned: Get medical advice/attention.

IF exposed or concerned: Call a POISON CENTER/doctor/physician.

Disposa

Dispose of contents/container in accordance with local/national regulation.

3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name:Antimony(III) oxide

Content (%):98(min)

Chemical formula:Sb2O3

Antimony(III) oxide.0533E-3.2021/09/01

Chemicals No, Japan:1-543

CAS No.:1309-64-4

MW:291.52

ECNO:215-175-0

Note: The figures shown above are not the specifications of the product.

4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face peace operated positive pressure mode.

6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses or low areas.

Avoid raising dust.

Methods and materials for containment and cleaning up

Sweep up, place in a bag and hold for waste disposal.

Antimony(III) oxide,0533E-3,2021/09/01

Preventive measures for secondary accident

Collect spillage.

7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Wear protective gloves, protective clothing or face protection.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity"

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Storage

Conditions for safe storage

Keep container tightly closed.

Store in a cool, dry place. Do not store in direct sunlight.

Keep under lock and key.

Container and packaging materials for safe handling

Glass

Polyethylene

8. Exposure controls/personal protection

Control parameters

Adopted value

(Antimony(III) oxide)

ACGIH(2020) TWA: 0.02mg/m3(I) (Pneumonitis)

OSHA-PEL

(Antimony(III) oxide)

TWA: 0.5 mg - Sb/m3

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection.

Hand protection

Wear protective gloves.

Eye protection

Wear eye/face protection.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Crystalline powder to powder

Color: White Odor: Odorless

Melting point/Freezing point: 656°C

Boiling point or initial boiling point: (Antimony(III) oxide)(partially sublimes) 1550°C

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point data is not available.

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: (none) 0.00033g/100 ml (22.2°C) n-Octanol/water partition coefficient data is not available.

Vapor pressure: 130 Pa(574°C)

Density and/or relative density: 5.9g/cm3

Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available.

10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Decomposes on heating. This produces toxic fumes. Reacts under certain circumstances with hydrogen. This produces a very poisonous gas (stibine). (ICSC 0012)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Hydrogen

Hazardous decomposition products

Stibine

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[GHS Cat. Japan, base data]

(Antimonv(III) oxide)

one human death record, Cat.5 (CERI hazard data 2001-7, 2002)

Irritant properties

Skin corrosion/irritation data is not available.

Serious eye damage/irritation data is not available.

Antimony(III) oxide,0533E-3,2021/09/01

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

Carcinogenicity

[GHS Cat. Japan, base data]

(Antimony(III) oxide)

cat.1B; ACGIH A2 (ACGIH, 2001)

(Antimony(III) oxide)

IARC-Gr.2B: Possibly carcinogenic to humans

(Antimony(III) oxide)

ACGIH-A2(2020): Suspected Human Carcinogen

(Antimony(III) oxide)

EU-Category 2; Substances suspected human carcinogens

Reproductive toxicity data is not available.

STOT

STOT-single exposure

[cat.2]

[GHS Cat. Japan, base data]

(Antimony(III) oxide)

respiratory system (CERI hazard data book, 2002)

STOT-repeated exposure

[cat.1]

[GHS Cat. Japan, base data]

(Antimony(III) oxide)

respiratory system (IRIS, 2002)

Aspiration hazard data is not available.

Information on other hazards

May cause lung disorders by massive inhalation of powdered substance.

-e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax

12. Ecological Information

Ecotoxicity

Aquatic toxicity

Hazardous to the aquatic environment (Acute)

[GHS Cat. Japan, base data]

(Antimony(III) oxide)

Fish (bluegill) LC50 > 530mg/L/96hr (NITE primary risk assessment, 2008)

Hazardous to the aquatic environment (Long-term)

[GHS Cat. Japan, base data]

(Antimony(III) oxide)

Fish (fat head minnow) NOEC > 0.00898mg/L/33 - 35days (MOE Japan, 2008)

Water solubility

(Antimony(III) oxide)

(none) 0.00033g/100 ml (22.2°C) (ICSC, 2013)

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

Bioaccumulative potential data is not available.

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

14. Transport Information

UN No. or ID No.: Not applicable

Not applicable to IMDG Code

Not applicable to IATA Dangerous Goods Regulations

Environmental hazards

MARPOL Annex III - Prevention of pollution by harmful substances

Marine pollutants (yes/no): no

MARPOL Annex V - Prevention of pollution by garbage discharge

Carcinogenicity: cat.1, 1A, 1B

Antimony(III) oxide

Specific target organ toxicity - repeated exposure: cat.1

Antimony(III) oxide

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture Chemicals listed in TSCA Inventory

Antimony(III) oxide

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

16. Other information

GHS classification and labelling

Carc. 1B: H350 May cause cancer

STOT SE 2: H371 May cause damage to organs

STOT RE 1: H372 Causes damage to organs through prolonged or repeated exposure

Reference Book

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN

IMDG Code, 2018 Edition (Incorporating Amendment 39–18)

IATA Dangerous Goods Regulations (62nd Edition) 2021

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2021 TLVs and BEIs. (ACGIH)

Supplier's data/information

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2019).