

Date of issue: 23/04/2018

Safety Data Sheet

 Identification of the substance/mixture and of the company/undertaking Product identifier: Product name: Sodium deoxycholate Product code(SDS NO): 7141E-1 Details of the supplier of the safety data sheet Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku,Osaka 540-0029,JAPAN Division: Safety Management Dept. of Chemicals Telephone number: +81-6-6946-8061 FAX: +81-6-6946-1607 e-mail address: kagakuhinanzenkanri@kishida.co.jp

2. Hazards identification GHS classification and label elements of the product Classification of the substance or mixture HEALTH HAZARDS Acute toxicity Oral: Category 4 (Note) GHS classification without description: Not applicable/Out of classification/Not classifiable Label elements



Signal word: Warning HAZARD STATEMENT Harmful if swallowed PRECAUTIONARY STATEMENT Prevention Wash contaminated parts thoroughly after handling. Do not eat, drink or smoke when using this product. Response Rinse mouth. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Disposal Dispose of contents/container in accordance with local/national regulation.

3. Composition/information on ingredients

Mixture/Substance selection:
Substance
Ingredient name:Sodium deoxycholate
Content(%):96(min)
Chemical formula:C24H39NaO4
CAS No.:302-95-4
MW:414.56
ECNO:206-132-7
Note : The figures shown above are not the specifications of the product.



4. First-aid measures					
Descriptions of first-aid measures					
 IF INHALED Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN (or hair) Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF SWALLOWED Rinse mouth. 					
		Call a POISON CENTER or doc	tor/physician if you feel unwell.		
		5. Fire-fighting measures			
		 Extinguishing media Suitable extinguishing media Use appropriate extinguishing media suitable for surrounding facilities. Specific hazards arising from the substance or mixture Containers may explode when heated. Fire may produce irritating, corrosive and/or toxic gases. Advice for firefighters Specific fire-fighting measures Evacuate non-essential personnel to safe area. Special protective equipment and precautions for fire-fighters Wear fire/flame resistant/retardant clothing. Wear protective gloves/protective clothing/eye protection/face protection. 			
				-	ontained breathing apparatus with full face peace operated
				positive pressure mode.	
				6. Accidental release measures	
				Personnel precautions, protective equip	
				Ventilate area after material pic	
				Wear proper protective equipme	
Methods and materials for containment					
Sweep up, place in a bag and ho					
Preventive measures for secondary acc	ident				
Collect spillage.					
7. Handling and storage					
Precautions for safe handling					
Preventive measures					
	and explosion)				
(Protective measures against fire and explosion) Keep away from heat/sparks/open flames/hot surfaces No smoking					
ILCED AWAY ITUIL HEAL/ SUARS/ OF					

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Exhaust/ventilator

Exhaust/ventilator should be available.

Safety treatments



8. Exposure controls/personal protection

Avoid contact with skin. Avoid contact with eyes. Safety Measures/Incompatibility Wear protective gloves, protective clothing or face protection. When using do not eat, drink or smoke. Conditions for safe storage, including any incompatibilities Recommendation for storage Keep container tightly closed. Store in a cool, dry place. Do not store in direct sunlight.

Exposure controls Appropriate engineering controls Do not use in areas without adequate ventilation. Eye wash station should be available. Washing facilities should be available. Individual protection measures Respiratory protection Wear respiratory protection. Hand protection Wear protective gloves. Eye protection Wear eye/face protection. Safety and Health measures Wash … thoroughly after handling. Do not eat, drink or smoke when using this product.

9. Physical and Chemical Properties Information on basic physical and chemical properties Physical properties Appearance: Powder Color: White Odor data N.A. pH: 7.0-9.0(10g/L,25°C) Phase change temperature Initial Boiling Point/Boiling point data N.A. Melting point/Freezing point data N.A. Decomposition temperature data N.A. Flash point data N.A. Auto-ignition temperature data N.A. Explosive properties data N.A. Vapor pressure data N.A. Vapor density data N.A. Specific gravity/Density data N.A. Solubility Solubility in water: Easily soluble n-Octanol /water partition coefficient data N.A.



 10. Stability and Reactivity Chemical stability May be converted by the light. Conditions to avoid Contact with incompatible materials. Contact with fire source. Incompatible materials Strong oxidizing agents Hazardous decomposition products Carbon oxides 11. Toxicological Information Information on toxicological effects Acute toxicity (Oral) [Company proprietary data] (Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Allergenic effects data available No Mutagenic effects data available No Teratogenic effects data available No Aspiration hazard data available No Aspiration hazard data available No Aspiration latar May cause lung disorders by massive inhalation of powdered substancee.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax 		
May be converted by the light. Conditions to avoid Contact with incompatible materials. Contact with fire source. Incompatible materials Strong oxidizing agents Hazardous decomposition products Carbon oxides 11. Toxicological Information Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Company proprietary data] (Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Allergenic and sensitizing effects data available No Mutagenic effects data available No Feratogenic effects data available No Feratogenic effects data available No Foropoductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	10. Stability and Reactivity	
Conditions to avoid Contact with incompatible materials. Contact with fire source. Incompatible materials Strong oxidizing agents Hazardous decomposition products Carbon oxides 11. Toxicological Information Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Company proprietary data] (Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Allergenic and sensitizing effects data available No Mategenic effects data available No Mategenic effects data available No Teratogenic effects data available No reproductive toxicity data available No reproductive toxicity data available No stroT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	Chemical stability	
Contact with incompatible materials. Contact with fire source. Incompatible materials Strong oxidizing agents Hazardous decomposition products Carbon oxides 11. Toxicological Information Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Company proprietary data] (Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Allergenic and sensitizing effects data available No Allergenic effects data available No Teratogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	May be converted by the light.	
Contact with fire source. Incompatible materials Strong oxidizing agents Hazardous decomposition products Carbon oxides 11. Toxicological Information Information on toxicological effects Acute toxicity (Oral) [Company proprietary data] (Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Altegenic and sensitizing effects data available No Mutagenic effects data available No Carcinogenic effects data available No Teratogenic effects data available No Teratogenic effects data available No Teratogenic effects data available No Teratogenic effects data available No StrOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	Conditions to avoid	
Incompatible materials Strong oxidizing agents Hazardous decomposition products Carbon oxides 11. Toxicological Information Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Company proprietary data] (Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Allergenic and sensitizing effects data available No Mutagenic effects data available No Garcinogenic effects data available No Feratogenic effects data available No Feratogenic effects data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	Contact with incompatible materials.	
Strong oxidizing agents Hazardous decomposition products Carbon oxides 11. Toxicological Information Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Company proprietary data] (Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Allergenic and sensitizing effects data available No Allergenic effects data available No Garcinogenic effects data available No Carcinogenic effects data available No Carcinogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	Contact with fire source.	
Hazardous decomposition products Carbon oxides 11. Toxicological Information Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Company proprietary data] (Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Allergenic and sensitizing effects data available No Allergenic and sensitizing effects data available No Mutagenic effects data available No Carcinogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	Incompatible materials	
Carbon oxides 11. Toxicological Information Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Company proprietary data] (Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Allergenic and sensitizing effects data available No Allergenic effects data available No Carcinogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substancee.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax 12. Ecological Information	Strong oxidizing agents	
 11. Toxicological Information Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Company proprietary data] (Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Allergenic and sensitizing effects data available No Mutagenic effects data available No Carcinogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substancee.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax 	Hazardous decomposition products	
Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Company proprietary data] (Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Allergenic and sensitizing effects data available No Allergenic effects data available No Mutagenic effects data available No Garcinogenic effects data available No Carcinogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	Carbon oxides	
Acute toxicity Acute toxicity (Oral) [Company proprietary data] (Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Allergenic and sensitizing effects data available No Mutagenic effects data available No Carcinogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	11. Toxicological Information	
Acute toxicity (Oral) [Company proprietary data] (Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Allergenic and sensitizing effects data available No Mutagenic effects data available No Carcinogenic effects data available No Carcinogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	Information on toxicological effects	
[Company proprietary data] (Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Allergenic and sensitizing effects data available No Mutagenic effects data available No Carcinogenic effects data available No Teratogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	Acute toxicity	
(Sodium deoxycholate) rat LD50=1370 mg/kg No Irritant properties data available No Allergenic and sensitizing effects data available No Mutagenic effects data available No Carcinogenic effects data available No Teratogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	Acute toxicity (Oral)	
rat LD50=1370 mg/kg No Irritant properties data available No Allergenic and sensitizing effects data available No Mutagenic effects data available No Carcinogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	[Company proprietary data]	
No Irritant properties data available No Allergenic and sensitizing effects data available No Mutagenic effects data available No Carcinogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	(Sodium deoxycholate)	
No Allergenic and sensitizing effects data available No Mutagenic effects data available No Carcinogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	rat LD50=1370 mg/kg	
No Mutagenic effects data available No Carcinogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	No Irritant properties data available	
No Carcinogenic effects data available No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	No Allergenic and sensitizing effects data available	
No Teratogenic effects data available No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	No Mutagenic effects data available	
No reproductive toxicity data available No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	No Carcinogenic effects data available	
No STOT-single/repeated exposure data available No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax	No Teratogenic effects data available	
No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax 12. Ecological Information	No reproductive toxicity data available	
No Aspiration hazard data available Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax 12. Ecological Information	No STOT-single/repeated exposure data available	
Additional data May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax 12. Ecological Information		
 -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax 12. Ecological Information 		
 -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax 12. Ecological Information 	May cause lung disorders by massive inhalation of powdered substance.	
function, interstitial lung disease, pneumothorax 12. Ecological Information		
12. Ecological Information		

Ecotoxicity

No Aquatic toxicity data available

No Persistence and degradability data available

No Bioaccumulative potential data available

No Mobility in soil data available

Ozone depleting chemical data not available

Disposal considerations
 Waste treatment methods
 Dispose of contents/container in accordance with local/national regulation.

14. Transport Information Not applicable to UN NO.



Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

16. Other information

GHS classification and labelling

Acute Tox. 4: H302 Harmful if swallowed

Reference Book

Globally Harmonized System of classification and labelling of chemicals, (5th ed., 2013), UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 19th edit., 2015 UN Classification, labelling and packaging of substances and mixtures (table3-1 ECNO6182012) 2016 EMERGENCY RESPONSE GUIDEBOOK (US DOT) 2017 TLVs and BEIs. (ACGIH)

http://managemente.jeva.fv/ENC/Olassificati

http://monographs.iarc.fr/ENG/Classification/index.php

Supplier's data/information

Hazard Communication Standard - 2012

General Disclaimer

This information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. It are advised to make their own tests to determinate the safety and suitability of each such product or combination for their own purposes.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2016).