

Date of issue: 2019/04/15 Date of revision: 2021/12/22

Safety Data Sheet

Product identifier: Product name: Sternheimer Marbin solution SDS No. : E0158E-2 Details of the supplier of the safety data sheet Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku,Osaka ,JAPAN Division: Chemical Safety Management Department Telephone number: +81-6-6946-8061 FAX: +81-6-6946-1607 e-mail address: kagakuhinanzenkanri@kishida.co.jp 2. Hazards identification GHS classification and label elements of the product Classification of the substance or mixture PHYSICAL AND CHEMICAL HAZARDS Flammable liquids: Category 3 HEALTH HAZARDS Carcinogenicity: Category 1A Reproductive toxicity: Category 1A Specific target organ toxicity - repeated exposure: Category 2(liver) Label elements Signal word: Danger HAZARD STATEMENT Flammable liquid and vapor May cause cancer May damage fertility or the unborn child May cause damage to organs through prolonged or repeated exposure(liver) PRECAUTIONARY STATEMENT Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection. Response In case of fire: Use appropriate media other than water to extinguish. Get medical advice/attention if you feel unwell. IF exposed or concerned: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

1. Identification of the substance/mixture and of the company/undertaking



or shower. Storage Store in a well-ventilated place. Keep cool. Disposal Dispose of contents/container in accordance with local/national regulation. Specific Physical and Chemical hazards Flammable liquid. Vapor/air mixture may explode.

3. Composition/information on ingredients Mixture/Substance selection: Mixture Ingredient name:Ethanol Content (%):7.6 Chemical formula:C2H5OH Chemicals No, Japan:2-202 CAS No.:64-17-5 MW:46.07 ECNO:200-578-6
Ingredient name:Safranine Content (%):0.22 Chemicals No, Japan:5-1948 CAS No.:477-73-6 ECNO:207-518-8

> Ingredient name:C.I. Basic Violet 3, 9-hydrate Content (%):0.092 Chemical formula:C25H30CIN3•9H2O Chemicals No, Japan:5-1971 CAS No.:60662-33-1 MW:570.12

Ingredient name:Ammonium oxalate Content (%):0.021 Chemical formula:C2H8N2O4 Chemicals No, Japan:1-391; 2-844 CAS No.:1113-38-8 MW:124.1 ECNO:214-202-3

Ingredient name:Water Content (%):92 Chemical formula:H2O CAS No.:7732-18-5 MW:18.02 ECNO:231-791-2 Note : The figures shown above are not the specifications of the product.



4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face peace operated positive pressure mode.

6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses or low areas.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.



7. Handling and storage	
Precautions for safe handling	
Preventive measures	
(Exposure Control for handling personnel)	t breathe dust/fume/gas/mist/vapors/spray. ve measures against fire and explosion) away from heat, hot surfaces, sparks, open flames and other ignition sources. No
Do not breathe dust/fume/gas/mist/vapors/spray.	
(Protective measures against fire and explosion)	
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
Ground and bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting equipment.	
Use non-sparking tools.	
Take action to prevent static discharges.	
(Exhaust/ventilator)	
Exhaust/ventilator should be available.	
(Safety treatments)	
Avoid contact with skin.	
Avoid contact with eves.	
Safety Measures	
Wear protective gloves/protective clothing/eye protection/face protection.	
When using do not eat, drink or smoke.	
Any incompatibilities	
See "10.Stability and Reactivity"	
Storage	
Conditions for safe storage	
Keep container tightly closed.	
Store in a cool, dry place. Do not store in direct sunlight.	
Container and packaging materials for safe handling	
Glass	
Polyethylene	
8. Exposure controls/personal protection	
Control parameters	
Adopted value	
(Ethanol)	
ACGIH(2009) STEL: 1000ppm (URT irr)	
OSHA-PEL	
(Ethanol)	
TWA: 1000ppm, 1900mg/m3	
Exposure controls	
Appropriate engineering controls	
Do not use in areas without adequate ventilation.	
Eye wash station should be available. We align for ilities about the available	
Washing facilities should be available.	
Individual protection measures	
Respiratory protection	
Wear respiratory protection.	
Hand protection	
Wear protective gloves.	
Eye protection	
Wear eye/face protection.	



9. Physical and Chemical Properties

Information on basic physical and chemical properties Physical state: Liquid Color: Bluish-purple, Clear Odor data is not available. Melting point/Freezing point data is not available. Boiling point or initial boiling point data is not available. Boiling range data is not available. Flammability (gases, liquids and solids) data is not available. Lower and upper explosion limit/flammability limit data is not available. Flash point: (reference)56°C Auto-ignition temperature data is not available. Decomposition temperature data is not available. pH data is not available. Kinematic viscosity data is not available. Solubility: Solubility in water: Soluble n-Octanol/water partition coefficient data is not available. Vapor pressure data is not available. Density and/or relative density: 0.98 Relative vapor density (Air=1) data is not available. Particle characteristics data is not available.

10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

(Ethyl alcohol)

The vapour mixes well with air, explosive mixtures are easily formed. Reacts slowly with calcium hypochlorite, silver oxide and ammonia. This generates fire and explosion hazard. Reacts violently with strong oxidants such as nitric acid, silver nitrate, mercuric nitrate and magnesium perchlorate. This generates fire and explosion hazard. (ICSC 0044) (Ammonium oxalate) Decomposes on heating and on burning. This produces toxic and corrosive fumes including ammonia and nitrogen oxides. Reacts with oxidants. (ICSC 1036) Conditions to avoid Contact with incompatible materials.

Contact with incompatible mater

Contact with fire source.

Incompatible materials

Oxidizing agents, Calcium hypochlorite, Silver oxide, Ammonia

Hazardous decomposition products

Nitrogen oxides, Ammonia

11. Toxicological Information Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Company proprietary data]



(C.I. Basic Violet 3, 9-hydrate) (As C.I. basic Violet 3) rat LD50=180mg/kg Irritant properties Skin corrosion/irritation [GHS Cat. Japan, base data] (Ammonium oxalate) human skin irritation (ICSC(J), 1995 et al) Serious eye damage/irritation [GHS Cat. Japan, base data] (Ethanol) rabbit recover within 7 days (ECETOC TR No.48(2), 1998 et al) (Ammonium oxalate) human eyes irritation (ICSC(J), 1995 et al) [Company proprietary data] (C.I. Basic Violet 3, 9-hydrate) (As C.I. basic Violet 3) Category 2 Allergenic and sensitizing effects data is not available. Mutagenic effects data is not available. Carcinogenicity [GHS Cat. Japan, base data] (Ethanol) cat.1A: (IARC, 2010) [Company proprietary data] (C.I. Basic Violet 3, 9-hydrate) (As C.I. basic Violet 3) Category 1B (Ethanol) IARC-Gr.1 : Carcinogenic to humans (Ethanol) ACGIH-A3(2009) : Confirmed Animal Carcinogen with Unknown Relevance to Humans Reproductive toxicity [GHS Cat. Japan, base data] (Ethanol) cat. 1A; human : PATTY 6th, 2012 STOT STOT-single exposure [cat.3 (resp. irrit.)] [GHS Cat. Japan, base data] (Ethanol) respiratory tract irritation (PATTY 6th, 2012) (Ammonium oxalate) respiratory tract irritation (SITTIG 4th, 2002) [cat.3 (drow./dizz.)] [GHS Cat. Japan, base data] (Ethanol) narcotic effect (PATTY 6th, 2012; SIDS, 2005) STOT-repeated exposure [cat.1] [GHS Cat. Japan, base data] (Ethanol) liver (DFGOT vol.12, 1999) [cat.2] [GHS Cat. Japan, base data] (Ethanol) central nervous system (HSDB, Access on Jun. 2013)



Aspiration hazard data is not available.

12. Ecological Information
Ecotoxicity
Aquatic toxicity
Hazardous to the aquatic environment (Acute)
[GHS Cat. Japan, base data]
(Ethanol)
Algae (Chlorella) EC50=1000mg/L/96hr (SIDS, 2005)
Hazardous to the aquatic environment (Long-term)
[GHS Cat. Japan, base data]
(Ethanol)
Crustacea (Ceriodaphnia reticulata) NOEC=9.6mg/L/10days (SIDS, 2005)
Water solubility
(Ammonium oxalate)
moderate (ICSC, 2012)
(Ethanol)
miscible (ICSC, 2000)
Persistence and degradability
(Ethanol)
Degrade rapidly (BOD_Degradation : 89% (METI existing chemical safety inspections, 1993))
Bioaccumulative potential
(Ethanol)
log Pow=-0.32 (ICSC, 2000)
Mobility in soil
Mobility in soil data is not available.
Other adverse effects
Ozone depleting chemical data is not available.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

14. Transport Information
UN No. or ID No.: 1170
UN Proper Shipping Name :
ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Class or division (Transport hazard class) : 3
Packing group : III
ERG GUIDE No.: 127
Special provisions No.: 144; 223
IMDG Code (International Maritime Dangerous Goods Regulations)
UN No.: 1170
Proper Shipping Name :
ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Class or division : 3
Packing group : III
Special provisions No.: 144; 223
IATA Dangerous Goods Regulations



UN No.: 1170 Proper Shipping Name : ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) Class or division : 3 Hazard labels : Flamm.liquid Packing group : III Special provisions No.: A3; A58; A180 Environmental hazards MARPOL Annex III - Prevention of pollution by harmful substances Marine pollutants (yes/no) : no MARPOL Annex V - Prevention of pollution by garbage discharge Carcinogenicity: cat.1, 1A, 1B Ethanol Reproductive toxicity: cat.1, 1A, 1B Ethanol Maritime transport in bulk according to IMO instruments Noxious Liquid ; Cat. Z Ethanol Non Noxious Liquid ; Cat. OS Water

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture Chemicals listed in TSCA Inventory

Ethanol; Safranine; Ammonium oxalate; C.I. Basic Violet 3, 9-hydrate; Water

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

16. Other information

GHS classification and labelling

Flam. Lig. 3: H226 Flammable liquid and vapor

Carc. 1A: H350 May cause cancer

Repr. 1A: H360 May damage fertility or the unborn child

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure **Reference Book**

Globally Harmonized System of classification and labelling of chemicals, UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN IMDG Code, 2018 Edition (Incorporating Amendment 39-18) IATA Dangerous Goods Regulations (62nd Edition) 2021 2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT) 2021 TLVs and BEIs. (ACGIH) Supplier's data/information

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE



published in 2020).