

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Cumene

SDS No. : 6485E-3

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

e-mail address: kagakuhinanzenkanri@kishida.co.jp

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 3

HEALTH HAZARDS

Acute toxicity (Inhalation): Category 4

Serious eye damage/eye irritation: Category 2B

Carcinogenicity: Category 1B

Specific target organ toxicity – single exposure: Category 1 (nervous system)

Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation)

Specific target organ toxicity – single exposure: Category 3 (Narcotic effects)

Specific target organ toxicity – repeated exposure: Category 2 (respiratory system)

Aspiration hazard: Category 1

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 2

Hazardous to the aquatic environment, long-term (chronic): Category 2

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

Flammable liquid and vapor

Harmful if inhaled

Causes eye irritation

May cause cancer

Causes damage to organs (nervous system)

May cause respiratory irritation

May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure (respiratory system)

May be fatal if swallowed and enters airways



Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENT

Prevention

Avoid release to the environment.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep container tightly closed.
Ground and bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting equipment.
Use non-sparking tools.
Take action to prevent static discharges.
Do not breathe dust/fume/gas/mist/vapors/spray.
Use only outdoors or in a well-ventilated area.
Wash contaminated parts thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Do not eat, drink or smoke when using this product.

Response

In case of fire: Use appropriate media to extinguish.
Collect spillage.
Get medical advice/attention if you feel unwell.
IF exposed or concerned: Get medical advice/attention.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Specific Physical and Chemical hazards

Flammable liquid. Vapor/air mixture may explode.

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name:Cumene

Content (%):99(min)

Chemical formula:C₆H₅CH(CH₃)₂

Chemicals No, Japan:3-22

CAS No.:98-82-8

MW:120.19

ECNO:202-704-5

Note : The figures shown above are not the specifications of the product.



Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Do NOT induce vomiting.

Immediately call a POISON CENTER/doctor/physician.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

In case of fire, use foam, dry powder, CO2 to extinguish.

Unsuitable extinguishing media

Indoor firefighting equipment or outdoor firefighting equipment

Sprinkler equipment

Dry-powder firefighting equipment – other (except for phosphate etc.,hydrogen carbonate etc.)

Straight stream water extinguisher

Water mist extinguisher

Reinforcing liquid jet extinguisher

Dry-powder extinguisher – other (except for phosphate etc.,hydrogen carbonate etc.)

Bucket of water or tank of water

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses or low areas.

**Methods and materials for containment and cleaning up**

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.

Section 7. Handling and storage**Precautions for safe handling****Preventive measures**

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity"

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Storage**Conditions for safe storage**

Keep container tightly closed.

Store in a cool, dry place. Do not store in direct sunlight.

Container and packaging materials for safe handling

Glass

Polyethylene

Section 8. Exposure controls/personal protection**Control parameters****Adopted value**

(Cumene)

ACGIH(2020) TWA: 5ppm (URT adenoma; neurological eff)

OSHA-PEL

(Cumene)

TWA: 50ppm, 245mg/m³

Exposure controls**Appropriate engineering controls**

Do not use in areas without adequate ventilation.

Eye wash station should be available.



Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection.

Hand protection

Wear protective gloves.

Eye protection

Wear eye/face protection.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: Colorless

Odor: Characteristic odour

Melting point/Freezing point: -96°C

Boiling point or initial boiling point: (Cumene)152°C

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit:

Lower explosion limit: 0.9 vol %

Upper explosion limit: 6.5 vol %

Flash point: (Cumene)(C.C.) 31°C

Auto-ignition temperature: (Cumene)420°C

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity: 0.85 mm²/s (25°C)

Solubility:

Solubility in water: Very poor (0.02 g/100ml, 20°C)

n-Octanol/water partition coefficient: log Pow3.66

Vapor pressure: 427 Pa (20°C)

Density and/or relative density: 0.90

Relative vapor density (Air=1): 4.2

Relative density of the Vapor/air - mixture at 20°C (Air = 1): 1.01

Particle characteristics data is not available.

Section 10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

As a result of flow, agitation, etc., electrostatic charges can be generated.

Reacts violently with acids and strong oxidants. This generates fire and explosion hazard.

The substance can form explosive peroxides. (ICSC 0170)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Acids, Strong oxidizing agents

Hazardous decomposition products

Carbon oxides, Explosive peroxides

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Data for components of the product]

[GHS Cat. Japan, base data]

(Cumene)

rat LD50=2700mg/kg (ACGIH, 2001)

Acute toxicity (Dermal)

[Data for components of the product]

[GHS Cat. Japan, base data]

(Cumene)

rabbit LD50 >3160mg/kg (AICIS IMAP, 2016)

Acute toxicity (Inhalation)

[Data for components of the product]

[GHS Cat. Japan, base data]

(Cumene)

vapor: mouse LC50=2000ppm/7hr (cal.: 2645ppm/4hr) (OEL Documentations (JSOH), 2019)

mist: rat LC50=39.3mg/L/4hr (OEL Documentations (JSOH), 2019)

Irritant properties

Skin corrosion/irritation data is not available.

Serious eye damage/irritation

[Data for components of the product]

[GHS Cat. Japan, base data]

(Cumene)

mild irritation (MHLW risk assessment Report, 2015)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

Carcinogenicity

[Data for components of the product]

[GHS Cat. Japan, base data]

(Cumene)

cat.1B; (CLH Report, 2019 et al.)

[IARC]

(Cumene)

Group 2B : Possibly carcinogenic to humans

[ACGIH]

(Cumene)

A3(2020) : Confirmed Animal Carcinogen with Unknown Relevance to Humans

Reproductive toxicity data is not available.

Specific target organ toxicity (STOT)

STOT-single exposure

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

(Cumene)

nervous system (MHLW Risk Assessment Report, 2015)

[cat.3 (respiratory tract irritation)]

[GHS Cat. Japan, base data]

(Cumene)

respiratory tract irritation (MHLW Risk Assessment Report, 2015)

[cat.3 (narcotic effects)]

[GHS Cat. Japan, base data]



(Cumene)
narcotic effect (MHLW Risk Assessment Report, 2015)
STOT-repeated exposure
[Data for components of the product]
[cat.2]
[GHS Cat. Japan, base data]
(Cumene)
respiratory system (JSOH OEL Documentations, 2019)
Aspiration hazard
[Data for components of the product]
[cat.1]
[GHS Cat. Japan, base data]
(Cumene)
cat. 1; hydrocarbon, kinematic viscosity=0.73 x 10⁻⁶ mm²/s (40°C) (EU RAR, 2001)

Section 12. Ecological Information

Toxicity
Aquatic toxicity
[Data for components of the product]
Hazardous to the aquatic environment, short-term (acute)
[GHS Cat. Japan, base data]
(Cumene)
Crustacea (Mysidopsis bahia) LC50=1.2mg/L/96hr (CICAD18, 1999)
Water solubility
(Cumene)
very poor (0.02 g/100ml, 20°C) (ICSC, 2014)
Persistence and degradability
[Data for components of the product]
(Cumene)
Not rapidly degradable (Degradation : 13% (84/449/EEC))
Bioaccumulative potential
[Data for components of the product]
(Cumene)
log Pow=3.66 (PHYSPROP DB, 2005)
Mobility in soil
Mobility in soil data is not available.
Other adverse effects
Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging
Waste treatment methods
Avoid release to the environment.
Dispose of contents/container in accordance with local/national regulation.

Section 14. Transport Information

UN Number or ID Number : 1918
UN Proper Shipping Name :
ISOPROPYLBENZENE
Class or division (Transport hazard class) : 3



Packing group : III
ERG GUIDE No.: 130
IMDG Code (International Maritime Dangerous Goods Regulations)
UN Number or ID Number : 1918
UN Proper Shipping Name :
ISOPROPYLBENZENE
Class or division (Transport hazard class) : 3
Packing group : III
IATA (Dangerous Goods Regulations)
UN Number or ID Number : 1918
UN Proper Shipping Name :
ISOPROPYLBENZENE
Class or division (Transport hazard class) : 3
Hazard labels : Flamm.liquid
Packing group : III
Environmental hazards
Marine pollutants (yes/no) : yes
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Flammable Liquid
Cumene

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Cumene

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

GHS classification and labelling

Flammable liquids, Category 3: H226 Flammable liquid and vapour

Acute toxicity, Category 4: H332 Harmful if inhaled

Serious eye damage/eye irritation, Category 2B: H320 Causes eye irritation

Carcinogenicity, Category 1B: H350 May cause cancer

STOT – single exposure, Category 1: H370 Causes damage to organs

STOT – single exposure, Category 3, Respiratory tract irritation: H335 May cause respiratory irritation.

STOT – single exposure, Category 3, Narcotic effects: H336 May cause drowsiness or dizziness.

STOT – Repeated exposure, Category 2: H373 May cause damage to organs through prolonged or repeated exposure

Aspiration hazard, Category 1: H304 May be fatal if swallowed and enters airways

Hazardous to the aquatic environment, short-term (acute), Category 2: H401 Toxic to aquatic life

Hazardous to the aquatic environment, long-term (chronic), Category 2: H411 Toxic to aquatic life with long lasting effects

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN

IMDG Code, 2020 Edition (Incorporating Amendment 40–20)



IATA Dangerous Goods Regulations (62nd Edition) 2021
2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)
2022 TLVs and BEIs. (ACGIH)
Supplier's data/information

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2021).