

Date of issue: 2020/01/20 Date of revision: 2023/02/16

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking Product identifier: Product name: 1,3,5-Trimethylbenzene SDS No. : 8054E-2 Relevant identified uses of the substance or mixture and uses advised against Research and Development Details of the supplier of the safety data sheet Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN **Division: Chemical Safety Management Department** Telephone number: +81-6-6946-8061 FAX: +81-6-6946-1607 Section 2. Hazards identification GHS classification and label elements of the product Classification of the substance or mixture PHYSICAL AND CHEMICAL HAZARDS Flammable liquids: Category 3 HEALTH HAZARDS Skin corrosion/irritation: Category 2 Serious eye damage/eye irritation: Category 2B Specific target organ toxicity - single exposure: Category 3 (Respiratory tract irritation) Specific target organ toxicity - single exposure: Category 3 (Narcotic effects) Specific target organ toxicity - repeated exposure: Category 1 (central nervous system, respiratory system) Aspiration hazard: Category 1 **ENVIRONMENT HAZARDS** Hazardous to the aquatic environment, short-term (acute): Category 2 Hazardous to the aquatic environment, long-term (chronic): Category 2 (Note) GHS classification without description: Not classified/Classification not possible Label elements




Signal word: Danger HAZARD STATEMENT Flammable liquid and vapor Causes skin irritation Causes eye irritation May cause respiratory irritation May cause drowsiness or dizziness Causes damage to organs through prolonged or repeated exposure (central nervous system, respiratory system) May be fatal if swallowed and enters airways Toxic to aquatic life with long lasting effects PRECAUTIONARY STATEMENT Prevention



Avoid release to the environment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash contaminated parts thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product. Response In case of fire: Use appropriate media to extinguish. Collect spillage. Get medical advice/attention if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Storage Store in a well-ventilated place. Keep container tightly closed. Keep cool. Disposal Dispose of contents/container in accordance with local/national regulation. Specific Physical and Chemical hazards Flammable liquid. Vapor/air mixture may explode.

Section 3. Composition/information on ingredients

Mixture/Substance selection: Substance Ingredient name:1,3,5-Trimethylbenzene Content (%):97(min) Chemical formula:C6H3(CH3)3 Chemicals No, Japan:3-7; 3-3427 CAS No.:108-67-8 MW:120.2 ECNO:203-604-4 Note : The figures shown above are not the specifications of the product.



Section 4. First-aid					
Decemintions of fi					
Descriptions of first-aid measures					
General measures Get medical advice/attention if you feel unwell. IF INHALED Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell. IF ON SKIN (or hair) Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.					
		IF IN EYES	ation with weater for a consultation to a Demonstrate language if any output and a const		
		Rinse cautiously with water for several minutes. Remove contact lenses, if present and ea to do. Continue rinsing.			
				IF SWALLOWE	If eye irritation persists: Get medical advice/attention.
		Rinse mo			
			induce vomiting.		
			ely call a POISON CENTER/doctor/physician.		
		Section 5. Fire-fight	ing measures		
Extinguishing med	-				
Suitable exting					
	f fire, use foam, dry powder, CO2 to extinguish.				
	Unsuitable extinguishing media				
	refighting equipment or outdoor firefighting equipment				
	equipment				
	der firefighting equipment – other (except for phosphate etc.,hydrogen carbonate				
etc.)					
	stream water extinguisher				
-	st extinguisher				
Reinforci	ng liquid jet extinguisher				
Reinforciı Dry-powo	ng liquid jet extinguisher der extinguisher – other (except for phosphate etc.,hydrogen carbonate etc.)				
Reinforci Dry-powo Bucket of	ng liquid jet extinguisher der extinguisher – other (except for phosphate etc.,hydrogen carbonate etc.) f water or tank of water				
Reinforci Dry-powo Bucket of Specific hazards	ng liquid jet extinguisher der extinguisher – other (except for phosphate etc.,hydrogen carbonate etc.) f water or tank of water arising from the substance or mixture				
Reinforci Dry–powo Bucket of Specific hazards a Container	ng liquid jet extinguisher der extinguisher – other (except for phosphate etc.,hydrogen carbonate etc.) f water or tank of water arising from the substance or mixture rs may explode when heated.				
Reinforcin Dry-powo Bucket of Specific hazards Container Fire may	ng liquid jet extinguisher der extinguisher – other (except for phosphate etc.,hydrogen carbonate etc.) f water or tank of water arising from the substance or mixture rs may explode when heated. produce irritating, corrosive and/or toxic gases.				
Reinforcin Dry-powo Bucket of Specific hazards a Containen Fire may Advice for firefigh	ng liquid jet extinguisher der extinguisher – other (except for phosphate etc.,hydrogen carbonate etc.) f water or tank of water arising from the substance or mixture rs may explode when heated. produce irritating, corrosive and/or toxic gases. nters				
Reinforcin Dry-powo Bucket of Specific hazards a Container Fire may Advice for firefigh Specific fire-fig	ng liquid jet extinguisher der extinguisher – other (except for phosphate etc.,hydrogen carbonate etc.) f water or tank of water arising from the substance or mixture rs may explode when heated. produce irritating, corrosive and/or toxic gases.				
Reinforcin Dry-powo Bucket of Specific hazards a Containen Fire may Advice for firefigh Specific fire-fig Evacuate	ng liquid jet extinguisher der extinguisher – other (except for phosphate etc.,hydrogen carbonate etc.) f water or tank of water arising from the substance or mixture rs may explode when heated. produce irritating, corrosive and/or toxic gases. nters ghting measures non-essential personnel to safe area.				
Reinforcia Dry-powo Bucket of Specific hazards a Containea Fire may Advice for firefigh Specific fire-fig Evacuate Special protect	ng liquid jet extinguisher der extinguisher – other (except for phosphate etc.,hydrogen carbonate etc.) f water or tank of water arising from the substance or mixture rs may explode when heated. produce irritating, corrosive and/or toxic gases. nters ghting measures				
Reinforcia Dry-powo Bucket of Specific hazards a Container Fire may Advice for firefigh Specific fire-fig Evacuate Special protect Wear fire	ng liquid jet extinguisher der extinguisher – other (except for phosphate etc.,hydrogen carbonate etc.) f water or tank of water arising from the substance or mixture rs may explode when heated. produce irritating, corrosive and/or toxic gases. hters ghting measures non-essential personnel to safe area. tive equipment and precautions for fire-fighters resistant or flame retardant clothing.				
Reinforcia Dry-powo Bucket of Specific hazards a Containea Fire may Advice for firefigh Specific fire-fig Evacuate Special protect Wear fire Wear prot	ng liquid jet extinguisher der extinguisher – other (except for phosphate etc.,hydrogen carbonate etc.) f water or tank of water arising from the substance or mixture rs may explode when heated. produce irritating, corrosive and/or toxic gases. hters ghting measures non-essential personnel to safe area. tive equipment and precautions for fire-fighters resistant or flame retardant clothing. tective gloves/protective clothing/eye protection/face protection.				
Reinforcia Dry-powo Bucket of Specific hazards a Container Fire may Advice for firefigh Specific fire-fig Evacuate Special protect Wear fire Wear prot Firefighte	ng liquid jet extinguisher der extinguisher – other (except for phosphate etc.,hydrogen carbonate etc.) f water or tank of water arising from the substance or mixture rs may explode when heated. produce irritating, corrosive and/or toxic gases. hters ghting measures non-essential personnel to safe area. tive equipment and precautions for fire-fighters resistant or flame retardant clothing.				

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures Ventilate area until material pick up is complete. Wear proper protective equipment. Environmental precautions



Prevent spills from entering sewers, watercourses or low areas.	
Methods and materials for containment and cleaning up	
Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste	
container.	
Preventive measures for secondary accident	
Collect spillage.	
Section 7. Handling and storage	
Precautions for safe handling	
Preventive measures	
(Exposure Control for handling personnel)	
Do not breathe dust/fume/gas/mist/vapors/spray.	
(Protective measures against fire and explosion)	
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No	
smoking.	
Ground and bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting equipment.	
Use non-sparking tools.	
Take action to prevent static discharges.	
(Exhaust/ventilator)	
Exhaust/ventilator should be available.	
(Safety treatments)	
Avoid contact with skin.	
Avoid contact with eyes.	
Safety Measures	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
When using do not eat, drink or smoke.	
Any incompatibilities	
See "10.Stability and Reactivity"	
Advice on general occupational hygiene	
Wash contaminated parts thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Take off contaminated clothing and wash it before reuse.	
Storage	
Conditions for safe storage	
Keep container tightly closed.	
Store in a cool, dry place. Do not store in direct sunlight.	
Container and packaging materials for safe handling	
Glass	
Stainless steel	
Iron	
Section 8 Exposure controls/personal protection	

Section 8. Exposure controls/personal protection Control parameters Adopted value (1,3,5-Trimethylbenzene) ACGIH(2021) TWA: 10ppm (CNS impair; hematologic eff) Exposure controls Appropriate engineering controls Do not use in areas without adequate ventilation. Eye wash station should be available.



Washing facilities should be available. Individual protection measures Respiratory protection Wear respiratory protection. Hand protection Wear protective gloves. Eye protection Wear eye/face protection.

Section 9. Physical and Chemical Properties Information on basic physical and chemical properties Physical state: Liquid Color: Colorless, clear Odor: Characteristic odour Melting point/Freezing point: -45°C Boiling point or initial boiling point: (1,3,5-Trimethylbenzene)165°C Boiling range data is not available. Flammability (gases, liquids and solids) data is not available. Lower and upper explosion limit/flammability limit data is not available. Flash point: (1,3,5-Trimethylbenzene)50°C Auto-ignition temperature: (1,3,5-Trimethylbenzene)550°C Decomposition temperature data is not available. pH data is not available. Kinematic viscosity data is not available. Solubility: Solubility in water: Very poor n-Octanol/water partition coefficient: log Pow3.42 Vapor pressure: 0.25 kPa (20°C) Density and/or relative density: 0.86 Relative vapor density (Air=1): 4.1 Relative density of the Vapor/air - mixture at 20°C (Air = 1): 1.01 Particle characteristics data is not available.

Section 10. Stability and Reactivity

Reactivity
Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Decomposes on burning. This produces toxic and irritating fumes. Reacts violently with strong oxidants. This generates fire and explosion hazard. (ICSC 1155)

Conditions to avoid

Contact with incompatible materials.
Contact with fire source.

Incompatible materials

Strong oxidizing agents
Hazardous decomposition products
Carbon oxides



Section 11. Toxicological Information Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Data for components of the product] [GHS Cat. Japan, base data] (1,3,5-Trimethylbenzene) rat LD50=4300-8642mg/kg (NITE Initial Risk Assessment Report, 2008) Acute toxicity (Inhalation) [Data for components of the product] [GHS Cat. Japan, base data] (1.3.5-Trimethylbenzene) mist: rat LC50=4800ppm/4hr (24mg/L/4hr) (MOE Result of the initial environmental risk assessment of chemicals, 2013) Irritant properties Skin corrosion/irritation [Data for components of the product] [GHS Cat. Japan, base data] (1.3.5-Trimethylbenzene) rabbit (OECD TG 404) moderate to severe irritation (NITE Initial Risk Assessment Report, 2008) Serious eye damage/irritation [Data for components of the product] [GHS Cat. Japan, base data] (1.3.5-Trimethylbenzene) rabbit mild irritation (NITE Initial Risk Assessment Report, 2008) Allergenic and sensitizing effects data is not available. Mutagenic effects data is not available. Carcinogenic effects data is not available. Reproductive toxicity data is not available. Specific target organ toxicity (STOT) STOT-single exposure [Data for components of the product] [cat.3 (respiratory tract irritation)] [GHS Cat. Japan, base data] (1,3,5-Trimethylbenzene) respiratory tract irritation (MOE Result of the initial environmental risk assessment of chemicals, 2013) [cat.3 (narcotic effects)] [GHS Cat. Japan, base data] (1,3,5-Trimethylbenzene) narcotic effect (MOE Result of the initial environmental risk assessment of chemicals, 2013) STOT-repeated exposure [Data for components of the product] [cat.1] [GHS Cat. Japan, base data] (1,3,5-Trimethylbenzene) central nervous system, respiratory system (MOE Result of the initial environmental risk assessment of chemicals, 2013) Aspiration hazard [Data for components of the product] [cat.1] [GHS Cat. Japan, base data]



(1,3,5-Trimethylbenzene) cat. 1; hydrocarbon, kinematic viscosity=0.843 mm2/s (20°C), 0.630 mm2/s (50°C) (REACH Registration dossier, Accessed July 2021)

Section 12. Ecological Information			
Toxicity			
Aquatic toxicity			
[Data for components of the product]			
Hazardous to the aquatic environment, short-term (acute)			
[GHS Cat. Japan, base data] (1,3,5-Trimethylbenzene) Crustacea (Daphnia magna) EC50=6mg/L/48hr; Fish (Carassius auratus) LC50=12.5mg/L/S			
		(NITE Initial Risk Assessment Report, 2008)	
		Hazardous to the aquatic environment, long-term (chronic)	
[GHS Cat. Japan, base data]			
(1,3,5-Trimethylbenzene)			
Crustacea (Daphnia magna) NOEC=0.4mg/L/21days (SIAP, 2012)			
Water solubility			
(1,3,5-Trimethylbenzene)			
very poor (ICSC, 2002)			
Persistence and degradability			
[Data for components of the product]			
(1,3,5-Trimethylbenzene)			
Not rapidly degradable (BOD_Degradation : 0%/14 days (METI Existing Chemical Substances			
Safety Inspections Data, 1980))			
Bioaccumulative potential			
[Data for components of the product]			
(1,3,5-Trimethylbenzene)			
log Pow=3.42 (ICSC, 2002); BCF=342 (Check & Review, Japan)			
Mobility in soil			
Mobility in soil data is not available.			
Other adverse effects			
Ozone depleting chemical data is not available.			
Section 13. Disposal considerations			
Description of waste residues and information on their safe handling and methods of disposal,			
including the disposal of any contaminated packaging			
Waste treatment methods			
Avoid release to the environment.			
Dispose of contents/container in accordance with local/national regulation.			
Section 14. Transport Information			
UN Number or ID Number : 2325			
UN Proper Shipping Name :			
1,3,5-TRIMETHYLBENZENE			
Class or division (Transport hazard class) : 3			
Packing group : III			
ERG GUIDE No.: 129			
IMDG Code (International Maritime Dangerous Goods Regulations)			
UN Number or ID Number : 2325			
UN Proper Shipping Name :			



1,3,5-Trimethylbenzene,8054E-2,2023/02/16

1,3,5-TRIMETHYLBENZENE Class or division (Transport hazard class) : 3 Packing group : III IATA (Dangerous Goods Regulations) UN Number or ID Number : 2325 UN Proper Shipping Name : 1,3,5-TRIMETHYLBENZENE Class or division (Transport hazard class) : 3 Hazard labels : Flamm.liquid Packing group : III Environmental hazards Marine pollutants (yes/no) : yes Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Noxious Liquid Substances ; Cat. X 1,3,5-Trimethylbenzene

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

1,3,5-Trimethylbenzene

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

GHS classification and labelling

Flammable liquids, Category 3: H226 Flammable liquid and vapour Skin corrosion/irritation, Category 2: H315 Causes skin irritation

Serious eye damage/eye irritation, Category 2B: H320 Causes eye irritation

STOT - single exposure, Category 3, Respiratory tract irritation: H335 May cause respiratory irritation.

STOT - single exposure, Category 3, Narcotic effects: H336 May cause drowsiness or dizziness.

STOT - Repeated exposure, Category 1: H372 Causes damage to organs through prolonged or repeated exposure

Aspiration hazard, Category 1: H304 May be fatal if swallowed and enters airways Hazardous to the aquatic environment, short-term (acute), Category 2: H401 Toxic to aquatic life

Hazardous to the aquatic environment, long-term (chronic), Category 2: H411 Toxic to aquatic life with long lasting effects

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN IMDG Code, 2020 Edition (Incorporating Amendment 40–20) IATA Dangerous Goods Regulations (62nd Edition) 2021 2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT) 2022 TLVs and BEIs. (ACGIH) Supplier's data/information

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling,



and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2021).