Date of issue: 27/11/2017 Date of revision: 27/11/2020

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Diacetone alcohol

SDS No.: 2162E-2

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku,Osaka ,JAPAN Division: Safety Management Dept. of Chemicals

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

e-mail address: kagakuhinanzenkanri@kishida.co.jp

2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 3

HEALTH HAZARDS

Skin corrosion/irritation: Category 2

Serious eye damage/eye irritation: Category 2A

Reproductive toxicity: Category 2

Specific target organ toxicity - single exposure: Category 2(blood; liver)

Specific target organ toxicity - single exposure: Category 3 (Respiratory tract irritation)

Specific target organ toxicity - single exposure: Category 3(Narcosis)

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Warning HAZARD STATEMENT

Flammable liquid and vapor

Causes skin irritation

Causes serious eye irritation

Suspected of damaging fertility or the unborn child

May cause damage to organs after single exposure(blood; liver)

May cause respiratory irritation

May cause drowsiness or dizziness

PRECAUTIONARY STATEMENT

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wash contaminated parts thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not eat, drink or smoke when using this product.

Response

In case of fire: Use appropriate media other than water for extinction.

IF exposed or concerned: Get medical advice/attention.

Call a POISON CENTER or doctor/physician if you feel unwell.

IF exposed or concerned: Call a POISON CENTER or doctor/physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of soap and water.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Specific Physical and Chemical hazards

Flammable liquid. Vapor/air mixture may explode.

3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name: Diacetone alcohol

Content (%):98(min)

Chemical formula:C6H12O2

Chemicals No, Japan:2-587

CAS No.:123-42-2

MW:116.16

ECNO:204-626-7

Note: The figures shown above are not the specifications of the product.

4. First-aid measures

Descriptions of first-aid measures

General measures

IF exposed or concerned: Get medical attention/advice.

Call a POISON CENTER or doctor/physician if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER or doctor/physician if you feel unwell.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

In case of fire, use water mist, foam, dry powder, CO2 to extinguish.

Unsuitable extinguishing media

Indoor firefighting equipment or outdoor firefighting equipment

Sprinkler equipment

Dry-powder firefighting equipment - except for phosphate etc., hydrogen carbonate etc.

Straight stream water extinguisher

Water mist extinguisher

Reinforcing liquid jet extinguisher

Dry-powder extinguisher - except for phosphate etc., hydrogen carbonate etc.

Bucket of water or tank of water

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire/flame resistant/retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face peace operated positive pressure mode.

6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses or low areas.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.

7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity"

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash it before reuse.

Storage

Conditions for safe storage

Keep container tightly closed.

Store in a cool, dry place. Do not store in direct sunlight.

Container and packaging materials for safe handling

Glass

Iron

8. Exposure controls/personal protection

Control parameters

Adopted value

(Diacetone alcohol)

ACGIH(1979) TWA: 50ppm (URT & eye irr)

OSHA-PEL

(Diacetone alcohol) TWA: 50ppm, 240mg/m3

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection.

Hand protection

Wear protective gloves.

Eye protection

Wear eye/face protection.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid Color: Colorless, Clear Odor: Characteristic odor

Melting point/Freezing point: -47°C

Boiling point or initial boiling point: 169 through 171°C

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit:

Lower explosion limit: 1.8 vol %
Upper explosion limit: 6.9 vol %
Flash point: (Diacetone alcohol)(C.C.) 58°C

Auto-ignition temperature: 640°C

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Miscible

n-Octanol/water partition coefficient: log Pow-0.14 through 1.03 (cal.)

Vapor pressure: 0.108 kPa (20 °C) Density and/or relative density: 0.93 Relative vapor density (Air=1): 4

Relative density of the Vapor/air - mixture at 20°C (Air = 1): 1.0048

No Particle characteristics data is not available.

10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Decomposes on heating or on burning or on contact with acids, bases and amines. This produces acetone and mesityl alcohol. Reacts violently with oxidants. This produces flammable/explosive gas (hydrogen). (ICSC 0647)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Acids, Bases, Oxidizing agents, Amine

Hazardous decomposition products

Acetone, Mesityl alcohol, Hydrogen

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[GHS Cat. Japan, base data]

(Diacetone alcohol)

rat LD50=4000mg/kg (SIDS, 2000)

Irritant properties

Skin corrosion/irritation

[GHS Cat. Japan, base data]

(Diacetone alcohol)

rabbit mild tomoderate (PATTY 5th, 2001et al)

Serious eye damage/irritation

[GHS Cat. Japan, base data]

(Diacetone alcohol)

rabbit significant eyes irritation and transient corneal damage (PATTY 5th, 2001) Allergenic and sensitizing effects data is not available. Mutagenic effects data is not available. Carcinogenic effects data is not available. Reproductive toxicity [GHS Cat. Japan, base data] (Diacetone alcohol) cat. 2; rat : SIDS, 2000 STOT STOT-single exposure [cat.2] [GHS Cat. Japan, base data] (Diacetone alcohol) blood: liver [cat.3 (resp. irrit.)] [GHS Cat. Japan, base data] (Diacetone alcohol)

respiratory tract irritation (PATTY 5th, 2001)

[cat.3 (drow./dizz.)]

[GHS Cat. Japan, base data]

(Diacetone alcohol)

narcotic effect (ACGIH, 2001)

STOT-repeated exposure data is not available.

Aspiration hazard data is not available.

12. Ecological Information

Ecotoxicity

Aquatic toxicity

Hazardous to the aquatic environment (Acute)

[GHS Cat. Japan, base data]

(Diacetone alcohol)

Fish (top minnow) LC50 >100mg/L/96hr (MOE Japan, 1996)

Water solubility

(Diacetone alcohol)

100 g/100 ml (PHYSPROP_DB, 2005)

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

(Diacetone alcohol)

log Pow=-0.14 through 1.03 (ICSC, 2005)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

14. Transport Information

UN No.: 1148

Proper Shipping Name:
DIACETONE ALCOHOL
Class or division: 3
Packing group: III
ERG GUIDE No.: 129
Special provisions No.: 223

IMDG Code (International Maritime Dangerous Goods Regulations)

UN No.: 1148

Proper Shipping Name: DIACETONE ALCOHOL Class or division: 3 Packing group: III

Special provisions No.: 223 IATA Dangerous Goods Regulations

UN No.: 1148

Proper Shipping Name: DIACETONE ALCOHOL Class or division: 3

Hazard labels : Flamm.liquid

Packing group: III

Special provisions No.: A3

Environmental hazards

MARPOL Annex III - Prevention of pollution by harmful substances

Marine pollutants (yes/no): no

Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Noxious Liquid ; Cat. Z Diacetone alcohol

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture US Federal Regulations

Chemicals listed in TSCA Inventory

Diacetone alcohol

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

16. Other information

GHS classification and labelling

Flam. Liq. 3: H226 Flammable liquid and vapor

Skin Irrit. 2: H315 Causes skin irritation

Eye Irrit. 2A: H319 Causes serious eye irritation

Repr. 2: H361 Suspected of damaging fertility or the unborn child STOT SE 2: H371 May cause damage to organs after single exposure

STOT SE 3: H335 May cause respiratory irritation STOT SE 3: H336 May cause drowsiness or dizziness

Reference Book

Globally Harmonized System of classification and labelling of chemicals, (7th revised edition, 2017), UN



Recommendations on the TRANSPORT OF DANGEROUS GOODS 20th edit., 2017 UN IMDG Code, 2018 Edition (Incorporating Amendment 39–18)

IATA Dangerous Goods Regulations (61th Edition) 2020

Classification, labelling and packaging of substances and mixtures (Table 3 ECNO6182012) 2016 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2020 TLVs and BEIs. (ACGIH)

http://monographs.iarc.fr/ENG/Classification/index.php

Supplier's data/information

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2019).