



Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: 10w/v% Hydroxylammonium chloride solution(free Fe)

SDS No. : E3812E-4

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

HEALTH HAZARDS

Acute toxicity (Oral): Category 4

Skin corrosion/irritation: Category 2

Skin sensitization: Category 1

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 2

Hazardous to the aquatic environment, long-term (chronic): Category 2

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Warning

HAZARD STATEMENT

H302 Harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H411 Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENT

Prevention

P273 Avoid release to the environment.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash contaminated parts thoroughly after handling.

P280 Wear protective gloves.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.

Response

P391 Collect spillage.



10w/v% Hydroxylammonium chloride solution(free Fe),E3812E-4,2023/10/16

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P330 IF SWALLOWED: Rinse mouth.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

Ingredient name	Content (%)	CAS No.	Chemicals No, Japan	Chemical formula
Hydroxylammonium chloride	9.6	5470-11-1	1-375	(NH3OH)Cl
Water	90	7732-18-5	-	H2O

Note : The figures shown above are not the specifications of the product. The content of products may exceed the figures shown above.

Section 4. First-aid measures

Descriptions of first-aid measures

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.



10w/v% Hydroxylammonium chloride solution(free Fe),E3812E-4,2023/10/16

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands et al thoroughly after handling.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity".

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.



10w/v% Hydroxylammonium chloride solution(free Fe),E3812E-4,2023/10/16

Take off contaminated clothing and wash it before reuse.

Storage

Conditions for safe storage

Keep container tightly closed.

Store in a cool, dry place. Do not store in direct sunlight.

Storage in accordance with local/national regulation.

Container and packaging materials for safe handling

Glass

Polyethylene

etc.

Section 8. Exposure controls/personal protection

Control parameters

Adopted value

Adopted value in ACGIH is not available.

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Recommend to use protective equipment in conformity with the standards.

Respiratory protection

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

Hand protection

Wear impervious protective glove.

Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: Colorless, Clear

Odor: None

Melting point/Freezing point data is not available.

Boiling point or initial boiling point data is not available.

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point data is not available.

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:



10w/v% Hydroxylammonium chloride solution(free Fe),E3812E-4,2023/10/16

Solubility in water: Soluble

Solubility in solvent data is not available.

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Density and/or relative density: 1.04

Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available.

Other information

Other information is not available.

Section 10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

(Hydroxylammonium chloride)

Decomposes slowly on contact with moisture. Upon heating, toxic fumes are formed.

Decomposes on heating. This generates explosion hazard. The solution in water is a weak acid. Attacks many metals. (ICSC 0709)

Conditions to avoid

Contact with fire source.

Incompatible materials

Not available.

Hazardous decomposition products

Nitrogen oxides, Chlorine compounds

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Category 4, Harmful if swallowed

[Data for components of the product]

[GHS Cat. Japan, base data]

(Hydroxylammonium chloride)

rat LD50=141mg/kg (ChemID, Accessed July 2022)

Irritant properties

Skin corrosion/irritation

[Product]

Category 2, Causes skin irritation

[Data for components of the product]

[GHS Cat. Japan, base data]

(Hydroxylammonium chloride)

rabbit after 24 hours, average erythema score: 2.5, average edema score: 0, after 48 hours,

average erythema score: 2, average edema score: 0, erythema disappeared within 8 days

(REACH Registration dossier, Accessed July 2022)

Serious eye damage/irritation data is not available.



10w/v% Hydroxylammonium chloride solution(free Fe),E3812E-4,2023/10/16

Sensitization

Skin sensitization

[Product]

Category 1, May cause an allergic skin reaction

[Data for components of the product]

[GHS Cat. Japan, base data]

(Hydroxylammonium chloride)

cat. 1; AICIS IMAP, 2014; EU RAR, 2008

Mutagenic effects data is not available.

Carcinogenicity

[Data for components of the product]

[EU]

(Hydroxylammonium chloride)

Category 2; Substances suspected human carcinogens

Reproductive toxicity data is not available.

Specific target organ toxicity (STOT)

STOT-single exposure data is not available.

STOT-repeated exposure data is not available.

Aspiration hazard data is not available.

Section 12. Ecological Information

Toxicity

Aquatic toxicity

[Product]

Category 2, Toxic to aquatic life

Category 2, Toxic to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[GHS Cat. Japan, base data]

(Hydroxylammonium chloride)

Algae (*Raphidocelis subcapitata*) ErC50=0.21mg/L/72hr; Crustacea (*Daphnia magna*)

EC50=1.1mg/L/48hr (REACH Registration dossier, 2022)

Hazardous to the aquatic environment, long-term (chronic)

[GHS Cat. Japan, base data]

(Hydroxylammonium chloride)

Algae (*Raphidocelis subcapitata*) ErC10=0.075mg/L/72hr (REACH Registration dossier, 2022)

Water solubility

(Hydroxylammonium chloride)

83 g/100 ml (17°C) (ICSC, 1997)

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

Bioaccumulative potential data is not available.

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

**Section 13. Disposal considerations**

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

Dispose of contents/container as industrial waste. Accordance with local/national regulation.

Section 14. Transport Information

UN Number or ID Number : 3082

UN Proper Shipping Name :

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Class or division (Transport hazard class) : 9

Packing group : III

ERG GUIDE No.: 171

Special provisions No.: 274; 331; 335; 375

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 3082

UN Proper Shipping Name :

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Class or division (Transport hazard class) : 9

Packing group : III

Special provisions No.: 274; 335; 969

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 3082

UN Proper Shipping Name :

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Class or division (Transport hazard class) : 9

Hazard labels : Miscellaneous & Environmentally hazardous

Packing group : III

Special provisions No.: A97; A158; A197; A215

Environmental hazards

Marine pollutants (yes/no) : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Non Noxious Liquid Substances ; Cat. OS

Water

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Water; Hydroxylammonium chloride

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

**Section 16. Other information**

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN
Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN
IMDG Code, 2020 Edition (Incorporating Amendment 40-20)
IATA Dangerous Goods Regulations (64th Edition) 2023
2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)
2023 TLVs and BEIs. (ACGIH)
Supplier's data/information

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2022).