



Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: May-grünwald's solution

SDS No. : E0069E-1

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 2

HEALTH HAZARDS

Acute toxicity (Oral): Category 4

Serious eye damage/eye irritation: Category 2

Reproductive toxicity: Category 1B

Specific target organ toxicity – single exposure: Category 1 (central nervous system, organ of vision, systemic toxicity)

Specific target organ toxicity – single exposure: Category 3 (Narcotic effects)

Specific target organ toxicity – repeated exposure: Category 1 (central nervous system, organ of vision)

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H225 Highly flammable liquid and vapor

H302 Harmful if swallowed

H319 Causes serious eye irritation

H360 May damage fertility or the unborn child

H370 Causes damage to organs (central nervous system, organ of vision, systemic toxicity)

H336 May cause drowsiness or dizziness

H372 Causes damage to organs through prolonged or repeated exposure (central nervous system, organ of vision)

PRECAUTIONARY STATEMENT

Prevention



May-grünwald's solution,E0069E-1,2023/05/19

- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 Keep container tightly closed.
- P240 Ground and bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.
- P242 Use non-sparking tools.
- P243 Take action to prevent static discharges.
- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P271 Use only outdoors or in a well-ventilated area.
- P264 Wash contaminated parts thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P280 Use personal protective equipment as required.
- P270 Do not eat, drink or smoke when using this product.

Response

- P370 + P378 In case of fire: Use appropriate media to extinguish.
- P314 Get medical advice/attention if you feel unwell.
- P308 + P313 IF exposed or concerned: Get medical advice/attention.
- P312 Call a POISON CENTER/doctor/physician if you feel unwell.
- P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician.
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337 + P313 If eye irritation persists: Get medical advice/attention.
- P330 IF SWALLOWED: Rinse mouth.
- P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Storage

- P403 Store in a well-ventilated place. P233 Keep container tightly closed. P235 Keep cool.
- P405 Store locked up.

Disposal

- P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

| Ingredient name | Content (%) | CAS No. | Chemicals No, Japan | Chemical formula |
|-----------------|-------------|------------|---------------------|------------------|
| Methanol | 99 | 67-56-1 | 2-201 | CH4O |
| Eosin | 0.17-0.21 | 17372-87-1 | - | C20H6Br4Na2O5 |
| Methylene blue | 0.13-0.17 | 61-73-4 | 5-1995 | C16H18ClN3S |
| Azure B | 0.042-0.084 | 531-55-5 | - | C15H16N3S.Cl |

Note : The figures shown above are not the specifications of the product.



Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

In case of fire, use water mist, alcohol-resistant foam, dry powder, CO2 to extinguish.

Unsuitable extinguishing media

Indoor firefighting equipment or outdoor firefighting equipment

Sprinkler equipment

Dry-powder firefighting equipment – other (except for phosphate etc., hydrogen carbonate etc.)

Straight stream water/Water mist extinguisher

Reinforcing liquid jet extinguisher

Dry-powder extinguisher – other (except for phosphate etc., hydrogen carbonate etc.)

Bucket of water or tank of water

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10. Stability and Reactivity".

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.



Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Recommend to use protective equipment in conformity with the standards.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands et al thoroughly after handling.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity".

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Storage

Conditions for safe storage

Keep container tightly closed.

Store locked up. (P405)

Store in a cool, dry place. Do not store in direct sunlight.

Storage in accordance with local/national regulation.

Container and packaging materials for safe handling

Glass

Polyethylene



etc.

Section 8. Exposure controls/personal protection

Control parameters

Adopted value

(Methanol)

ACGIH(2009) TWA: 200ppm;

STEL: 250ppm (Headache; eye dam; dizziness; nausea)

Notation

(Methanol)

Skin

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

Hand protection

Wear impervious protective glove.

Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: Dark blue, Clear

Odor: Characteristic odor

Melting point/Freezing point data is not available.

Boiling point or initial boiling point: (Methanol)65°C

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point: (Methanol)9°C

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Soluble

Solubility in solvent data is not available.

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Density and/or relative density: 0.79



Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available.

Other information

Other information is not available.

Section 10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

(Methanol)

The vapour mixes well with air, explosive mixtures are easily formed.

Reacts violently with strong oxidants, acids and reducing agents. This generates fire and explosion hazard. (ICSC 0057)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Acids, Strong oxidizing agents, Reducing agents

Hazardous decomposition products

Carbon oxides, Nitrogen oxides, Chlorine compounds, Bromine compounds

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Category 4, Harmful if swallowed

[Data for components of the product]

[GHS Cat. Japan, base data]

(Methanol)

human LD50=ca. 1400mg/kg (DFGOT vol.16, 2001)

(Methylene blue)

rat LD50=1180mg/kg (NTP TR 540, 2008)

Acute toxicity (Dermal)

[Data for components of the product]

[GHS Cat. Japan, base data]

(Methanol)

rabbit LD50=15800mg/kg (DFGOT vol.16, 2001)

Acute toxicity (Inhalation)

[Data for components of the product]

[GHS Cat. Japan, base data]

(Methanol)

vapor: rat LC50>31500ppm/4hr (DFGOT vol.16, 2001)

Irritant properties

Skin corrosion/irritation data is not available.

Serious eye damage/irritation



[Product]

Category 2, Causes serious eye irritation

[Data for components of the product]

[GHS Cat. Japan, base data]

(Methanol)

rabbit category 2 : Draize test (EHC 196, 1997)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

Carcinogenic effects data is not available.

Reproductive toxicity

[Product]

Category 1B, May damage fertility or the unborn child

[Data for components of the product]

[GHS Cat. Japan, base data]

(Methanol)

cat. 1B; mouse : PATTY 5th, 2001

(Methylene blue)

cat. 2; mouse : HSDB, 2009

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Category 1, Causes damage to organs

Category 3, May cause drowsiness or dizziness

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

(Methanol)

central nervous system, organ of vision, systemic toxicity (DFGOT vol.16, 2001)

[cat.3 (narcotic effects)]

[GHS Cat. Japan, base data]

(Methanol)

narcotic effect (PATTY 5th, 2001)

STOT-repeated exposure

[Product]

Category 1, Causes damage to organs through prolonged or repeated exposure

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

(Methanol)

central nervous system, organ of vision (ACGIH 7th, 2001)

Aspiration hazard data is not available.

Section 12. Ecological Information

Toxicity

Aquatic toxicity

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[GHS Cat. Japan, base data]

(Methanol)



May-grünwald's solution, E0069E-1, 2023/05/19

Crustacea (Brine shrimp) LC50=900.73mg/L/24hr (EHC196, 1998)

(Methylene blue)

Fish (striped bass) LC50=12mg/L/96hr (Aquire, 2012)

Water solubility

(Methanol)

100 g/100 ml (PHYSPROP_DB, 2009)

Persistence and degradability

[Data for components of the product]

(Methylene blue)

Not rapidly degradable (BIOWIN)

Bioaccumulative potential

[Data for components of the product]

(Methanol)

log Pow=-0.82/-0.66 (ICSC, 2000)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container as industrial waste. Accordance with local/national regulation.

Section 14. Transport Information

UN Number or ID Number : 1230

UN Proper Shipping Name :

METHANOL

Class or division (Transport hazard class) : 3

Subsidiary hazard(s) : 6.1

Packing group : II

ERG GUIDE No.: 131

Special provisions No.: 279

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 1230

UN Proper Shipping Name :

METHANOL

Class or division (Transport hazard class) : 3

Subsidiary hazard(s) : 6.1

Packing group : II

Special provisions No.: 279

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 1230

UN Proper Shipping Name :

METHANOL

Class or division (Transport hazard class) : 3



May-grünwald's solution, E0069E-1, 2023/05/19

Subsidiary hazard(s) : 6.1

Hazard labels : Flamm.liquid & Toxic

Packing group : II

Special provisions No.: A113

Environmental hazards

Marine pollutants (yes/no) : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Noxious Liquid Substances ; Cat. Y

Methanol

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Methylene blue; Methanol; Eosin

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN

IMDG Code, 2020 Edition (Incorporating Amendment 40-20)

IATA Dangerous Goods Regulations (64th Edition) 2023

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2022 TLVs and BEIs. (ACGIH)

Supplier's data/information

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2021).