

Date of issue: 02/08/2018 Date of revision: 05/03/2020

# Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking Product identifier: Product name: Acetone SDS No. : 0030E-2 Details of the supplier of the safety data sheet Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku,Osaka ,JAPAN Division: Safety Management Dept. of Chemicals Telephone number: +81-6-6946-8061 FAX: +81-6-6946-1607 e-mail address: kagakuhinanzenkanri@kishida.co.jp 2. Hazards identification GHS classification and label elements of the product Classification of the substance or mixture PHYSICAL AND CHEMICAL HAZARDS Flammable liquids: Category 2 HEALTH HAZARDS Serious eye damage/eye irritation: Category 2B Reproductive toxicity: Category 2 Specific target organ toxicity - single exposure: Category 3 (Respiratory tract irritation) Specific target organ toxicity - single exposure: Category 3(Narcosis) Specific target organ toxicity - repeated exposure: Category 1(CNS; respiratory system; digestive apparatus) (Note) GHS classification without description: Not classified/Classification not possible Label elements Signal word: Danger HAZARD STATEMENT Highly flammable liquid and vapor Causes eye irritation Suspected of damaging fertility or the unborn child May cause respiratory irritation May cause drowsiness or dizziness Causes damage to organs through prolonged or repeated exposure(CNS; respiratory system; digestive apparatus) PRECAUTIONARY STATEMENT Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray.



Acetone,0030E-2,05/03/2020

Use only outdoors or in a well-ventilated area. Wash contaminated parts thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product. Response In case of fire: Use appropriate media other than water for extinction. Get medical advice/attention if you feel unwell. IF exposed or concerned: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Storage Store in a well-ventilated place. Keep container tightly closed. Keep cool. Disposal Dispose of contents/container in accordance with local/national regulation. Specific Physical and Chemical hazards Highly flammable liquid. Vapor/air mixture may explode.

### $\label{eq:composition} \textbf{3. Composition/information on ingredients}$

Mixture/Substance selection: Substance Ingredient name:Acetone Content (%):99(min) Chemical formula:CH3COCH3 Chemicals No, Japan:2-542 CAS No.:67-64-1 MW:58.08 ECNO:200-662-2 Note : The figures shown above are not the specifications of the product.

#### 4. First-aid measures

Descriptions of first-aid measures
General measures
Get medical attention/advice if you feel unwell.
IF INHALED
Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.
IF ON SKIN (or hair)
Take off immediately all contaminated clothing. Rinse skin with water/shower.
If skin irritation or rash occurs: Get medical advice/attention.
IF IN EYES
Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
IF SWALLOWED
Rinse mouth.
Call a POISON CENTER or doctor/physician if you feel unwell.



5. Fire-fighting measures
Extinguishing media
Suitable extinguishing media
In case of fire, use water mist, foam, dry powder, CO2 to extinguish.
Unsuitable extinguishing media
Indoor firefighting equipment or outdoor firefighting equipment
Sprinkler equipment
Dry-powder firefighting equipment - except for phosphate etc.,hydrogen carbonate etc.
Straight stream water extinguisher
Water mist extinguisher
Reinforcing liquid jet extinguisher
Dry-powder extinguisher - except for phosphate etc.,hydrogen carbonate etc.
Bucket of water or tank of water
Specific hazards arising from the substance or mixture
Containers may explode when heated.
Fire may produce irritating, corrosive and/or toxic gases.
Advice for firefighters
Specific fire-fighting measures
Evacuate non-essential personnel to safe area.
Special protective equipment and precautions for fire-fighters
Wear fire/flame resistant/retardant clothing.
Wear protective gloves/protective clothing/eye protection/face protection.
Firefighters should wear self-contained breathing apparatus with full face peace operated positive pressure mode.
6 Accidental release measures

6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses or low areas.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.

7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)



Avoid contact with skin. Avoid contact with eyes. Safety Measures Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. When using do not eat, drink or smoke. Any incompatibilities See "10.Stability and Reactivity" Advice on general occupational hygiene Wash contaminated parts thoroughly after handling. Do not eat, drink or smoke when using this product. Storage Conditions for safe storage Keep container tightly closed. Store in a cool, dry place. Do not store in direct sunlight. Container and packaging materials for safe handling Glass Iron 8. Exposure controls/personal protection

Control parameters Adopted value (Acetone) ACGIH(2014) TWA: 250ppm; STEL: 500ppm (URT & eye irr ; CNS impair) **OSHA-PEL** AcetoneTWA: 1000ppm, 2400mg/m3 Exposure controls Appropriate engineering controls Do not use in areas without adequate ventilation. Eye wash station should be available. Washing facilities should be available. Individual protection measures Respiratory protection Wear respiratory protection. Hand protection Wear protective gloves. Eye protection Wear eye/face protection.

9. Physical and Chemical Properties
Information on basic physical and chemical properties
Physical state: Liquid
Color: Colorless
Odor: Characteristic odor
pH data is not available.
Boiling point or initial boiling point: 56°C
Boiling range data is not available.
Melting point/Freezing point: -95°C
Decomposition temperature data is not available.
Flammability (gases, liquids and solids) data is not available.
Flash point: (Acetone)(C.C.) -18°C



Acetone,0030E-2,05/03/2020

Auto-ignition temperature: 465°C Lower and upper explosion limit/flammability limit: Lower explosion limit: 2.2 vol % Upper explosion limit: 13 vol % Vapor pressure: 24 kPa (20°C) Relative vapor density (Air=1): 2 Relative density of the Vapor/air – mixture at 20°C (Air = 1): 1.2 Density and/or relative density: 0.79 Kinematic viscosity: 0.34 mm2/s (40°C) Solubility: Solubility in water: Miscible n-Octanol/water partition coefficient: log Pow-0.24 No Particle characteristics data is not available.

#### 10. Stability and Reactivity

Reactivity Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

The vapour is heavier than air and may travel along the ground; distant ignition possible.

Contact with strong oxidants such as acetic acid, nitric acid and hydrogen peroxide

generates explosive peroxides. Reacts with chloroform and bromoform under basic conditions.

This generates fire and explosion hazard. Attacks plastics. (ICSC 0087)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon oxides, Explosive peroxides

```
11. Toxicological Information
  Information on toxicological effects
  Acute toxicity data is not available.
  Irritant properties
     Skin corrosion/irritation data is not available.
     Serious eye damage/irritation
          [GHS Cat. Japan, base data]
          (Acetone)
          rabbit corneal epithelial destruction recover within 4 to 6 days (SIDS, 2002)
  Allergenic and sensitizing effects data is not available.
  Mutagenic effects data is not available.
  Carcinogenicity
          (Acetone)
          ACGIH-A4(2014) : Not Classifiable as a Human Carcinogen
  Reproductive toxicity
          [GHS Cat. Japan, base data]
          (Acetone)
          cat. 2; EHC 207, 1998
  STOT
     STOT-single exposure
```



Acetone,0030E-2,05/03/2020

[cat.3 (resp. irrit.)] [GHS Cat. Japan, base data] (Acetone) respiratory tract irritation (ACGIH 7th, 2001) [cat.3 (drow./dizz.)] [GHS Cat. Japan, base data] (Acetone) narcosis (ACGIH 7th, 2001) STOT-repeated exposure [cat.1] [GHS Cat. Japan, base data] (Acetone) CNS; respiratory system; digestive apparatus (ATSDR Addendum, 2011) Aspiration hazard data is not available.

12. Ecological Information
Ecotoxicity
Aquatic toxicity
Aquatic acute toxicity component(s) data
[GHS Cat. Japan, base data]
(Acetone)
Fish (fat head minnow) LC50 >100mg/L/96hr (EHC207, 1998)
Water solubility
(Acetone)
100 g/100 ml (PHYSPROP_DB, 2005)
Persistence and degradability
Persistence and degradability data is not available.
Bioaccumulative potential
(Acetone)
log Pow=-0.24 (ICSC, 2009)
Mobility in soil
Mobility in soil data is not available.
Other adverse effects
Ozone depleting chemical data is not available.

13. Disposal considerations Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging Waste treatment methods Dispose of contents/container in accordance with local/national regulation.

14. Transport Information UN No.: 1090 Proper Shipping Name : ACETONE Class or division : 3 Packing group : II ERG GUIDE No.: 127 IMDG Code (International Maritime Dangerous Goods Regulations) UN No.: 1090 Proper Shipping Name :



ACETONE	
Class or division : 3	
Packing group : II	
TA Dangerous Goods Regulations	
UN No.: 1090	
Proper Shipping Name :	
ACETONE	
Class or division : 3	
Hazard labels : Flamm.liquid	
Packing group : II	
ivironmental hazards	
MARPOL Annex III – Prevention of pollution by harmful substances	
Marine pollutants (yes/no) : no	
MARPOL Annex V – Prevention of pollution by garbage discharge	
Specific target organ toxicity - repeated exposure: cat.1	
Acetone	
ansport in bulk according to Annex II of MARPOL73/78 and IBC Code	
Noxious Liquid ; Cat. Z	
Acetone	
Flammable Liquid	
Acetone	
egulatory Information	
fety, health and environmental regulations/legislation specific for the substance or mix	ture
S major regulations	
Chemicals listed in TSCA Inventory	
Acetone	
have a second state of the forecast the second state of the	

Other regulatory information Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

## 16. Other information

-

GHS classification and labelling
Flam. Liq. 2: H225 Highly flammable liquid and vapor
Eye Irrit. 2B: H320 Causes eye irritation
Repr. 2: H361 Suspected of damaging fertility or the unborn child
STOT SE 3: H335 May cause respiratory irritation
STOT SE 3: H336 May cause drowsiness or dizziness
STOT RE 1: H372 Causes damage to organs through prolonged or repeated exposure
Reference Book
Globally Harmonized System of classification and labelling of chemicals, (6th ed., 2015), UN
Recommendations on the TRANSPORT OF DANGEROUS GOODS 20th edit., 2017 UN
IMDG Code, 2018 Edition (Incorporating Amendment 39–18)
IATA Dangerous Goods Regulations (60th Edition) 2019
Classification, labelling and packaging of substances and mixtures (table3-1 ECNO6182012)
2016 EMERGENCY RESPONSE GUIDEBOOK (US DOT)
2019 TLVs and BEIs. (ACGIH)
http://monographs.iarc.fr/ENG/Classification/index.php
Supplier's data/information
General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling,



Acetone,0030E-2,05/03/2020

and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2018).