

Date of issue: 27/08/2020

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking Product identifier: Product name: Methyl red-methylene blue solution SDS No. : F0035E-1 Details of the supplier of the safety data sheet Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku,Osaka ,JAPAN Division: Safety Management Dept. of Chemicals Telephone number: +81-6-6946-8061 FAX: +81-6-6946-1607 e-mail address: kagakuhinanzenkanri@kishida.co.jp 2. Hazards identification GHS classification and label elements of the product Classification of the substance or mixture PHYSICAL AND CHEMICAL HAZARDS Flammable liquids: Category 2 HEALTH HAZARDS Serious eye damage/eye irritation: Category 2B Carcinogenicity: Category 1A Reproductive toxicity: Category 1A Specific target organ toxicity - single exposure: Category 3 (Respiratory tract irritation) Specific target organ toxicity - single exposure: Category 3(Narcosis) Specific target organ toxicity – repeated exposure: Category 1(liver) Specific target organ toxicity - repeated exposure: Category 2(CNS) (Note) GHS classification without description: Not classified/Classification not possible Label elements Signal word: Danger HAZARD STATEMENT Highly flammable liquid and vapor Causes eye irritation May cause cancer May damage fertility or the unborn child May cause respiratory irritation May cause drowsiness or dizziness Causes damage to organs through prolonged or repeated exposure(liver)

May cause damage to organs through prolonged or repeated exposure(CNS)

PRECAUTIONARY STATEMENT

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed.

Ground/bond container and receiving equipment.

 $Use \ explosion-proof \ electrical/ventilating/lighting \ equipment.$

Use only non-sparking tools.



Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash contaminated parts thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product. Response In case of fire: Use appropriate media other than water for extinction. Get medical advice/attention if you feel unwell. IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Storage Store in a well-ventilated place. Keep container tightly closed. Keep cool. Disposal Dispose of contents/container in accordance with local/national regulation. Specific Physical and Chemical hazards Highly flammable liquid. Vapor/air mixture may explode.

3. Composition/information on ingredients

Mixture/Substance selection: Mixture Ingredient name:Ethanol Content (%):93 Chemical formula:C2H5OH Chemicals No, Japan:2-202 CAS No.:64-17-5 MW:46.07 ECNO:200-578-6

> Ingredient name:Methyl Red Content (%):0.062 Chemical formula:(CH3)2NC6H4N:NC6H4COOH CAS No.:493-52-7 MW:269.3 ECNO:207-776-1

Ingredient name:Methylene blue Content (%):0.053 Chemical formula:C16H18CIN3S•nH2O Chemicals No, Japan:5-1995 CAS No.:61-73-4 MW:-ECNO:200-515-2

Ingredient name:Water Content (%):7.2 Chemical formula:H2O



CAS No.:7732-18-5 MW:18.02 ECNO:231-791-2 Note : The figures shown above are not the specifications of the product.

4. First-aid measures

Descriptions of first-aid measures General measures Get medical attention/advice if you feel unwell. **IF INHALED** Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN (or hair) Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF SWALLOWED Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. 5. Fire-fighting measures Extinguishing media Suitable extinguishing media In case of fire, use water mist, alcohol-resistant foam, dry powder, CO2 to extinguish. Unsuitable extinguishing media Indoor firefighting equipment or outdoor firefighting equipment Sprinkler equipment Dry-powder firefighting equipment - except for phosphate etc.,hydrogen carbonate etc. Straight stream water extinguisher Water mist extinguisher

Reinforcing liquid jet extinguisher

Dry-powder extinguisher - except for phosphate etc.,hydrogen carbonate etc.

Bucket of water or tank of water

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire/flame resistant/retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face peace operated positive pressure mode.

6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses or low areas.



Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident Collect spillage.

7. Handling and storage			
Precautions for safe handling			
Preventive measures (Exposure Control for handling personnel)			
		Do not breathe dust/fume/gas/mist/vapors/spray.	
(Protective measures against fire and explosion)			
Keep away from heat/sparks/open flames/hot surfaces. – No smoking			
Ground/bond container and receiving equipment.			
Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools.			
Take precautionary measures against static discharge.			
(Exhaust/ventilator) Exhaust/ventilator should be available. (Safety treatments)			
		Avoid contact with skin.	
		Avoid contact with eyes.	
Safety Measures			
Use only outdoors or in a well-ventilated area.			
Wear protective gloves/protective clothing/eye protection/face protec	ction.		
When using do not eat, drink or smoke.			
Any incompatibilities See ″10.Stability and Reactivity″			
		Advice on general occupational hygiene	
Wash contaminated parts thoroughly after handling.			
Do not eat, drink or smoke when using this product.			
Storage			
Conditions for safe storage			
Keep container tightly closed.			
Store in a cool, dry place. Do not store in direct sunlight.			
Container and packaging materials for safe handling			
Glass			
8. Exposure controls/personal protection			
Control parameters			
Adopted value			
(Ethanol)			
ACGIH(2008) STEL: 1000ppm (URT irr)			
OSHA-PEL			
(Ethanol)			
TWA: 1000ppm, 1900mg/m3			
Exposure controls			
Appropriate engineering controls			
Do not use in areas without adequate ventilation.			
Eye wash station should be available.			

Washing facilities should be available.

Individual protection measures



Respiratory protection Wear respiratory protection. Hand protection Wear protective gloves. Eye protection Wear eye/face protection.

9. Physical and Chemical Properties

Information on basic physical and chemical properties Physical state: Liquid Color: Green Odor: Characteristic odor Melting point/Freezing point data is not available. Boiling point or initial boiling point data is not available. Boiling range data is not available. Flammability (gases, liquids and solids) data is not available. Lower and upper explosion limit/flammability limit data is not available. Flash point: (Ethanol)13°C Auto-ignition temperature data is not available. Decomposition temperature data is not available. pH data is not available. Kinematic viscosity data is not available. Solubility: Solubility in water: Soluble n-Octanol/water partition coefficient data is not available. Vapor pressure data is not available. Density and/or relative density: 0.81g/cm3 Relative vapor density (Air=1) data is not available. No Particle characteristics data is not available.

10. Stability and Reactivity Reactivity Not available. Chemical stability Stable under normal storage/handling conditions. Possibility of hazardous reactions (Ethanol) The vapour mixes well with air, explosive mixtures are easily formed. Reacts slowly with calcium hypochlorite, silver oxide and ammonia. This generates fire and explosion hazard. Reacts violently with strong oxidants such as nitric acid, silver nitrate, mercuric nitrate and magnesium perchlorate. This generates fire and explosion hazard. (ICSC 0044) Conditions to avoid Contact with incompatible materials. Contact with fire source. Incompatible materials


Strong oxidizing agents, calcium hypochlorite, silver oxide, ammonia

Hazardous decomposition products

Carbon oxides, Nitrogen oxides, Chlorine compounds



11. Toxicological Information Information on toxicological effects Acute toxicity Acute toxicity (Oral) [GHS Cat. Japan, base data] (Methylene blue) rat LD50=1180mg/kg (NTP TR 540, 2008) Irritant properties Skin corrosion/irritation data is not available. Serious eye damage/irritation [GHS Cat. Japan, base data] (Ethanol) rabbit recover within 7 days (ECETOC TR No.48(2), 1998 et al) Allergenic and sensitizing effects data is not available. Mutagenic effects data is not available. Carcinogenicity [GHS Cat. Japan, base data] (Ethanol) cat.1A; (IARC, 2010) (Ethanol) IARC-Gr.1 : Carcinogenic to humans (Methyl Red) IARC-Gr.3 : Not Classifiable as a Human Carcinogen (Ethanol) ACGIH-A3(2008) : Confirmed Animal Carcinogen with Unknown Relevance to Humans Reproductive toxicity [GHS Cat. Japan, base data] (Ethanol) cat. 1A; human : PATTY 6th, 2012 STOT STOT-single exposure [cat.3 (resp. irrit.)] [GHS Cat. Japan, base data] (Ethanol) respiratory tract irritation (PATTY 6th, 2012) [cat.3 (drow./dizz.)] [GHS Cat. Japan, base data] (Ethanol) narcotic effect (PATTY 6th, 2012; SIDS, 2005) STOT-repeated exposure [cat.1] [GHS Cat. Japan, base data] (Ethanol) liver (DFGOT vol.12, 1999) [cat.2] [GHS Cat. Japan, base data] (Ethanol) CNS (HSDB, Access on Jun. 2013) Aspiration hazard data is not available.



12. Ecological Information
Ecotoxicity
Aquatic toxicity
Hazardous to the aquatic environment (Acute)
[GHS Cat. Japan, base data]
(Methylene blue)
Fish (striped bass) LC50=12mg/L/96hr (Aquire, 2012)
(Ethanol)
Algae (Chlorella) EC50=1000mg/L/96hr (SIDS, 2005)
Hazardous to the aquatic environment (Long-term)
[GHS Cat. Japan, base data]
(Ethanol)
Crustacea (Ceriodaphnia reticulata) NOEC=9.6mg/L/10days (SIDS, 2005)
Water solubility
(Ethanol)
miscible (ICSC, 2000)
Persistence and degradability
(Methylene blue)
Not degrade rapidly (BIOWIN)
(Ethanol)
Degrade rapidly (BOD_Degradation : 89% (Registered chemicals data check & review, 1993))
Bioaccumulative potential
(Ethanol)
log Pow=-0.32 (ICSC, 2000)
Mobility in soil
Mobility in soil data is not available.
Other adverse effects
Ozone depleting chemical data is not available.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging Waste treatment methods

 ${\sf Dispose \ of \ contents/container \ in \ accordance \ with \ local/national \ regulation.}$

14. Transport Information
UN No.: 1170
Proper Shipping Name :
ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Class or division : 3
Packing group : II
ERG GUIDE No.: 127
Special provisions No.: 144
IMDG Code (International Maritime Dangerous Goods Regulations)
UN No.: 1170
Proper Shipping Name :
ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Class or division : 3
Packing group : II
Special provisions No.: 144
IATA Dangerous Goods Regulations



UN No.: 1170 **Proper Shipping Name :** ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) Class or division : 3 Hazard labels : Flamm.liquid Packing group : II Special provisions No.: A3; A58; A180 Environmental hazards MARPOL Annex III - Prevention of pollution by harmful substances Marine pollutants (yes/no) : no MARPOL Annex V - Prevention of pollution by garbage discharge Carcinogenicity: cat.1, 1A, 1B Ethanol Reproductive toxicity: cat.1, 1A, 1B Ethanol Specific target organ toxicity - repeated exposure: cat.1 Ethanol Transport in bulk according to Annex II of MARPOL73/78 and IBC Code Noxious Liquid ; Cat. Z Ethanol Non Noxious Liquid ; Cat. OS Water

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

US Federal Regulations

Chemicals listed in TSCA Inventory

Methylene blue; Ethanol; Methyl Red; Water

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

16. Other information

GHS classification and labelling

Flam. Liq. 2: H225 Highly flammable liquid and vapor

Eye Irrit. 2B: H320 Causes eye irritation

Carc. 1A: H350 May cause cancer

Repr. 1A: H360 May damage fertility or the unborn child

STOT SE 3: H335 May cause respiratory irritation

STOT SE 3: H336 May cause drowsiness or dizziness

STOT RE 1: H372 Causes damage to organs through prolonged or repeated exposure

Reference Book

Globally Harmonized System of classification and labelling of chemicals, (6th ed., 2015), UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 20th edit., 2017 UN

IMDG Code, 2018 Edition (Incorporating Amendment 39-18)

IATA Dangerous Goods Regulations (61th Edition) 2020

Classification, labelling and packaging of substances and mixtures (Table 3 ECNO6182012)

2016 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2020 TLVs and BEIs. (ACGIH)

http://monographs.iarc.fr/ENG/Classification/index.php

Supplier's data/information

General Disclaimer



This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2018).