

Date of issue: 2017/08/09 Date of revision: 2024/05/10

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking Product identifier: Product name: Potassium peroxodisulfate SDS No. : 6393E-5
Relevant identified uses of the substance or mixture and uses advised against Research and Development
Details of the supplier of the safety data sheet Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN Division: Chemical Safety Management Department Telephone number: +81-6-6946-8061 FAX: +81-6-6946-1607

Section 2. Hazards identification

GHS classification and label elements of the product Classification of the substance or mixture PHYSICAL AND CHEMICAL HAZARDS Oxidizing solids: Category 3 HEALTH HAZARDS Acute toxicity (Oral): Category 4 Skin corrosion/irritation: Category 2 Respiratory sensitization: Category 1 Skin sensitization: Category 1 Specific target organ toxicity – single exposure: Category 2 (systemic toxicity) Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation) (Note) GHS classification without description: Not classified/Classification not possible Label elements



Signal word: Danger

HAZARD STATEMENT

H272 May intensify fire; oxidizer

H302 Harmful if swallowed

H315 Causes skin irritation

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317 May cause an allergic skin reaction

H371 May cause damage to organs (systemic toxicity)

H335 May cause respiratory irritation

PRECAUTIONARY STATEMENT

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.



P260 Do not breathe dust/fume/gas/mist/vapors/spray. P284 In case of inadequate ventilation wear respiratory protection. P271 Use only outdoors or in a well-ventilated area. P264 Wash contaminated parts thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. P270 Do not eat, drink or smoke when using this product. Response P370 + P378 In case of fire: Use appropriate media to extinguish. P312 Call a POISON CENTER/doctor/physician if you feel unwell. P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P330 IF SWALLOWED: Rinse mouth. P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell. Storage P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name	Content (%)	CAS No.	Chemicals No, Japan	Chemical formula
Potassium peroxodisulfate	95(min)	7727-21-1	1-456	K2S2O8

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Call a POISON CENTER/doctor/physician if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.



IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

- IF SWALLOWED
 - Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use appropriate extinguishing media suitable for surrounding facilities. Unsuitable extinguishing media Unsuitable extinguishing media data is not available. Specific hazards arising from the substance or mixture Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may cause pollution. See "10.Stability and Reactivity". Advice for firefighters Specific fire-fighting measures Evacuate non-essential personnel to safe area. Special protective equipment and precautions for fire-fighters Wear fire resistant or flame retardant clothing. Wear protective gloves/protective clothing/eye protection/face protection. Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Sweep up, place in a bag and hold for waste disposal.

- Preventive measures for secondary accident
 - Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No



smoking.	
Keep away from clothing and other combustible materials.	
(Exhaust/ventilator)	
Exhaust/ventilator should be available.	
(Safety treatments)	
Avoid contact with skin.	
Avoid contact with eyes.	
Safety Measures	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
Wash hands et al thoroughly after handling.	
When using do not eat, drink or smoke.	
Any incompatibilities	
See "10.Stability and Reactivity".	
Advice on general occupational hygiene	
Wash contaminated parts thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Contaminated work clothing should not be allowed out of the workplace.	
Take off contaminated clothing and wash it before reuse.	
Storage	
Conditions for safe storage	
Keep container tightly closed.	
Store locked up. (P405)	
Store in a cool, dry place. Do not store in direct sunlight.	
Storage in accordance with local/national regulation.	
Container and packaging materials for safe handling	
Use closed unbreakable containers.	
Section 8. Exposure controls/personal protection Control parameters	
Control parameters	

Adopted value ACGIH(2006) TWA: 0.1mg/m3 (Skin irr) Exposure controls Appropriate engineering controls Do not use in areas without adequate ventilation. Eye wash station should be available. Washing facilities should be available. Individual protection measures Recommend to use protective equipment in conformity with the standards. Use appropriate protective equipment in accordance with local/national regulation. Respiratory protection Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask. Hand protection Wear impervious protective glove. Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.



Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties Physical state: Crystals to powder Color: White to pale yellow Odor: Slightly pungent odor Melting point/Freezing point: (decomposes) 100°C Boiling point or initial boiling point data is not available. Boiling range data is not available. Flammability (gases, liquids and solids) data is not available. Lower and upper explosion limit/flammability limit data is not available. Flash point data is not available. Auto-ignition temperature data is not available. Decomposition temperature data is not available. pH data is not available. Kinematic viscosity data is not available. Solubility: Solubility in water: 5.2 g/100 ml (20°C) Solubility in solvent data is not available. n-Octanol/water partition coefficient data is not available. Vapor pressure data is not available. Density and/or relative density: 2.5 g/cm3 Relative vapor density (Air=1) data is not available. Particle characteristics data is not available. Other information

Other information is not available.

Section 10. Stability and Reactivity Reactivity Not available. Chemical stability Stable under normal storage/handling conditions. Possibility of hazardous reactions Heating may cause violent combustion or explosion. Decomposes on heating. This produces toxic fumes including sulfur oxides. The substance is a strong oxidant. It reacts with combustible and reducing materials. The solution in water is a medium strong acid. Reacts violently with chlorates and perchlorates. This generates explosion hazard. Reacts in the presence of water with metals such as aluminium. This generates fire hazard. (ICSC 1133) Conditions to avoid Contact with incompatible materials. Contact with fire source. Incompatible materials Reducing agents, Combustible materials, Chlorates ,Perchlorates Hazardous decomposition products Sulfur oxides

Section 11. Toxicological Information

Information on toxicological effects



Acute toxicity Acute toxicity (Oral) [Product] Category 4, Harmful if swallowed [Data for components of the product] [GHS Cat. Japan, base data] male rat LD50=1130mg/kg (SIDS, 2005) Irritant properties Skin corrosion/irritation [Product] Category 2, Causes skin irritation [Data for components of the product] [GHS Cat. Japan, base data] human aqueous solution (>5%) can cause skin irritation (SIDS, 2005) Serious eye damage/irritation data is not available. Sensitization Respiratory sensitization [Product] Category 1, May cause allergy or asthma symptoms or breathing difficulties if inhaled [Data for components of the product] [GHS Cat. Japan. base data] cat. 1; SIDS, 2005 Skin sensitization [Product] Category 1, May cause an allergic skin reaction [Data for components of the product] [GHS Cat. Japan, base data] cat. 1; SIDS, 2005 Mutagenic effects data is not available. Carcinogenic effects data is not available. Reproductive toxicity data is not available. Specific target organ toxicity (STOT) STOT-single exposure [Product] Category 2, May cause damage to organs Category 3, May cause respiratory irritation [Data for components of the product] [cat.2] [GHS Cat. Japan, base data] systemic toxicity (SIDS, 2005) [cat.3 (respiratory tract irritation)] [GHS Cat. Japan, base data] respiratory tract irritation (SIDS, 2005) STOT-repeated exposure data is not available. Aspiration hazard data is not available. Information on other hazards May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax



Toxicity

Toxicity data is not available. Water solubility 5.2 g/100 ml (20°C) (ICSC, 2002) Persistence and degradability Persistence and degradability data is not available. Bioaccumulative potential Bioaccumulative potential data is not available. Mobility in soil Mobility in soil data is not available. Other adverse effects Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging Waste treatment methods Dispose of contents/container as industrial waste. Accordance with local/national regulation.

Section 14. Transport Information

UN Number or ID Number : 1492 UN Proper Shipping Name : POTASSIUM PERSULPHATE Class or division (Transport hazard class) : 5.1 Packing group : III ERG GUIDE No.: 140 IMDG Code (International Maritime Dangerous Goods Regulations) UN Number or ID Number : 1492 UN Proper Shipping Name : POTASSIUM PERSULPHATE Class or division (Transport hazard class) : 5.1 Packing group : III IATA (Dangerous Goods Regulations) UN Number or ID Number : 1492 UN Proper Shipping Name : POTASSIUM PERSULPHATE Class or division (Transport hazard class) : 5.1 Hazard labels : Oxidizer Packing group : III Environmental hazards Marine pollutants (yes/no) : no

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture



U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Applicable

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN IMDG Code, 2022 Edition (Incorporating Amendment 41–22) IATA Dangerous Goods Regulations (65th Edition) 2024 2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT) 2024 TLVs and BEIs. (ACGIH) Supplier's data/information

General Disclaimer

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2022).