



## Safety Data Sheet

---

### Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: 1-Propanol

SDS No. : 6477E-3

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

---

### Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 2

HEALTH HAZARDS

Serious eye damage/eye irritation: Category 1

Reproductive toxicity: Category 2

Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation)

Specific target organ toxicity – single exposure: Category 3 (Narcotic effects)

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H225 Highly flammable liquid and vapor

H318 Causes serious eye damage

H361 Suspected of damaging fertility or the unborn child

H335 May cause respiratory irritation

H336 May cause drowsiness or dizziness

PRECAUTIONARY STATEMENT

Prevention

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use non-sparking tools.



P243 Take action to prevent static discharges.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

P370 + P378 In case of fire: Use appropriate media to extinguish.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor/physician.

P312 Call a POISON CENTER/doctor/physician if you feel unwell.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

#### Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

#### Specific adverse human health effects

See "11. Toxicological Information".

---

### Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name	Content (%)	CAS No.	ENCS	Chemical formula
1-Propanol	≥99	71-23-8	2-207	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> OH

Note : The figures shown above are not the specifications of the product.

---

### Section 4. First-aid measures

Descriptions of first-aid measures

General measures

IF exposed or concerned: Get medical advice/attention.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF INHALED: Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/physician.

If eye irritation persists: Get medical advice/attention.

**IF SWALLOWED**

Rinse mouth.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

---

**Section 5. Fire-fighting measures****Extinguishing media****Suitable extinguishing media**

Use appropriate extinguishing media suitable for surrounding facilities.

In case of fire, use spraying loaded liquid, foam (water-soluble liquid: alcohol-resistant foam), inactive gases, dry powder, dry sand to extinguish.

\*Fire Service Act Group 4 Hazardous Materials

**Unsuitable extinguishing media**

Indoor Fire Plug System or Outdoor Fire Plug System

Sprinkler System

Dry Chemical Extinguishing System—Others (except for phosphates etc., Hydrogen Carbonates etc.)

Fire Extinguisher Discharging Jet Water/Spraying Water

Fire Extinguisher Discharging Jet Loaded Liquid

Fire Extinguisher Discharging Dry Extinguishing agents—Others (except for phosphates etc., Hydrogen Carbonates etc.)

Water Bucket or Water Tank

\*Cabinet Order Concerning the Control of Hazardous Materials (Attached Table 5) Group 4 Hazardous Materials

**Specific hazards arising from the substance or mixture**

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

**Advice for firefighters****Specific fire-fighting measures**

Evacuate non-essential personnel to safe area.

**Special protective equipment and precautions for fire-fighters**

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

---

**Section 6. Accidental release measures****Personnel precautions, protective equipment and emergency procedures**

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

**Environmental precautions**

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

**Methods and materials for containment and cleaning up**

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

**Preventive measures for secondary accident**



Collect spillage.

---

## Section 7. Handling and storage

### Precautions for safe handling

#### Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

#### Safety Measures

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands et al thoroughly after handling.

When using do not eat, drink or smoke.

#### Any incompatibilities

See "10.Stability and Reactivity".

### Storage

#### Conditions for safe storage

Keep container tightly closed.

Store locked up. (P405)

Store in a cool, dry place. Do not store in direct sunlight.

Storage in accordance with local/national regulation.

#### Container and packaging materials for safe handling

Use closed unbreakable containers.

---

## Section 8. Exposure controls/personal protection

### Control parameters

#### Control value and Concentration standard value

Not established

#### Adopted value

#### ACGIH

TWA: 100ppm (Eye & URT irr)

### Exposure controls

#### Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

**Individual protection measures**

Recommend to use protective equipment in conformity with the standards.

Use appropriate protective equipment in accordance with local/national regulation.

**Respiratory protection**

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

**Hand protection**

Wear impervious protective glove.

**Eye protection**

Wear eye/face protection. Wear safety goggles in cases gas is generated.

**Skin and body protection**

Wear protective clothing.

---

**Section 9. Physical and Chemical Properties****Information on basic physical and chemical properties**

Physical state: Liquid

Color: Colorless, clear

Odor: Characteristic odor

Melting point/Freezing point: -127°C

Boiling point or initial boiling point: (1-Propanol)97°C

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit:

Lower explosion limit: 2.1 vol %

Upper explosion limit: 13.5 vol %

Flash point: (1-Propanol)(C.C.) 15°C

Auto-ignition temperature: (1-Propanol)371°C

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Miscible

Solubility in solvent data is not available.

n-Octanol/water partition coefficient: log Pow0.25

Vapor pressure: 2.0 kPa (20°C)

Density and/or relative density: 0.8

Relative vapor density (Air=1): 2.1

Relative density of the Vapor/air - mixture at 20°C (Air = 1): 1.02

Particle characteristics data is not available.

**Other information**

Other information is not available.

---

**Section 10. Stability and Reactivity****Reactivity**

Not available.

**Chemical stability**

Stable under normal storage/handling conditions.

**Possibility of hazardous reactions**



The vapour mixes well with air, explosive mixtures are easily formed.

Reacts with strong oxidants and strong acids. This generates fire and explosion hazard.

This produces irritating and toxic gases. Attacks some forms of plastic and rubber. On combustion, forms toxic gases including carbon monoxide. (ICSC 0553)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Strong acids, Strong oxidizing agents

Hazardous decomposition products

Carbon oxides

---

## Section 11. Toxicological Information

### Information on toxicological effects

#### Acute toxicity

##### Acute toxicity (Oral)

[Data for components of the product]

[NITE-CHRIIP]

rat LD50: 2200 mg/kg (source: NITE)

##### Acute toxicity (Dermal)

[Data for components of the product]

[NITE-CHRIIP]

rabbit LD50: 4000 mg/kg (source: NITE)

#### Irritant properties

Skin corrosion/irritation data is not available.

#### Serious eye damage/irritation

[Product]

Category 1, Causes serious eye damage

[Data for components of the product]

[NITE-CHRIIP]

Category 1 (source: NITE)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

#### Carcinogenicity

[Data for components of the product]

[ACGIH]

A4: Not Classifiable as a Human Carcinogen

#### Reproductive toxicity

[Product]

Category 2, Suspected of damaging fertility or the unborn child

[Data for components of the product]

[NITE-CHRIIP]

Category 2 (source: NITE)

#### Specific target organ toxicity (STOT)

##### STOT-single exposure

[Product]

Category 3, May cause respiratory irritation

Category 3, May cause drowsiness or dizziness

[Data for components of the product]



[NITE-CHRIP]

Category 3 (Respiratory tract irritation), Category 3 (Narcotic effects) (source: NITE)

STOT-repeated exposure data is not available.

Aspiration hazard data is not available.

---

## Section 12. Ecological Information

Toxicity

Aquatic toxicity

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[NITE-CHRIP]

Crustacea (Daphnid) 48-hour LC50: 3025 mg/L (source: NITE)

Water solubility

not poorly water-soluble (1000000 mg/L) (source: NITE)

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

[Data for components of the product]

log Pow: 0.25 (source: ICSC, 1999)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

---

## Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container as industrial waste. Accordance with local/national regulation.

---

## Section 14. Transport Information

UN Number or ID Number : 1274

UN Proper Shipping Name :

n-PROPANOL(PROPYL ALCOHOL, NORMAL)

Class or division (Transport hazard class) : 3

Packing group : II

ERG GUIDE No.: 129

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 1274

UN Proper Shipping Name :

n-PROPANOL(PROPYL ALCOHOL, NORMAL)

Class or division (Transport hazard class) : 3

Packing group : II

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 1274

UN Proper Shipping Name :



n-PROPANOL(PROPYL ALCOHOL, NORMAL)  
Class or division (Transport hazard class) : 3  
Hazard labels : Flamm. liquid  
Packing group : II  
Environmental hazards  
Marine pollutants (yes/no) : no

---

**Section 15. Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture  
U.S. Toxic Substances Control Act (TSCA) Inventory  
Chemicals listed in TSCA Inventory  
Applicable  
Other regulatory information  
Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

---

**Section 16. Other information**

References and sources for data  
Globally Harmonized System of classification and labelling of chemicals, UN  
Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN  
IMDG Code, 2024 Edition (Incorporating Amendment 42-24)  
IATA Dangerous Goods Regulations (66th Edition) 2025  
2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)  
2025 TLVs and BEIs. (ACGIH)  
JIS Z 7252 : 2019  
JIS Z 7253 : 2019  
2024 Recommendation on TLVs (JISOH)  
Supplier's data/information  
General Disclaimer  
© KISHIDA CHEMICAL CO., LTD.  
Unauthorized translation or modification is prohibited.  
Please provide SDS to customers for selling or transferring.  
All chemicals have unknown hazard. Handle the product with care.  
This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.  
The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.  
The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2023).