

Date of issue: 2018/03/23 Date of revision: 2024/02/13

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking Product identifier: Product name: Talc SDS No. : 7600E-3
Relevant identified uses of the substance or mixture and uses advised against Research and Development
Details of the supplier of the safety data sheet Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN Division: Chemical Safety Management Department Telephone number: +81-6-6946-8061 FAX: +81-6-6946-1607

Section 2. Hazards identification

GHS classification and label elements of the product
Classification of the substance or mixture
HEALTH HAZARDS
Germ cell mutagenicity: Category 2
Carcinogenicity: Category 1A
Specific target organ toxicity - single exposure: Category 1 (respiratory system)
Specific target organ toxicity - repeated exposure: Category 1 (respiratory system)
Specific target organ toxicity - repeated exposure: Category 2 (respiratory system)
Specific target organ toxicity - repeated exposure: Category 2 (respiratory system)
Specific target organ toxicity - repeated exposure: Category 2 (respiratory system; immune system; kidney)
(Note) GHS classification without description: Not classified/Classification not possible

(Note) GHS classification without description: Not classified/Classification not possible Label elements



Signal word: Danger

HAZARD STATEMENT

H341 Suspected of causing genetic defects

H350 May cause cancer

H370 Causes damage to organs (respiratory system)

H372 Causes damage to organs through prolonged or repeated exposure (respiratory system)

H373 May cause damage to organs through prolonged or repeated exposure (respiratory system; immune system; kidney)

PRECAUTIONARY STATEMENT

Prevention

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash contaminated parts thoroughly after handling.

P280 Use personal protective equipment as required.

P270 Do not eat, drink or smoke when using this product.

Response



Talc,7600E-3,2024/02/13

P314 Get medical advice/attention if you feel unwell.

 $\label{eq:P308} P308 + P313 \ IF \ exposed \ or \ concerned: \ Get \ medical \ advice/attention.$

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name	Content (%)	CAS No.	Chemicals No, Japan	Chemical formula
Talc	100	14807-96-6	_	-

Note : The figures shown above are not the specifications of the product.

Impurities

Quartz $\leq 1.0\%$ (CAS No.14808-60-7)

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture



Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may cause pollution. See "10.Stability and Reactivity". Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not

discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Sweep up, place in a bag and hold for waste disposal.

Preventive measures for secondary accident

Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. (Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands et al thoroughly after handling.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity".

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.



Talc,7600E-3,2024/02/13

Storage

Conditions for safe storage

Keep container tightly closed.

Store locked up. (P405)

Store in a cool, dry place. Do not store in direct sunlight.

Storage in accordance with local/national regulation.

Container and packaging materials for safe handling Use closed unbreakable containers.

Section 8. Exposure controls/personal protection

Control parameters Adopted value (Talc) ACGIH(2010) TWA: 2mg/m3(E,R) (Pulm fibrosis; pulm func) (Containing no asbestos fibers) TWA: 0.1f/cc(F) (Pneumoconiosis; lung cancer; mesothelioma) (Containing asbestos fibers) (Quartz) ACGIH(2010) TWA: 0.025mg/m3(R) (Pulmonary fibrosis; lung cancer) Exposure controls Appropriate engineering controls Do not use in areas without adequate ventilation. Eye wash station should be available. Washing facilities should be available. Individual protection measures Recommend to use protective equipment in conformity with the standards. Respiratory protection Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask. Hand protection Wear impervious protective glove. Eye protection Wear eye/face protection. Wear safety goggles in cases gas is generated. Skin and body protection Wear protective clothing.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties Physical state: Powder Color: White to gray-white Odor data is not available. Melting point/Freezing point: 900 - 1000°C Boiling point or initial boiling point data is not available. Boiling range data is not available. Flammability (gases, liquids and solids) data is not available. Lower and upper explosion limit/flammability limit data is not available. Flash point data is not available. Auto-ignition temperature data is not available. Decomposition temperature data is not available.



pH data is not available.
Kinematic viscosity data is not available.
Solubility:

Solubility in water: Insoluble
Solubility in solvent data is not available.
n-Octanol/water partition coefficient data is not available.
Vapor pressure data is not available.
Density and/or relative density: 2.7g/cm3
Relative vapor density (Air=1) data is not available.
Particle characteristics data is not available.

Other information
Other information is not available.

Section 10. Stability and Reactivity

Reactivity Not available. Chemical stability Stable under normal storage/handling conditions. Possibility of hazardous reactions Not available. Conditions to avoid Contact with fire source. Incompatible materials Not available. Hazardous decomposition products Not available.

Section 11. Toxicological Information

Information on toxicological effects Acute toxicity data is not available. Irritant properties Skin corrosion/irritation data is not available. Serious eye damage/irritation data is not available. Allergenic and sensitizing effects data is not available. Germ cell mutagenicity [Product] Category 2, Suspected of causing genetic defects [Data for components of the product] [GHS Cat. Japan, base data] (Quartz) cat. 2; SIDS, 2013 Carcinogenicity [Product] Category 1A, May cause cancer [Data for components of the product] [GHS Cat. Japan, base data] (Quartz) cat.1A; IARC Gr. 1 (IARC 100C, 2012 et al.)



[IARC] (Talc) Group 2B : Possibly carcinogenic to humans (Talc-based body powder (perineal use of)) Group 3 : Not classifiable as to its carcinogenicity to humans (Talc, not containing asbestiform fibres) (Quartz) Group 1 : Carcinogenic to humans [ACGIH] (Talc) A4(2010) : Not Classifiable as a Human Carcinogen (Containing no asbestos fibers) A1(2010) : Confirmed Human Carcinogen (Containing asbestos fibers) (Quartz) A2(2010) : Suspected Human Carcinogen [NTP] (Quartz) Known : Known to be Human Carcinogens Reproductive toxicity data is not available. Specific target organ toxicity (STOT) STOT-single exposure [Product] Category 1, Causes damage to organs [Data for components of the product] [cat.1] [GHS Cat. Japan, base data] (Talc) respiratory system (ACGIH 7th, 2010) STOT-repeated exposure [Product] Category 1, Causes damage to organs through prolonged or repeated exposure Category 2, May cause damage to organs through prolonged or repeated exposure [Data for components of the product] [cat.1] [GHS Cat. Japan, base data] (Talc) respiratory system (ACGIH 7th, 2010) (Quartz) immune system, respiratory system, kidneys (SIDS, 2013) Aspiration hazard data is not available. Information on other hazards May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax

Section 12. Ecological Information

Toxicity Aquatic toxicity

[Data for components of the product] Hazardous to the aquatic environment, short-term (acute) [GHS Cat. Japan, base data]



(Quartz) Crustacea (Daphnia magna) LL50 > 10000mg/L (SIDS, 2013) Water solubility (Talc) none (ICSC, 2012) (Quartz) none (ICSC, 2010) Persistence and degradability Persistence and degradability data is not available. Bioaccumulative potential Bioaccumulative potential data is not available. Mobility in soil Mobility in soil data is not available. Other adverse effects Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging Waste treatment methods Dispose of contents/container as industrial waste. Accordance with local/national

regulation.

Section 14. Transport Information

UN Number or ID Number : Not regulated IMDG Code (International Maritime Dangerous Goods Regulations) UN Number or ID Number : Not regulated IATA (Dangerous Goods Regulations) UN Number or ID Number : Not regulated Environmental hazards Marine pollutants (yes/no) : no

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory Talc; Quartz

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN IMDG Code, 2020 Edition (Incorporating Amendment 40–20)



IATA Dangerous Goods Regulations (64th Edition) 2023 2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT) 2023 TLVs and BEIs. (ACGIH) Supplier's data/information

General Disclaimer

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2022).