



## Safety Data Sheet

---

### Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Triethylamine

SDS No. : 8014E-4

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

---

### Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 2

HEALTH HAZARDS

Acute toxicity (Oral): Category 4

Acute toxicity (Dermal): Category 3

Acute toxicity (Inhalation): Category 4

Skin corrosion/irritation: Category 1

Serious eye damage/eye irritation: Category 1

Specific target organ toxicity – single exposure: Category 1 (central nervous system)

Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation)

Specific target organ toxicity – repeated exposure: Category 2 (respiratory system)

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 2

Hazardous to the aquatic environment, long-term (chronic): Category 3

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H225 Highly flammable liquid and vapor

H302 Harmful if swallowed

H311 Toxic in contact with skin

H332 Harmful if inhaled

H314 Causes severe skin burns and eye damage

H370 Causes damage to organs (central nervous system)

H335 May cause respiratory irritation



H373 May cause damage to organs through prolonged or repeated exposure (respiratory system)

H401 Toxic to aquatic life

H412 Harmful to aquatic life with long lasting effects

#### PRECAUTIONARY STATEMENT

##### Prevention

P273 Avoid release to the environment.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P271 Use only outdoors or in a well-ventilated area.

P264 Wash contaminated parts thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P270 Do not eat, drink or smoke when using this product.

##### Response

P370 + P378 In case of fire: Use appropriate media to extinguish.

P314 Get medical advice/attention if you feel unwell.

P310 Immediately call a POISON CENTER/doctor/physician.

P312 Call a POISON CENTER/doctor/physician if you feel unwell.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P363 Wash contaminated clothing before reuse.

P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P330 IF SWALLOWED: Rinse mouth.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

##### Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

##### Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

#### Specific adverse human health effects

See "11. Toxicological Information".



---

**Section 3. Composition/information on ingredients**

Mixture/Substance selection:

Substance

Ingredient name	Content (%)	CAS No.	Chemicals No, Japan	Chemical formula
Triethylamine	98(min)	121-44-8	2-141	(C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> N

Note : The figures shown above are not the specifications of the product.

---

**Section 4. First-aid measures**

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Do NOT induce vomiting.

Call a POISON CENTER/doctor/physician if you feel unwell.

---

**Section 5. Fire-fighting measures**

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

In case of fire, use spraying loaded liquid, foam (water-soluble liquid: alcohol-resistant foam), inactive gases, dry powder, dry sand to extinguish.

\*Fire Service Act Group 4 Hazardous Materials

Unsuitable extinguishing media

Indoor Fire Plug System or Outdoor Fire Plug System

Sprinkler System

Dry Chemical Extinguishing System—Others (except for phosphates etc., Hydrogen Carbonates etc.)

Fire Extinguisher Discharging Jet Water/Spraying Water

Fire Extinguisher Discharging Jet Loaded Liquid

Fire Extinguisher Discharging Dry Extinguishing agents—Others (except for phosphates etc., Hydrogen Carbonates etc.)

Water Bucket or Water Tank



\*Cabinet Order Concerning the Control of Hazardous Materials (Attached Table 5) Group 4  
Hazardous Materials

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10. Stability and Reactivity".

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

---

## Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.

---

## Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Use only outdoors or in a well-ventilated area.



Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands et al thoroughly after handling.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity".

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Take off immediately all contaminated clothing and wash it before reuse.

Storage

Conditions for safe storage

Keep container tightly closed.

Store locked up. (P405)

Store in a cool, dry place. Do not store in direct sunlight.

Storage in accordance with local/national regulation.

Container and packaging materials for safe handling

Use closed unbreakable containers.

---

## Section 8. Exposure controls/personal protection

Control parameters

Control value and concentration standard value are not available in ISHA.

Adopted value

ACGIH(2015) TWA: 0.5ppm

STEL: 1ppm (Visual impair; URT irr)

[ACGIH] Notation

Skin

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Recommend to use protective equipment in conformity with the standards.

Use appropriate protective equipment in accordance with local/national regulation.

Respiratory protection

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

Hand protection

Wear impervious protective glove.

Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.

---

## Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: Colorless, clear



Odor: Characteristic odor  
Melting point/Freezing point:  $-115^{\circ}\text{C}$   
Boiling point or initial boiling point: (Triethylamine)  $89^{\circ}\text{C}$   
Boiling range data is not available.  
Flammability (gases, liquids and solids) data is not available.  
Lower and upper explosion limit/flammability limit:  
    Lower explosion limit: 1.2 vol %  
    Upper explosion limit: 8 vol %  
Flash point: (Triethylamine)(C.C.)  $-17^{\circ}\text{C}$   
Auto-ignition temperature: (Triethylamine)  $230^{\circ}\text{C}$   
Decomposition temperature data is not available.  
pH data is not available.  
Dynamic viscosity: 0.363 mPas ( $25^{\circ}\text{C}$ )  
Kinematic viscosity data is not available.  
Solubility:  
    Solubility in water: (good) 17g/100 ml ( $20^{\circ}\text{C}$ )  
    Solubility in solvent data is not available.  
n-Octanol/water partition coefficient: log Pow 1.45  
Vapor pressure: 7.2 kPa ( $20^{\circ}\text{C}$ )  
Density and/or relative density: 0.7  
Relative vapor density (Air=1): 3.5  
Relative density of the Vapor/air – mixture at  $20^{\circ}\text{C}$  (Air = 1): 1.2  
Particle characteristics data is not available.  
Other information  
    Other information is not available.

---

## Section 10. Stability and Reactivity

### Reactivity

Not available.

### Chemical stability

Stable under normal storage/handling conditions.

### Possibility of hazardous reactions

The vapour is heavier than air and may travel along the ground; distant ignition possible.  
Decomposes on burning. This produces irritating and toxic gases including nitrogen oxides.  
The substance is a strong base. It reacts violently with acid and is corrosive to aluminium, zinc, copper and their alloys in the presence of moisture. Reacts violently with strong oxidants. This generates fire and explosion hazard. Attacks some forms of plastic, rubber and coatings. (ICSC 0203)

### Conditions to avoid

Contact with incompatible materials.  
Contact with fire source.

### Incompatible materials

Acids, Strong oxidizing agents

### Hazardous decomposition products

Carbon oxides, Nitrogen oxides

---

## Section 11. Toxicological Information

Information on toxicological effects

**Acute toxicity****Acute toxicity (Oral)****[Product]**

Category 4, Harmful if swallowed

**[Data for components of the product]**

[GHS Cat. Japan, base data]

rat LD50=460mg/kg (ACGIH 7th, 2015 et al.)

**Acute toxicity (Dermal)****[Product]**

Category 3, Toxic in contact with skin

**[Data for components of the product]**

[GHS Cat. Japan, base data]

rabbit LD50=420mg/kg (ACGIH 7th, 2015)

**Acute toxicity (Inhalation)****[Product]**

Category 4, Harmful if inhaled

**[Data for components of the product]**

[GHS Cat. Japan, base data]

vapor: rat LC50=2600ppm/4hr (DFGOT vol.13, 1999)

**Irritant properties****Skin corrosion/irritation****[Product]**

Category 1, Causes severe skin burns and eye damage

**[Data for components of the product]**

[GHS Cat. Japan, base data]

rabbit corrosive (DFGOT, vol.13, 1999)

**Serious eye damage/irritation****[Product]**

Category 1, Causes serious eye damage

**[Data for components of the product]**

[GHS Cat. Japan, base data]

rabbit corrosive (DFGOT, vol.13, 1999)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

**Carcinogenicity****[Data for components of the product]****[ACGIH]**

A4(2015) : Not Classifiable as a Human Carcinogen

Reproductive toxicity data is not available.

**Specific target organ toxicity (STOT)****STOT-single exposure****[Product]**

Category 1, Causes damage to organs

Category 3, May cause respiratory irritation

**[Data for components of the product]****[cat.1]**

[GHS Cat. Japan, base data]

central nervous system (PATTY (6th, 2012))

**[cat.3 (respiratory tract irritation)]**

[GHS Cat. Japan, base data]



respiratory tract irritation (ACGIH 7th, 2015; DFGOT vol.13, 1999)  
STOT-repeated exposure  
[Product]  
Category 2, May cause damage to organs through prolonged or repeated exposure  
[Data for components of the product]  
[cat.2]  
[GHS Cat. Japan, base data]  
respiratory system (MOE Environmental Risk Assessment for Chemical Substances, 2008)  
Aspiration hazard data is not available.

---

## Section 12. Ecological Information

Toxicity  
Aquatic toxicity  
[Product]  
Category 2, Toxic to aquatic life  
Category 3, Harmful to aquatic life with long lasting effects  
[Data for components of the product]  
Hazardous to the aquatic environment, short-term (acute)  
[GHS Cat. Japan, base data]  
Algae (*Pseudokirchneriella subcapitata*) ErC50=7.97mg/L/72hr (MOE Japan, 2008)  
Water solubility  
17 g/100 ml (20°C) (ICSC, 2002)  
Persistence and degradability  
[Data for components of the product]  
BOD\_Degradation : 34%, 25%, 26% (METI existing chemical safety inspections, 1990)  
Bioaccumulative potential  
[Data for components of the product]  
log Pow=1.45 (ICSC, 2002); BCF < 4.9 (Check & Review, Japan)  
Mobility in soil  
Mobility in soil data is not available.  
Other adverse effects  
Ozone depleting chemical data is not available.

---

## Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging  
Waste treatment methods  
Avoid release to the environment.  
Dispose of contents/container as industrial waste. Accordance with local/national regulation.

---

## Section 14. Transport Information

UN Number or ID Number : 1296  
UN Proper Shipping Name :  
TRIETHYLAMINE  
Class or division (Transport hazard class) : 3  
Subsidiary hazard(s) : 8





Packing group : II  
ERG GUIDE No.: 132  
IMDG Code (International Maritime Dangerous Goods Regulations)  
UN Number or ID Number : 1296  
UN Proper Shipping Name :  
TRIETHYLAMINE  
Class or division (Transport hazard class) : 3  
Subsidiary hazard(s) : 8  
Packing group : II  
IATA (Dangerous Goods Regulations)  
UN Number or ID Number : 1296  
UN Proper Shipping Name :  
TRIETHYLAMINE  
Class or division (Transport hazard class) : 3  
Subsidiary hazard(s) : 8  
Hazard labels : Flamm.liquid & Corrosive  
Packing group : II  
Environmental hazards  
Marine pollutants (yes/no) : no

---

**Section 15. Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture  
U.S. Toxic Substances Control Act (TSCA) Inventory  
Chemicals listed in TSCA Inventory  
Applicable  
Other regulatory information  
Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

---

**Section 16. Other information**

References and sources for data  
Globally Harmonized System of classification and labelling of chemicals, UN  
Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN  
IMDG Code, 2022 Edition (Incorporating Amendment 41-22)  
IATA Dangerous Goods Regulations (65th Edition) 2024  
2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)  
2024 TLVs and BEIs. (ACGIH)  
JIS Z 7252 : 2019  
JIS Z 7253 : 2019  
2023 Recommendation on TLVs (JSOH)  
Supplier's data/information  
General Disclaimer  
The Safety Data Sheet (SDS) is copyrighted material of KISHIDA CHEMICAL CO., LTD.  
Please provide SDS to customers for selling or transferring.  
All chemicals have unknown hazard. Handle the product with care.  
This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your



safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2022).