

Date of issue: 2018/05/08 Date of revision: 2025/01/08

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking Product identifier: Product name: Zinc, powder SDS No. : 87573E-3
Relevant identified uses of the substance or mixture and uses advised against Research and Development
Details of the supplier of the safety data sheet Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN Division: Chemical Safety Management Department Telephone number: +81-6-6946-8061 FAX: +81-6-6946-1607

Section 2. Hazards identification

GHS classification and label elements of the product Classification of the substance or mixture PHYSICAL AND CHEMICAL HAZARDS Substances and mixtures which, in contact with water, emit flammable gases: Category 2 HEALTH HAZARDS

Serious eye damage/eye irritation: Category 2B

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 1

Hazardous to the aquatic environment, long-term (chronic): Category 1

(Note) GHS classification without description: Not classified/Classification not possible Label elements



Signal word: Danger

HAZARD STATEMENT

H261 In contact with water releases flammable gas

H320 Causes eye irritation

H410 Very toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENT

Prevention

P273 Avoid release to the environment.

P223 Do not allow contact with water.

P231 + P232 Handle and store contents under inert gas/appropriate liquid or gas. Protect from moisture.

P264 Wash contaminated parts thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P370 + P378 In case of fire: Use appropriate media to extinguish.

P391 Collect spillage.



P302 + P335 + P334 IF ON SKIN: Brush off loose particles from skin. Immerse in cool water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage

P402 + P404 Store in a dry place. Store in a closed container.

Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name	Content (%)	CAS No.	ENCS	Chemical formula
Zinc	≧90	7440-66-6	-	Zn

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures

Descriptions of first-aid measures

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

IF ON SKIN: Brush off loose particles from skin. Immerse in cool water.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".



Zinc, powder,87573E-3,2025/01/08

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

- Wear proper protective equipment.
- Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Sweep up, place in a bag and hold for waste disposal.

Preventive measures for secondary accident

Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not allow contact with water.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Wear protective gloves/protective clothing/eye protection/face protection.

Handle and store contents under inert gas/appropriate liquid or gas. Protect from moisture.

Wash hands et al thoroughly after handling.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity".

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Storage

Conditions for safe storage

Keep container tightly closed.



Store in a dry place. Store in a closed container. Store in a cool, dry place. Do not store in direct sunlight. Storage in accordance with local/national regulation. Container and packaging materials for safe handling Use closed unbreakable containers.

Section 8. Exposure controls/personal protection

Control parameters Control value and concentration standard value are not available in ISHA. Adopted value (Other inorganic and organic dust (third class dust)) JSOH Respirable dust 2mg/m3, Total dust 8mg/m3 Exposure controls Appropriate engineering controls Do not use in areas without adequate ventilation. Eye wash station should be available. Washing facilities should be available. Individual protection measures Recommend to use protective equipment in conformity with the standards. Use appropriate protective equipment in accordance with local/national regulation. Respiratory protection Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask. Hand protection Wear impervious protective glove.

Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties Physical state: Powder Color: Gray to blue Odor: Odorless Melting point/Freezing point: 419°C Boiling point or initial boiling point: (Zinc)907°C Boiling range data is not available. Flammability (gases, liquids and solids) data is not available. Lower and upper explosion limit/flammability limit data is not available. Flash point data is not available. Auto-ignition temperature: (Zinc)460°C Decomposition temperature data is not available. pH data is not available. Kinematic viscosity data is not available. Solubility: Solubility in water: Reaction Solubility in solvent data is not available.



n-Octanol/water partition coefficient data is not available. Vapor pressure data is not available. Density and/or relative density: 7.1g/cm3 Relative vapor density (Air=1) data is not available. Particle characteristics data is not available. Other information Other information is not available.

Section 10. Stability and Reactivity

Reactivity Not available. Chemical stability Stable under normal storage/handling conditions. Possibility of hazardous reactions Ignites in air when finely divided. If dry, it can be charged electrostatically by swirling, pneumatic transport, pouring, etc. On combustion forms zinc oxide fumes. The substance is a strong reducing agent. It reacts violently with oxidants, acids and bases. Reacts with water. This produces flammable/explosive gas (hydrogen). Reacts violently with sulfur, halogenated hydrocarbons and many other substances. This generates fire and explosion hazard. (ICSC 1205) Conditions to avoid Contact with incompatible materials. Contact with fire source. Incompatible materials Acids, Bases, Oxidizing agents, Water, Sulfur, Halogenated hydrocarbons Hazardous decomposition products

Zinc oxide, Hydrogen

Section 11. Toxicological Information

Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Data for components of the product] [NITE-CHRIP] rat LD50: > 2000 mg/kg (source: NITE) Acute toxicity (Inhalation) [Data for components of the product] [NITE-CHRIP] dust/mist: rat LC50: 5410 mg/m3 (OECD TG 403) (source: NITE) Irritant properties Skin corrosion/irritation data is not available. Serious eye damage/irritation [Product] Category 2B, Causes eye irritation [Data for components of the product] [NITE-CHRIP] Category 2B (source: NITE)

Allergenic and sensitizing effects data is not available.



Zinc, powder,87573E-3,2025/01/08

Mutagenic effects data is not available. Carcinogenic effects data is not available. Reproductive toxicity data is not available. Specific target organ toxicity (STOT) STOT-single exposure data is not available. STOT-repeated exposure data is not available. Aspiration hazard data is not available. Information on other hazards May cause lung disorders by massive inhalation of powdered substance.

-e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax

Section 12. Ecological Information

Toxicity Aquatic toxicity [Product] Category 1, Very toxic to aquatic life Category 1, Very toxic to aquatic life with long lasting effects [Data for components of the product] Hazardous to the aquatic environment, short-term (acute) [NITE-CHRIP] Algae (Pseudokirchneriella subcapitata) 72-hour ErC50: 0.15 mg/L (source: NITE) Water solubility reaction (source: ICSC, 2019) Persistence and degradability [Data for components of the product] Not rapidly degradable (source: NITE) Bioaccumulative potential Bioaccumulative potential data is not available. Mobility in soil Mobility in soil data is not available. Other adverse effects Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging Waste treatment methods

Avoid release to the environment. Dispose of contents/container as industrial waste. Accordance with local/national regulation.

Section 14. Transport Information

UN Number or ID Number : 1436 UN Proper Shipping Name : ZINC POWDER or ZINC DUST Class or division (Transport hazard class) : 4.3



Subsidiary hazard(s): 4.2 Packing group : II ERG GUIDE No.: 138 IMDG Code (International Maritime Dangerous Goods Regulations) UN Number or ID Number : 1436 UN Proper Shipping Name : ZINC POWDER or ZINC DUST Class or division (Transport hazard class) : 4.3 Subsidiary hazard(s) : 4.2 Packing group : II IATA (Dangerous Goods Regulations) UN Number or ID Number : 1436 UN Proper Shipping Name : ZINC POWDER or ZINC DUST Class or division (Transport hazard class) : 4.3 Subsidiary hazard(s): 4.2 Hazard labels : Dang. when wet & Spont. comb. Packing group : II Environmental hazards Marine pollutants (yes/no) : yes

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory Applicable

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN IMDG Code, 2022 Edition (Incorporating Amendment 41–22) IATA Dangerous Goods Regulations (65th Edition) 2024 2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT) 2024 TLVs and BEIs. (ACGIH) JIS Z 7252 : 2019 JIS Z 7253 : 2019 2023 Recommendation on TLVs (JSOH) Supplier's data/information

General Disclaimer

© KISHIDA CHEMICAL CO., LTD.

Unauthorized translation or modification is prohibited.

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised



Zinc, powder,87573E-3,2025/01/08

according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2023).