

Date of issue: 2016/03/23 Date of revision: 2025/02/14

# Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking Product identifier: Product name: Zinc oxide SDS No. : 8791E-4
Relevant identified uses of the substance or mixture and uses advised against Research and Development
Details of the supplier of the safety data sheet Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN Division: Chemical Safety Management Department Telephone number: +81-6-6946-8061 FAX: +81-6-6946-1607

## Section 2. Hazards identification

GHS classification and label elements of the product Classification of the substance or mixture

HEALTH HAZARDS

Reproductive toxicity: Category 2

Specific target organ toxicity - single exposure: Category 1 (respiratory system, systemic toxicity)

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 1

Hazardous to the aquatic environment, long-term (chronic): Category 1

(Note) GHS classification without description: Not classified/Classification not possible Label elements



Signal word: Danger

HAZARD STATEMENT

H361 Suspected of damaging fertility or the unborn child

H370 Causes damage to organs (respiratory system, systemic toxicity)

H410 Very toxic to aquatic life with long lasting effects

### PRECAUTIONARY STATEMENT

Prevention

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash contaminated parts thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P270 Do not eat, drink or smoke when using this product.

Response

P391 Collect spillage.

P308 + P313 IF exposed or concerned: Get medical advice/attention.



P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".

## Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name	Content (%)	CAS No.	ENCS	Chemical formula
Zinc oxide	≧99	1314-13-2	1-561	ZnO

Note : The figures shown above are not the specifications of the product.

## Section 4. First-aid measures

Descriptions of first-aid measures

#### General measures

IF exposed or concerned: Get medical advice/attention.

## IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

## IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

## IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

#### Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

Advice for firefighters

Specific fire-fighting measures



Evacuate non-essential personnel to safe area. Special protective equipment and precautions for fire-fighters Wear fire resistant or flame retardant clothing. Wear protective gloves/protective clothing/eye protection/face protection. Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

#### Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures Keep unauthorized personnel away. Ventilate area until material pick up is complete. Wear proper protective equipment. Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Sweep up, place in a bag and hold for waste disposal.

Preventive measures for secondary accident

Collect spillage.

## Section 7. Handling and storage

Precautions for safe handling Preventive measures (Exposure Control for handling personnel) Do not breathe dust/fume/gas/mist/vapors/spray. (Protective measures against fire and explosion) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (Exhaust/ventilator) Exhaust/ventilator should be available. (Safety treatments) Avoid contact with skin. Avoid contact with eyes. Safety Measures Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands et al thoroughly after handling. When using do not eat, drink or smoke. Any incompatibilities See "10.Stability and Reactivity". Advice on general occupational hygiene Wash contaminated parts thoroughly after handling. Do not eat, drink or smoke when using this product. Storage Conditions for safe storage Keep container tightly closed. Store locked up. (P405) Store in a cool, dry place. Do not store in direct sunlight.



Storage in accordance with local/national regulation. Container and packaging materials for safe handling Use closed unbreakable containers.

Adopted value JSOH(2021) 0.5mg/mi ACGIH(2003) TWA: 2n	
Adopted value JSOH(2021) 0.5mg/m ACGIH(2003) TWA: 2n STEL: 10mg/ Exposure controls	3 (nano particles) ng/m3(R)
JSOH(2021) 0.5mg/ma ACGIH(2003) TWA: 2n STEL: 10mg/ Exposure controls	ng/m3(R)
ACGIH(2003) TWA: 2n STEL: 10mg/ Exposure controls	ng/m3(R)
STEL: 10mg/ Exposure controls	-
Exposure controls	m3(R) (Metal fume fever)
Appropriate engineering cor	
	ntrols
Do not use in areas w	ithout adequate ventilation.
Eye wash station shou	ıld be available.
Washing facilities shou	ıld be available.
Individual protection measu	res
Recommend to use pr	otective equipment in conformity with the standards.
Use appropriate prote	ctive equipment in accordance with local/national regulation.
Respiratory protection	
	ection (dust-proof mask/gas mask). Select chemical cartridge of gases when using a gas mask.
Hand protection	
Wear impervious prote	ective glove.
Eye protection	
Wear eye/face protec	tion. Wear safety goggles in cases gas is generated.
Skin and body protection	
Wear protective clothi	ng.

## Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties Physical state: Powder Color: White to almost white Odor: Odourless Melting point/Freezing point: 1975°C Boiling point or initial boiling point data is not available. Boiling range data is not available. Flammability (gases, liquids and solids) data is not available. Lower and upper explosion limit/flammability limit data is not available. Flash point data is not available. Auto-ignition temperature data is not available. Decomposition temperature data is not available. pH data is not available. Kinematic viscosity data is not available. Solubility: Solubility in water: Insoluble Solubility in solvent data is not available. n-Octanol/water partition coefficient data is not available.



Vapor pressure data is not available. Density and/or relative density: 5.6g/cm3 Relative vapor density (Air=1) data is not available. Particle characteristics data is not available. Other information Other information is not available.

## Section 10. Stability and Reactivity

Reactivity Not available. Chemical stability Stable under normal storage/handling conditions. Possibility of hazardous reactions Reacts violently with aluminium powder, magnesium powder and chlorinated rubber (on heating). This generates fire and explosion hazard. (ICSC 0208) Conditions to avoid Contact with incompatible materials. Contact with fire source. Incompatible materials Aluminium powder, Magnesium powder, Chlorinated rubber Hazardous decomposition products

Not available.

## Section 11. Toxicological Information

Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Data for components of the product] [NITE-CHRIP] rat LD50: > 5000 mg/kg (source: NITE) Acute toxicity (Dermal) [Data for components of the product] [NITE-CHRIP] rabbit LD50: > 5000 mg/kg (source: NITE) Acute toxicity (Inhalation) [Data for components of the product] [NITE-CHRIP] dust/mist: rat LC50: > 5.7 mg/L (4-hour) (source: NITE) Irritant properties Skin corrosion/irritation data is not available. Serious eye damage/irritation data is not available. Allergenic and sensitizing effects data is not available. Mutagenic effects data is not available. Carcinogenic effects data is not available. Reproductive toxicity [Product] Category 2, Suspected of damaging fertility or the unborn child [Data for components of the product]



Zinc oxide,8791E-4,2025/02/14

[NITE-CHRIP] Category 2 (source: NITE) Specific target organ toxicity (STOT) STOT-single exposure [Product] Category 1, Causes damage to organs [Data for components of the product] [NITE-CHRIP] Category 1 (respiratory system, systemic toxicity) (source: NITE) STOT-repeated exposure data is not available. Aspiration hazard data is not available. Information on other hazards May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax

## Section 12. Ecological Information

Toxicity Aquatic toxicity [Product] Category 1, Very toxic to aquatic life Category 1, Very toxic to aquatic life with long lasting effects [Data for components of the product] Hazardous to the aquatic environment, short-term (acute) [NITE-CHRIP] Crustacea (Daphnia magna) 48-hour LC50: 0.098 mg Zn/L (source: NITE) Hazardous to the aquatic environment, long-term (chronic) [NITE-CHRIP] Algae (Pseudokirchneriella subcapitata) 72-hour NOEC: 24  $\mu$  g Zn/L (29.9  $\mu$  g ZnO/L) (source: NITE) Water solubility none (source: ICSC, 2017) Persistence and degradability Persistence and degradability data is not available. Bioaccumulative potential Bioaccumulative potential data is not available. Mobility in soil Mobility in soil data is not available. Other adverse effects Ozone depleting chemical data is not available.

## Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging Waste treatment methods Avoid release to the environment. Dispose of contents/container as industrial waste. Accordance with local/national

regulation.



Section 14. Transport Information	
UN Number or ID Number : 3077	
UN Proper Shipping Name :	
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
Class or division (Transport hazard class) : 9	
Packing group : III	
ERG GUIDE No.: 171	
IMDG Code (International Maritime Dangerous Goods Regulations)	
UN Number or ID Number : 3077	
UN Proper Shipping Name :	
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
Class or division (Transport hazard class) : 9	
Packing group:III	
IATA (Dangerous Goods Regulations)	
UN Number or ID Number : 3077	
UN Proper Shipping Name :	
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
Class or division (Transport hazard class) : 9	
Hazard labels : Miscellaneous & Environmentally hazardous	
Packing group:III	
Environmental hazards	
Marine pollutants (yes/no) : yes	

## Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture U.S. Toxic Substances Control Act (TSCA) Inventory Chemicals listed in TSCA Inventory

Applicable

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

# Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN IMDG Code, 2022 Edition (Incorporating Amendment 41–22) IATA Dangerous Goods Regulations (65th Edition) 2024 2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT) 2024 TLVs and BEIs. (ACGIH) JIS Z 7252 : 2019 JIS Z 7253 : 2019 2023 Recommendation on TLVs (JSOH) Supplier's data/information

**General Disclaimer** 

© KISHIDA CHEMICAL CO., LTD.

Unauthorized translation or modification is prohibited.



Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2023).