

Date of issue: 2018/10/05 Date of revision: 2024/09/19

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking Product identifier: Product name: Acetylacetone SDS No. : 0045E-3
Relevant identified uses of the substance or mixture and uses advised against Research and Development
Details of the supplier of the safety data sheet Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN Division: Chemical Safety Management Department Telephone number: +81-6-6946-8061 FAX: +81-6-6946-1607

Section 2. Hazards identification

GHS classification and label elements of the product Classification of the substance or mixture PHYSICAL AND CHEMICAL HAZARDS Flammable liquids: Category 3 HEALTH HAZARDS Acute toxicity (Oral): Category 4 Acute toxicity (Dermal): Category 3 Acute toxicity (Inhalation): Category 3 Serious eye damage/eye irritation: Category 2B Germ cell mutagenicity: Category 2 Specific target organ toxicity – single exposure: Category 1 (central nervous system) Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation) ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 3

Hazardous to the aquatic environment, long-term (chronic): Category 3

(Note) GHS classification without description: Not classified/Classification not possible Label elements



Signal word: Danger HAZARD STATEMENT

H226 Flammable liquid and vapor

- H302 Harmful if swallowed
- H311 Toxic in contact with skin
- H331 Toxic if inhaled
- H320 Causes eye irritation
- H341 Suspected of causing genetic defects
- H370 Causes damage to organs (central nervous system)
- H335 May cause respiratory irritation



Acetylacetone,0045E-3,2024/09/19

H412 Harmful to aquatic life with long lasting effects PRECAUTIONARY STATEMENT Prevention P202 Do not handle until all safety precautions have been read and understood. P273 Avoid release to the environment. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P271 Use only outdoors or in a well-ventilated area. P264 Wash contaminated parts thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P280 Use personal protective equipment as required. P270 Do not eat, drink or smoke when using this product. Response P370 + P378 In case of fire: Use appropriate media to extinguish. P308 + P313 IF exposed or concerned: Get medical advice/attention. P311 Call a POISON CENTER/doctor/physician. P312 Call a POISON CENTER/doctor/physician if you feel unwell. P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P361 + P364 Take off immediately all contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/attention. P330 IF SWALLOWED: Rinse mouth. P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell. Storage P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. Disposal P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".



Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name	Content (%)	CAS No.	ENCS	Chemical formula
Acetylacetone	98(min)	123-54-6	2-562	CH3COCH2COCH3

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

IF exposed or concerned: Get medical advice/attention.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media Suitable extinguishing media Use appropriate extinguishing media suitable for surrounding facilities. In case of fire, use spraying loaded liquid, foam (water-soluble liquid: alcohol-resistant foam), inactive gases, dry powder, dry sand to extinguish. *Fire Service Act Group 4 Hazardous Materials Unsuitable extinguishing media Indoor Fire Plug System or Outdoor Fire Plug System Sprinkler System Dry Chemical Extinguishing System-Others (except for phosphates etc., Hydrogen Carbonates etc.) Fire Extinguisher Discharging Jet Water/Spraying Water Fire Extinguisher Discharging Jet Loaded Liquid Fire Extinguisher Discharging Dry Extinguishing agents-Others (except for phosphates etc., Hydrogen Carbonates etc.) Water Bucket or Water Tank *Cabinet Order Concerning the Control of Hazardous Materials (Attached Table 5) Group 4 Hazardous Materials



Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated

in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.



Wash hands et al thoroughly after handling. When using do not eat, drink or smoke. Any incompatibilities See "10.Stability and Reactivity". Advice on general occupational hygiene Wash contaminated parts thoroughly after handling. Do not eat, drink or smoke when using this product. Take off immediately all contaminated clothing and wash it before reuse. Storage Conditions for safe storage Keep container tightly closed. Store locked up. (P405) Store in a cool, dry place. Do not store in direct sunlight. Storage in accordance with local/national regulation. Container and packaging materials for safe handling Use closed unbreakable containers. Section 8. Exposure controls/personal protection Control parameters Control value and concentration standard value are not available in ISHA. Adopted value ACGIH(2011) TWA: 25ppm (Neurotoxicity; CNS impair) [ACGIH] Notation Skin Exposure controls Appropriate engineering controls Do not use in areas without adequate ventilation. Eye wash station should be available. Washing facilities should be available. Individual protection measures Recommend to use protective equipment in conformity with the standards. Use appropriate protective equipment in accordance with local/national regulation. Respiratory protection Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask. Hand protection Wear impervious protective glove. Eye protection Wear eye/face protection. Wear safety goggles in cases gas is generated. Skin and body protection Wear protective clothing.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties Physical state: Liquid Color: Colorless to pale yellow Odor: Characteristic odor Melting point/Freezing point: -23°C



Boiling point or initial boiling point: (Acetylacetone)140°C Boiling range data is not available. Flammability (gases, liquids and solids) data is not available. Lower and upper explosion limit/flammability limit: Lower explosion limit: 2.4 vol % Upper explosion limit: 11.6 vol % Flash point: (Acetylacetone)(C.C.) 34°C Auto-ignition temperature: (Acetylacetone)340°C Decomposition temperature data is not available. pH data is not available. Kinematic viscosity data is not available. Solubility: Solubility in water: 16 g/100 ml Solubility in solvent data is not available. n-Octanol/water partition coefficient data is not available. Vapor pressure: 0.93 kPa (20°C) Density and/or relative density: 0.98 Relative vapor density (Air=1): 3.45 Relative density of the Vapor/air - mixture at 20°C (Air = 1): 1.02 Particle characteristics data is not available. Other information Other information is not available.

Section 10. Stability and Reactivity

Reactivity Not available. Chemical stability Gradually turns yellow. Possibility of hazardous reactions The vapour is heavier than air. The substance may polymerize under the influence of light. Reacts with strong oxidants, bases and reducing agents. (ICSC 0533) Conditions to avoid Contact with incompatible materials. Contact with fire source. Incompatible materials Bases, Strong oxidizing agents, Reducing agents Hazardous decomposition products Carbon oxides

Section 11. Toxicological Information

Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Product] Category 4, Harmful if swallowed [Data for components of the product] [GHS Cat. Japan, base data]



female rat LD50=578mg/kg (PATTY 6th, 2012) Acute toxicity (Dermal) [Product] Category 3, Toxic in contact with skin [Data for components of the product] [GHS Cat. Japan, base data] female rabbit LD50=790mg/kg (ACGIH 7th, 2011) Acute toxicity (Inhalation) [Product] Category 3, Toxic if inhaled [Data for components of the product] [GHS Cat. Japan, base data] vapor: rat LC50=1224ppm/4hr (PATTY 6th, 2012) Irritant properties Skin corrosion/irritation data is not available. Serious eye damage/irritation [Product] Category 2B, Causes eye irritation [Data for components of the product] [GHS Cat. Japan, base data] rabbit mild to moderate irritation (SIDS, 2003) Allergenic and sensitizing effects data is not available. Germ cell mutagenicity [Product] Category 2, Suspected of causing genetic defects [Data for components of the product] [GHS Cat. Japan, base data] cat. 2; NTP DB, 2015 Carcinogenic effects data is not available. Reproductive toxicity data is not available. Specific target organ toxicity (STOT) STOT-single exposure [Product] Category 1, Causes damage to organs Category 3, May cause respiratory irritation [Data for components of the product] [cat.1] [GHS Cat. Japan, base data] central nervous system (ACGIH 7th, 2011) [cat.3 (respiratory tract irritation)] [GHS Cat. Japan, base data] respiratory tract irritation (PATTY 6th, 2012) STOT-repeated exposure data is not available. Aspiration hazard data is not available.

Section 12. Ecological Information Toxicity Aquatic toxicity [Product]



Category 3, Harmful to aquatic life Category 3, Harmful to aquatic life with long lasting effects [Data for components of the product] Hazardous to the aquatic environment, short-term (acute) [GHS Cat. Japan, base data] Crustacea (Daphnia magna) EC50=34.4mg/L/48hr (SIDS, 2003) Hazardous to the aquatic environment, long-term (chronic) [GHS Cat. Japan, base data] Crustacea (Daphnia magna) NOEC (reproduction rate)=0.25mg/L/14days (SIDS, 2003) Water solubility 16 g/100 ml (ICSC, 1997) Persistence and degradability [Data for components of the product] Rapidly degradable (BOD_Degradation : 83%/28 days; TOC_Degradation : 95%/28 days; GC_Degradation: 100%/28 days (MITI official bulletin, 1991)) Bioaccumulative potential [Data for components of the product] log Kow=0.4 (PHYSPROP DB, 2009) Mobility in soil Mobility in soil data is not available. Other adverse effects Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging Waste treatment methods Avoid release to the environment. Dispose of contents/container as industrial waste. Accordance with local/national

Dispose of contents/container as industrial waste. Accordance with local/natio regulation.

Section 14. Transport Information

UN Number or ID Number : 2310 UN Proper Shipping Name : PENTANE-2,4-DIONE Class or division (Transport hazard class): 3 Subsidiary hazard(s) : 6.1 Packing group : III ERG GUIDE No.: 131 IMDG Code (International Maritime Dangerous Goods Regulations) UN Number or ID Number : 2310 UN Proper Shipping Name : PENTANE-2.4-DIONE Class or division (Transport hazard class): 3 Subsidiary hazard(s): 6.1 Packing group : III IATA (Dangerous Goods Regulations) UN Number or ID Number : 2310



Acetylacetone,0045E-3,2024/09/19

UN Proper Shipping Name : PENTANE-2,4-DIONE Class or division (Transport hazard class) : 3 Subsidiary hazard(s) : 6.1 Hazard labels : Flamm.liquid & Toxic Packing group : III Environmental hazards Marine pollutants (yes/no) : no

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory Chemicals listed in TSCA Inventory

Applicable

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN IMDG Code, 2022 Edition (Incorporating Amendment 41–22) IATA Dangerous Goods Regulations (65th Edition) 2024 2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT) 2024 TLVs and BEIs. (ACGIH) JIS Z 7252 : 2019 JIS Z 7253 : 2019 2023 Recommendation on TLVs (JSOH) Supplier's data/information

General Disclaimer

The Safety Data Sheet (SDS) is copyrighted material of KISHIDA CHEMICAL CO., LTD.

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2022).