

Date of issue: 2022/07/20 Date of revision: 2025/01/28

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking Product identifier: Product name: (S)-N-Boc-α-Ethylalanine SDS No. : KUA0032E-2
Relevant identified uses of the substance or mixture and uses advised against Research and Development
Details of the supplier of the safety data sheet Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN Division: Chemical Safety Management Department Telephone number: +81-6-6946-8061 FAX: +81-6-6946-1607

Section 2. Hazards identification

GHS classification and label elements of the product Classification of the substance or mixture (Note) GHS classification without description: Not classified/Classification not possible Label elements No GHS label element No Signal word Specific adverse human health effects See "11. Toxicological Information".

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

Ingredient name	Content (%)	CAS No.	ENCS	Chemical formula
(S)–N–Boc– α –Ethylalanine	_	151171-11-8	-	C10H19NO4
tert-Butyl alcohol	≦0.50	75-65-0	2-3049	C4H10O
tert-Butyl methyl ether	≦0.50	1634-04-4	2-3220	(CH3)3COCH3

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures

Descriptions of first-aid measures

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation or rash occurs: Get medical advice/attention.



IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use appropriate extinguishing media suitable for surrounding facilities. Unsuitable extinguishing media Unsuitable extinguishing media data is not available. Specific hazards arising from the substance or mixture Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may cause pollution. See "10.Stability and Reactivity". Advice for firefighters Specific fire-fighting measures Evacuate non-essential personnel to safe area. Special protective equipment and precautions for fire-fighters Wear fire resistant or flame retardant clothing. Wear protective gloves/protective clothing/eye protection/face protection. Firefighters should wear self-contained breathing apparatus with a full facepiece operated

in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Sweep up, place in a bag and hold for waste disposal.

Preventive measures for secondary accident

Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No



smoking.
(Exhaust/ventilator)
Exhaust/ventilator should be available.
(Safety treatments)
Avoid contact with skin.
Avoid contact with eyes.
Safety Measures
Wear protective gloves/protective clothing/eye protection/face protection.
Wash hands et al thoroughly after handling.
When using do not eat, drink or smoke.
Any incompatibilities
See "10.Stability and Reactivity".
Storage
Conditions for safe storage
Keep container tightly closed.
Chilled storage.
Storage in accordance with local/national regulation.
Container and packaging materials for safe handling
Use closed unbreakable containers.

Section 8. Exposure controls/personal protection

Control parameters Control value and Concentration standard value (tert-Butyl methyl ether) Concentration standard value TWA: 50ppm Adopted value (tert-Butyl alcohol) JSOH(1987) 50ppm; 150mg/m3 (Other inorganic and organic dust (third class dust)) JSOH Respirable dust 2mg/m3, Total dust 8mg/m3 (tert-Butyl alcohol) ACGIH(1995) TWA: 100ppm (CNS impair) (tert-Butyl methyl ether) ACGIH(2002) TWA: 50ppm (URT irr; kidney dam) Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Recommend to use protective equipment in conformity with the standards.

Use appropriate protective equipment in accordance with local/national regulation.

Respiratory protection

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

Hand protection

Wear impervious protective glove.

Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.



Skin and body protection Wear protective clothing.

Section 9. Physical and Chemical Properties Information on basic physical and chemical properties Physical state: Powder Color: White to pale yellow Odor data is not available. Melting point/Freezing point data is not available. Boiling point or initial boiling point data is not available. Boiling range data is not available. Flammability (gases, liquids and solids) data is not available. Lower and upper explosion limit/flammability limit data is not available. Flash point data is not available. Auto-ignition temperature data is not available. Decomposition temperature data is not available. pH data is not available. Kinematic viscosity data is not available. Solubility: Solubility in water data is not available. Solubility in solvent data is not available. n-Octanol/water partition coefficient data is not available. Vapor pressure data is not available. Density and/or relative density data is not available. Relative vapor density (Air=1) data is not available. Particle characteristics data is not available. Other information Other information is not available.

ection 10.	Stability and Reactivity
Reactivity	
Ν	lot available.
Chemical	stability
S	table under normal storage/handling conditions.
Possibility	y of hazardous reactions
(t	tert-Butyl alcohol)
	Decomposes on contact with strong mineral acids or strong oxidants. This generates fire and xplosion hazard. (ICSC 0114)
(t	tert-Butyl methyl ether)
	Reacts violently with strong oxidants. This generates fire hazard. Decomposes on contact vith acids. (ICSC 1164)
Condition	s to avoid
C	Contact with incompatible materials.
C	Contact with fire source.
Incompat	ible materials
A	cids, Strong oxidizing agents
Hazardou	s decomposition products
C	Carbon oxides, Nitrogen oxides



Section 11. Toxicological Information Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Data for components of the product] [NITE-CHRIP] (tert-Butyl alcohol) female rat LD50: 2298 mg/kg (source: NITE) (tert-Butyl methyl ether) rat LD50: 2963 mg/kg (source: NITE) Acute toxicity (Dermal) [Data for components of the product] [NITE-CHRIP] (tert-Butyl alcohol) rabbit LD50: > 2000 mg/kg (source: NITE) (tert-Butyl methyl ether) rabbit LD50: 10000 mg/kg (source: NITE) Acute toxicity (Inhalation) [Data for components of the product] [NITE-CHRIP] (tert-Butyl methyl ether) vapor: rat LC50: 23576 ppm (4-hour) (source: NITE) Irritant properties Skin corrosion/irritation [Data for components of the product] [NITE-CHRIP] (tert-Butyl methyl ether) Category 2 (source: NITE) Serious eye damage/irritation [Data for components of the product] [NITE-CHRIP] (tert-Butyl alcohol) Category 2A (source: NITE) (tert-Butyl methyl ether) Category 2B (source: NITE) Allergenic and sensitizing effects data is not available. Mutagenic effects data is not available. Carcinogenicity [Data for components of the product] [NITE-CHRIP] (tert-Butyl alcohol) Category 2 (source: NITE) [IARC] (tert-Butyl methyl ether) Group 3 : Not classifiable as to its carcinogenicity to humans [ACGIH] (tert-Butyl alcohol) A4(1995) : Not Classifiable as a Human Carcinogen (tert-Butyl methyl ether)



A3(2002) : Confirmed Animal Carcinogen with Unknown Relevance to Humans Reproductive toxicity [Data for components of the product] [NITE-CHRIP] (tert-Butyl alcohol) Category 2 (source: NITE) Specific target organ toxicity (STOT) STOT-single exposure [Data for components of the product] [NITE-CHRIP] (tert-Butyl alcohol) Category 3 (Respiratory tract irritation), Category 3 (Narcotic effects) (source: NITE) (tert-Butyl methyl ether) Category 3 (Respiratory tract irritation), Category 3 (Narcotic effects) (source: NITE) STOT-repeated exposure data is not available. Aspiration hazard data is not available. Information on other hazards May cause lung disorders by massive inhalation of powdered substance. -e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax Section 12. Ecological Information Toxicity Aquatic toxicity [Data for components of the product] Hazardous to the aquatic environment, short-term (acute) [NITE-CHRIP] (tert-Butyl alcohol) Algae (Desmodesmus subspicatus) 72-hour ErC50: > 1000 mg/L (source: NITE) Crustacea (Daphnia magna) 48-hour EC50: 933 mg/L (source: NITE) Fish (Oryzias latipes) 96-hour LC50: > 120 mg/L (source: NITE) (tert-Butyl methyl ether) Algae (Pseudokirchneriella subcapitata) 72-hour ErC50: > 110 mg/L (source: NITE) Hazardous to the aquatic environment, long-term (chronic) [NITE-CHRIP] (tert-Butyl alcohol) Crustacea (Daphnia magna) 21-day NOEC: >= 100 mg/L (source: NITE) (tert-Butyl methyl ether) Crustacea (Daphnia magna) 21-day NOEC (reproduction inhibition): 11 mg/L (source: NITE) Algae (Pseudokirchneriella subcapitata) 72-hour NOErC: > 110 mg/L (source: NITE) Water solubility (tert-Butyl alcohol) not poorly water-soluble (1000000 mg/L) (source: NITE) Persistence and degradability [Data for components of the product] (tert-Butyl alcohol) Not rapidly degradable (Degradation rate: 2.5% (by BOD)) (source: NITE) (tert-Butyl methyl ether) Not rapidly degradable (Degradation rate: 0% (by BOD)) (source: NITE)



Bioaccumulative potential [Data for components of the product] (tert-Butyl alcohol) log Pow: 0.3 (source: ICSC, 2008) BCF: 0.5 - 5 (test concentration : 0.6 - 6 ppm) (source: NITE) (tert-Butyl methyl ether) log Pow: 1.06 (source: ICSC, 2000) Mobility in soil Mobility in soil data is not available. Other adverse effects Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging Waste treatment methods Dispose of contents/container as industrial waste. Accordance with local/national regulation.

Section 14. Transport Information

UN Number or ID Number : Not regulated IMDG Code (International Maritime Dangerous Goods Regulations) UN Number or ID Number : Not regulated IATA (Dangerous Goods Regulations) UN Number or ID Number : Not regulated Environmental hazards Marine pollutants (yes/no) : no

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

tert-Butyl alcohol; tert-Butyl methyl ether

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN IMDG Code, 2022 Edition (Incorporating Amendment 41–22) IATA Dangerous Goods Regulations (65th Edition) 2024 2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT) 2024 TLVs and BEIs. (ACGIH) JIS Z 7252 : 2019



JIS Z 7253 : 2019 2023 Recommendation on TLVs (JSOH) Supplier's data/information

General Disclaimer

© KISHIDA CHEMICAL CO., LTD.

Unauthorized translation or modification is prohibited.

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2023).