



Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: 0.1mol/L(N/10)-Cerium(IV) di-ammonium nitrate solution

SDS No. : A0013E-5

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Corrosive to metals: Category 1

HEALTH HAZARDS

Acute toxicity (Inhalation): Category 3

Skin corrosion/irritation: Category 1

Serious eye damage/eye irritation: Category 1

Specific target organ toxicity – single exposure: Category 2 (respiratory system)

Specific target organ toxicity – repeated exposure: Category 2 (respiratory system)

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, long-term (chronic): Category 2

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H290 May be corrosive to metals

H331 Toxic if inhaled

H314 Causes severe skin burns and eye damage

H371 May cause damage to organs (respiratory system)

H373 May cause damage to organs through prolonged or repeated exposure (respiratory system)

H411 Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENT

Prevention

P273 Avoid release to the environment.

P234 Keep only in original packaging.



0.1mol/L(N/10)-Cerium(IV) di-ammonium nitrate solution,A0013E-5,2025/04/18

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P271 Use only outdoors or in a well-ventilated area.

P264 Wash contaminated parts thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P270 Do not eat, drink or smoke when using this product.

Response

P390 Absorb spillage to prevent material-damage.

P391 Collect spillage.

P314 Get medical advice/attention if you feel unwell.

P310 Immediately call a POISON CENTER/doctor/physician.

P311 Call a POISON CENTER/doctor/physician.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P363 Wash contaminated clothing before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

Ingredient name	Content (%)	CAS No.	ENCS	Chemical formula
Cerium(IV) di-ammonium nitrate	5.1	16774-21-3	1-626;1-395	(NH ₄) ₂ Ce(NO ₃) ₆
Sulfuric acid	5.2	7664-93-9	1-430	H ₂ SO ₄
Water	90	7732-18-5	-	H ₂ O

Note : The figures shown above are not the specifications of the product. The content of products may exceed the figures shown above.

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician.



0.1mol/L(N/10)-Cerium(IV) di-ammonium nitrate solution,A0013E-5,2025/04/18

IF INHALED: Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Immediately call a POISON CENTER/doctor/physician.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/physician.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Do NOT induce vomiting.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Absorb spillage to prevent material-damage.



Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands et al thoroughly after handling.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity".

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Storage

Conditions for safe storage

Keep container tightly closed.

Store locked up. (P405)

Store in a cool, dry place. Do not store in direct sunlight.

Storage in accordance with local/national regulation.

Container and packaging materials for safe handling

Keep only in original packaging.

Store in a corrosion resistant/specified container with a resistant inner liner.

Use closed unbreakable containers.

Section 8. Exposure controls/personal protection

Control parameters

Control value and Concentration standard value

Not established

Adopted value

The Japan Society for Occupational Health

(Sulfuric acid)

(Ceiling) 1mg/m³

ACGIH

(Sulfuric acid)



0.1mol/L(N/10)-Cerium(IV) di-ammonium nitrate solution,A0013E-5,2025/04/18

TWA: 0.2mg/m³(T) (Pulm func)

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Recommend to use protective equipment in conformity with the standards.

Use appropriate protective equipment in accordance with local/national regulation.

Respiratory protection

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

Hand protection

Wear impervious protective glove.

Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: Orange

Odor: None

Melting point/Freezing point data is not available.

Boiling point or initial boiling point data is not available.

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point data is not available.

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Soluble

Solubility in solvent data is not available.

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Density and/or relative density: 1.07

Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available.

Other information

Other information is not available.

Section 10. Stability and Reactivity

Reactivity



0.1mol/L(N/10)-Cerium(IV) di-ammonium nitrate solution,A0013E-5,2025/04/18

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

(Sulfuric acid)

Decomposes on heating. This produces toxic and corrosive gases including sulfur oxides. The substance is a strong oxidant. It reacts with combustible and reducing materials and organic materials. This generates fire and explosion hazard. The substance is a strong acid. It reacts violently with bases and is corrosive to most common metals forming a flammable/explosive gas (hydrogen). Reacts violently with water. This generates heat and fire or explosion hazard. Attacks many plastics. (ICSC 0362)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Bases, Reducing agents, Metals, Combustible materials, Organic materials

Hazardous decomposition products

Nitrogen oxides, Sulfur oxides, Hydrogen

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Data for components of the product]

[NITE-CHRIP]

(Sulfuric acid)

rat LD50: 2140 mg/kg (source: NITE)

Acute toxicity (Inhalation)

[Product]

Category 3, Toxic if inhaled

[Data for components of the product]

[NITE-CHRIP]

(Sulfuric acid)

mist: rat LC50: 0.375 mg/L (4-hour) (OECD TG 403) (source: NITE)

Irritant properties

Skin corrosion/irritation

[Product]

Category 1, Causes severe skin burns and eye damage

[Data for components of the product]

[NITE-CHRIP]

(Sulfuric acid)

Category 1 (source: NITE)

[Company proprietary data]

(Cerium(IV) di-ammonium nitrate)

Category 2

Serious eye damage/irritation

[Product]

Category 1, Causes serious eye damage



0.1mol/L(N/10)-Cerium(IV) di-ammonium nitrate solution,A0013E-5,2025/04/18

[Data for components of the product]

[NITE-CHRIP]

(Sulfuric acid)

Category 1 (source: NITE)

[Company proprietary data]

(Cerium(IV) di-ammonium nitrate)

Category 2

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

Carcinogenicity

[Data for components of the product]

[IARC]

(Sulfuric acid)

Group 1 : Carcinogenic to humans

[ACGIH]

(Sulfuric acid)

A2: Suspected Human Carcinogen

[NTP]

(Sulfuric acid)

Known : Known to be Human Carcinogens

Reproductive toxicity data is not available.

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Category 2, May cause damage to organs

[Data for components of the product]

[NITE-CHRIP]

(Sulfuric acid)

Category 1 (respiratory system) (source: NITE)

STOT-repeated exposure

[Product]

Category 2, May cause damage to organs through prolonged or repeated exposure

[Data for components of the product]

[NITE-CHRIP]

(Sulfuric acid)

Category 1 (respiratory system) (source: NITE)

Aspiration hazard data is not available.

Section 12. Ecological Information

Toxicity

Aquatic toxicity

[Product]

Category 2, Toxic to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[NITE-CHRIP]

(Sulfuric acid)

Fish (*Lepomis macrochirus*) 96-hour LC50: 16 – 28 mg/L (pH: 3.25 – 3.5) (source: NITE)



0.1mol/L(N/10)-Cerium(IV) di-ammonium nitrate solution,A0013E-5,2025/04/18

Crustacea (Daphnia magna) 24-hour LC50: 29 mg/L (source: NITE)
Hazardous to the aquatic environment, long-term (chronic)

[NITE-CHRIIP]

(Sulfuric acid)

Fish (Jordanella floridae) 45-day NOEC (growth): 0.025 mg/L (pH: 6.0) (source: NITE)

Water solubility

(Sulfuric acid)

miscible (20°C) (source: ICSC, 2016)

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

Bioaccumulative potential data is not available.

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

Dispose of contents/container as industrial waste. Accordance with local/national regulation.

Section 14. Transport Information

UN Number or ID Number : 2796

UN Proper Shipping Name :

SULPHURIC ACID with not more than 51% acid or BATTERY FLUID, ACID

Class or division (Transport hazard class) : 8

Packing group : II

ERG GUIDE No.: 157

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 2796

UN Proper Shipping Name :

SULPHURIC ACID with not more than 51% acid or BATTERY FLUID, ACID

Class or division (Transport hazard class) : 8

Packing group : II

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 2796

UN Proper Shipping Name :

SULPHURIC ACID with not more than 51% acid or BATTERY FLUID, ACID

Class or division (Transport hazard class) : 8

Hazard labels : Corrosive

Packing group : II

Environmental hazards

Marine pollutants (yes/no) : yes



Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Sulfuric acid; Water; Cerium(IV) di-ammonium nitrate

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN

IMDG Code, 2024 Edition (Incorporating Amendment 42-24)

IATA Dangerous Goods Regulations (66th Edition) 2025

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2025 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

2024 Recommendation on TLVs (JSOH)

Supplier's data/information

General Disclaimer

© KISHIDA CHEMICAL CO., LTD.

Unauthorized translation or modification is prohibited.

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIPI), up to FY2023).