



## Safety Data Sheet

---

### Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Dichlorodimethylsilane

SDS No. : 2291E-2

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

---

### Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 2

HEALTH HAZARDS

Acute toxicity (Oral): Category 4

Skin corrosion/irritation: Category 1

Serious eye damage/eye irritation: Category 1

Specific target organ toxicity – single exposure: Category 2 (respiratory system)

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H225 Highly flammable liquid and vapor

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H371 May cause damage to organs (respiratory system)

PRECAUTIONARY STATEMENT

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.



P264 Wash contaminated parts thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P270 Do not eat, drink or smoke when using this product.

#### Response

P370 + P378 In case of fire: Use appropriate media to extinguish.

P310 Immediately call a POISON CENTER/doctor/physician.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P363 Wash contaminated clothing before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P330 IF SWALLOWED: Rinse mouth.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

#### Storage

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

#### Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

#### Specific adverse human health effects

See "11. Toxicological Information".

---

### Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name	Content (%)	CAS No.	Chemicals No, Japan	Chemical formula
Dichlorodimethylsilane	99(min)	75-78-5	2-2041	C <sub>2</sub> H <sub>6</sub> Cl <sub>2</sub> Si

Note : The figures shown above are not the specifications of the product.

---

### Section 4. First-aid measures

Descriptions of first-aid measures

#### IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

#### IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

#### IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

#### IF SWALLOWED

Rinse mouth.



Do NOT induce vomiting.

Call a POISON CENTER/doctor/physician if you feel unwell.

---

## Section 5. Fire-fighting measures

### Extinguishing media

#### Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

In case of fire, use spraying loaded liquid, foam (water-soluble liquid: alcohol-resistant foam), inactive gases, dry powder, dry sand to extinguish.

\*Fire Service Act Group 4 Hazardous Materials

#### Unsuitable extinguishing media

Indoor Fire Plug System or Outdoor Fire Plug System

Sprinkler System

Dry Chemical Extinguishing System—Others (except for phosphates etc., Hydrogen Carbonates etc.)

Fire Extinguisher Discharging Jet Water/Spraying Water

Fire Extinguisher Discharging Jet Loaded Liquid

Fire Extinguisher Discharging Dry Extinguishing agents—Others (except for phosphates etc., Hydrogen Carbonates etc.)

Water Bucket or Water Tank

\*Cabinet Order Concerning the Control of Hazardous Materials (Attached Table 5) Group 4 Hazardous Materials

### Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

### Advice for firefighters

#### Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

#### Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

---

## Section 6. Accidental release measures

### Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

### Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

### Preventive measures for secondary accident

Collect spillage.



---

**Section 7. Handling and storage**

## Precautions for safe handling

## Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

## Safety Measures

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands et al thoroughly after handling.

When using do not eat, drink or smoke.

## Any incompatibilities

See "10.Stability and Reactivity".

## Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

## Storage

## Conditions for safe storage

Keep container tightly closed.

Store locked up. (P405)

Chilled storage.

Storage in accordance with local/national regulation.

## Container and packaging materials for safe handling

Use closed unbreakable containers.

---

**Section 8. Exposure controls/personal protection**

## Control parameters

Control value and concentration standard value are not available in ISHA.

## Exposure controls

## Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

## Individual protection measures

Recommend to use protective equipment in conformity with the standards.

Use appropriate protective equipment in accordance with local/national regulation.

## Respiratory protection



Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

Hand protection

Wear impervious protective glove.

Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.

---

## Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: Colorless, Clear

Odor: Pungent odor

Melting point/Freezing point: -76°C

Boiling point or initial boiling point: (Dichlorodimethylsilane) 71°C

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit:

Lower explosion limit: 1.4 vol %

Upper explosion limit: 9.5 vol %

Flash point: (Dichlorodimethylsilane)(C.C.) -9°C

Auto-ignition temperature: (Dichlorodimethylsilane) 380°C

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Reaction

Solubility in solvent data is not available.

n-Octanol/water partition coefficient data is not available.

Vapor pressure: 14.5 kPa (20°C)

Density and/or relative density: 1.07

Relative vapor density (Air=1): 4.4

Particle characteristics data is not available.

Other information

Other information is not available.

---

## Section 10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

The vapour is heavier than air and may travel along the ground; distant ignition possible.

Decomposes on heating. This produces toxic and corrosive fumes including hydrogen chloride and phosgene. Reacts violently with water. This produces hydrogen chloride. Reacts violently with alcohols and amines. This generates fire and explosion hazard. Attacks many metals in the presence of water. (ICSC 0870)

**Conditions to avoid**

Contact with incompatible materials.

Contact with fire source.

**Incompatible materials**

Water, Alcohols, Amines

**Hazardous decomposition products**

Hydrogen chloride, Phosgene

---

**Section 11. Toxicological Information****Information on toxicological effects****Acute toxicity****Acute toxicity (Oral)**

[Product]

Category 4, Harmful if swallowed

[Data for components of the product]

[GHS Cat. Japan, base data]

rat LD50=800mg/kg (PATTY 5th, 2001)

**Irritant properties****Skin corrosion/irritation**

[Product]

Category 1, Causes severe skin burns and eye damage

[Data for components of the product]

[GHS Cat. Japan, base data]

rabbit corrosive (IUCLID, 2002)

**Serious eye damage/irritation**

[Product]

Category 1, Causes serious eye damage

[Data for components of the product]

[GHS Cat. Japan, base data]

rabbit severe damage, corrosive (HSDB, 2002)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

Carcinogenic effects data is not available.

Reproductive toxicity data is not available.

**Specific target organ toxicity (STOT)****STOT-single exposure**

[Product]

Category 2, May cause damage to organs

[Data for components of the product]

[cat.2]

[GHS Cat. Japan, base data]

respiratory system (HSDB, 2002)

STOT-repeated exposure data is not available.

Aspiration hazard data is not available.

---

**Section 12. Ecological Information****Toxicity**

Toxicity data is not available.



Water solubility  
reaction (ICSC, 2002)  
Persistence and degradability  
Persistence and degradability data is not available.  
Bioaccumulative potential  
Bioaccumulative potential data is not available.  
Mobility in soil  
Mobility in soil data is not available.  
Other adverse effects  
Ozone depleting chemical data is not available.

---

**Section 13. Disposal considerations**

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging  
Waste treatment methods  
Dispose of contents/container as industrial waste. Accordance with local/national regulation.

---

**Section 14. Transport Information**

UN Number or ID Number : 1162  
UN Proper Shipping Name :  
DIMETHYLDICHLOROSILANE  
Class or division (Transport hazard class) : 3  
Subsidiary hazard(s) : 8  
Packing group : II  
ERG GUIDE No.: 155  
IMDG Code (International Maritime Dangerous Goods Regulations)  
UN Number or ID Number : 1162  
UN Proper Shipping Name :  
DIMETHYLDICHLOROSILANE  
Class or division (Transport hazard class) : 3  
Subsidiary hazard(s) : 8  
Packing group : II  
IATA (Dangerous Goods Regulations)  
UN Number or ID Number : 1162  
UN Proper Shipping Name :  
DIMETHYLDICHLOROSILANE  
Class or division (Transport hazard class) : 3  
Subsidiary hazard(s) : 8  
Hazard labels : Flamm.liquid & Corrosive  
Packing group : II  
Environmental hazards  
Marine pollutants (yes/no) : no

---

**Section 15. Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture  
U.S. Toxic Substances Control Act (TSCA) Inventory



Chemicals listed in TSCA Inventory

Applicable

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

---

## Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN  
Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN  
IMDG Code, 2022 Edition (Incorporating Amendment 41-22)  
IATA Dangerous Goods Regulations (65th Edition) 2024  
2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)  
2024 TLVs and BEIs. (ACGIH)  
JIS Z 7252 : 2019  
JIS Z 7253 : 2019  
2023 Recommendation on TLVs (JISOH)  
Supplier's data/information

General Disclaimer

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2022).