



Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: N,N-Dimethylaniline

SDS No. : 2474E-3

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 4

HEALTH HAZARDS

Acute toxicity (Oral): Category 4

Acute toxicity (Dermal): Category 4

Acute toxicity (Inhalation): Category 2

Serious eye damage/eye irritation: Category 2A

Carcinogenicity: Category 2

Specific target organ toxicity – single exposure: Category 1 (blood system, central nervous system)

Specific target organ toxicity – single exposure: Category 3 (Narcotic effects)

Specific target organ toxicity – repeated exposure: Category 1 (blood system)

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 2

Hazardous to the aquatic environment, long-term (chronic): Category 2

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H227 Combustible liquid

H302 Harmful if swallowed

H312 Harmful in contact with skin

H330 Fatal if inhaled

H319 Causes serious eye irritation

H351 Suspected of causing cancer



H370 Causes damage to organs (blood system, central nervous system)

H336 May cause drowsiness or dizziness

H372 Causes damage to organs through prolonged or repeated exposure (blood system)

H411 Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENT

Prevention

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P284 In case of inadequate ventilation wear respiratory protection.

P271 Use only outdoors or in a well-ventilated area.

P264 Wash contaminated parts thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Use personal protective equipment as required.

P270 Do not eat, drink or smoke when using this product.

Response

P370 + P378 In case of fire: Use appropriate media to extinguish.

P391 Collect spillage.

P314 Get medical advice/attention if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor/physician.

P312 Call a POISON CENTER/doctor/physician if you feel unwell.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P330 IF SWALLOWED: Rinse mouth.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Storage

P403 Store in a well-ventilated place.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".

**Section 3. Composition/information on ingredients**

Mixture/Substance selection:

Substance

Ingredient name	Content (%)	CAS No.	ENCS	Chemical formula
N,N-Dimethylaniline	99(min)	121-69-7	3-114;3-129	C6H5N(CH3)2

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

In case of fire, use spraying loaded liquid, foam (water-soluble liquid: alcohol-resistant foam), inactive gases, dry powder, dry sand to extinguish.

*Fire Service Act Group 4 Hazardous Materials

Unsuitable extinguishing media

Indoor Fire Plug System or Outdoor Fire Plug System

Sprinkler System

Dry Chemical Extinguishing System-Others (except for phosphates etc., Hydrogen Carbonates etc.)

Fire Extinguisher Discharging Jet Water/Spraying Water

Fire Extinguisher Discharging Jet Loaded Liquid

Fire Extinguisher Discharging Dry Extinguishing agents-Others (except for phosphates etc., Hydrogen Carbonates etc.)

Water Bucket or Water Tank

*Cabinet Order Concerning the Control of Hazardous Materials (Attached Table 5) Group 4 Hazardous Materials



Specific hazards arising from the substance or mixture

- Fire may produce irritating, corrosive and/or toxic gases.
- Runoff from fire control or dilution water may cause pollution.
- See "10.Stability and Reactivity".

Advice for firefighters

Specific fire-fighting measures

- Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

- Wear fire resistant or flame retardant clothing.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

- Keep unauthorized personnel away.
- Ventilate area until material pick up is complete.
- Wear proper protective equipment.

Environmental precautions

- Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

- Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

- Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

- Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

- Exhaust/ventilator should be available.

(Safety treatments)

- Avoid contact with skin.
- Avoid contact with eyes.

Safety Measures

- Do not handle until all safety precautions have been read and understood.
- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Wash hands et al thoroughly after handling.
- When using do not eat, drink or smoke.

Any incompatibilities

- See "10.Stability and Reactivity".

**Advice on general occupational hygiene**

- Wash contaminated parts thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Take off contaminated clothing and wash it before reuse.

Storage**Conditions for safe storage**

- Keep container tightly closed.
- Store locked up. (P405)
- Store in a cool, dry place. Do not store in direct sunlight.
- Storage in accordance with local/national regulation.

Container and packaging materials for safe handling

- Use closed unbreakable containers.

Section 8. Exposure controls/personal protection**Control parameters**

Control value and concentration standard value are not available in ISHA.

Adopted value

- JSOH(1993) 5ppm; 25mg/m³ (skin)
- ACGIH(1990) TWA: 5ppm;
- STEL: 10ppm (MeHb-emia)

[ACGIH] Notation

Skin

Exposure controls**Appropriate engineering controls**

- Do not use in areas without adequate ventilation.
- Eye wash station should be available.
- Washing facilities should be available.

Individual protection measures

- Recommend to use protective equipment in conformity with the standards.
- Use appropriate protective equipment in accordance with local/national regulation.

Respiratory protection

- Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

Hand protection

- Wear impervious protective glove.

Eye protection

- Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

- Wear protective clothing.

Section 9. Physical and Chemical Properties**Information on basic physical and chemical properties**

Physical state: Liquid

Color: Colorless to light yellow

Odor: Characteristic odor

Melting point/Freezing point: 2.5°C

Boiling point or initial boiling point: (N,N-Dimethylaniline)192 through 194°C

Boiling range data is not available.



Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit:

Lower explosion limit: 1 vol %

Upper explosion limit: 7 vol %

Flash point: (N,N-Dimethylaniline)73°C

Auto-ignition temperature: (N,N-Dimethylaniline)371°C

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: None

Solubility in solvent data is not available.

n-Octanol/water partition coefficient: log Pow2.3

Vapor pressure: 67 Pa (20°C)

Density and/or relative density: 0.96

Relative vapor density (Air=1): 4.2

Relative density of the Vapor/air – mixture at 20°C (Air = 1): 1.002

Particle characteristics data is not available.

Other information

Other information is not available.

Section 10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Turns brown on exposure to air. (ICSC 0877)

Possibility of hazardous reactions

Decomposes on heating. This produces highly toxic fumes of aniline and nitrogen oxides.

Reacts with oxidants. (ICSC 0877)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Oxidizing agents

Hazardous decomposition products

Carbon oxides, Nitrogen oxides, Aniline

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Category 4, Harmful if swallowed

[Data for components of the product]

[GHS Cat. Japan, base data]

rat LD50=1300mg/kg (ACGIH 7th, 2001; DFGOT vol. 3, 1992) et al.

Acute toxicity (Dermal)

[Product]



Category 4, Harmful in contact with skin

[Data for components of the product]

[GHS Cat. Japan, base data]

rabbit LD50=1692mg/kg (DFGOT vol. 3, 1992); 1770mg/kg (ACGIH 7th, 2001)

Acute toxicity (Inhalation)

[Product]

Category 2, Fatal if inhaled

[Data for components of the product]

[GHS Cat. Japan, base data]

vapor: rat LC50=100-500ppm/4hr (estimation) (DFGOT vol. 3, 1992); < 90% of saturated vapor
press. conc. (924ppm)

Irritant properties

Skin corrosion/irritation

[Data for components of the product]

[GHS Cat. Japan, base data]

human no irritation (HSDB, Access on May 2017), rabbit mild irritation (BUA 91, 1992)

Serious eye damage/irritation

[Product]

Category 2A, Causes serious eye irritation

[Data for components of the product]

[GHS Cat. Japan, base data]

human irritation or burns; rabbit moderate irritation (HSDB, Access on May 2017)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

Carcinogenicity

[Product]

Category 2, Suspected of causing cancer

[Data for components of the product]

[GHS Cat. Japan, base data]

cat.2; EU Carc. 2 (ECHA CL Invt., Access on May 2017); (HSDB HSDB, Access on May 2017)

[IARC]

Group 3 : Not classifiable as to its carcinogenicity to humans

[ACGIH]

A4(1996) : Not Classifiable as a Human Carcinogen

[EU]

Category 2; Substances suspected human carcinogens

Reproductive toxicity data is not available.

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Category 1, Causes damage to organs

Category 3, May cause drowsiness or dizziness

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

blood system, central nervous system (HSDB, Access on May 2017; ACGIH, 2001; MOE

Environmental Risk Assessment for Chemical Substances vol.7: Temporary risk assessment
sheet, 2009; DFGOT vol. 3, 1992; BUA 91, 1992)

[cat.3 (narcotic effects)]

[GHS Cat. Japan, base data]



narcotic effect (HSDB, Access on May 2017; ACGIH, 2001; MOE Environmental Risk Assessment for Chemical Substances vol.7: Temporary risk assessment sheet, 2009; DFGOT vol. 3, 1992; BUA 91, 1992)

STOT-repeated exposure

[Product]

Category 1, Causes damage to organs through prolonged or repeated exposure

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

blood system (DFGOT vol.3, 1992; JSOH, 1993; METI safety test results, 2011; NTP TR360, 1989; MOE Environmental Risk Assessment for Chemical Substances vol.7: Temporary risk assessment sheet, 2009; ACGIH 7th, 2001)

Aspiration hazard data is not available.

Section 12. Ecological Information

Toxicity

Aquatic toxicity

[Product]

Category 2, Toxic to aquatic life

Category 2, Toxic to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[GHS Cat. Japan, base data]

Crustacea (Daphnia magna) EC50=5.8mg/L/24hr (EPA Aquire, 2017)

Water solubility

none (ICSC, 1998)

Persistence and degradability

[Data for components of the product]

Not rapidly degradable (BOD_Degradation : 1.9% (CSCL DB, 1976))

Bioaccumulative potential

[Data for components of the product]

log Pow=2.3 (ICSC, 1998); BCF=13.6 (Check & Review, Japan)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

Dispose of contents/container as industrial waste. Accordance with local/national regulation.

Section 14. Transport Information

UN Number or ID Number : 2253



UN Proper Shipping Name :
N,N-DIMETHYLANILINE
Class or division (Transport hazard class) : 6.1
Packing group : II
ERG GUIDE No.: 153

IMDG Code (International Maritime Dangerous Goods Regulations)
UN Number or ID Number : 2253
UN Proper Shipping Name :
N,N-DIMETHYLANILINE
Class or division (Transport hazard class) : 6.1
Packing group : II

IATA (Dangerous Goods Regulations)
UN Number or ID Number : 2253
UN Proper Shipping Name :
N,N-DIMETHYLANILINE
Class or division (Transport hazard class) : 6.1
Hazard labels : Toxic
Packing group : II

Environmental hazards
Marine pollutants (yes/no) : yes

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Applicable

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN

IMDG Code, 2022 Edition (Incorporating Amendment 41-22)

IATA Dangerous Goods Regulations (65th Edition) 2024

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2024 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

2023 Recommendation on TLVs (JSOH)

Supplier's data/information

General Disclaimer

The Safety Data Sheet (SDS) is copyrighted material of KISHIDA CHEMICAL CO., LTD.

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling,



and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2022).