



Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Ethyl chlorocarbonate

SDS No. : 2892E-3

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 2

HEALTH HAZARDS

Acute toxicity (Oral): Category 3

Acute toxicity (Inhalation): Category 1

Skin corrosion/irritation: Category 1

Serious eye damage/eye irritation: Category 1

Carcinogenicity: Category 1A

Specific target organ toxicity – single exposure: Category 2 (respiratory system)

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H225 Highly flammable liquid and vapor

H301 Toxic if swallowed

H330 Fatal if inhaled

H314 Causes severe skin burns and eye damage

H350 May cause cancer

H371 May cause damage to organs (respiratory system)

PRECAUTIONARY STATEMENT

Prevention

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.



- P240 Ground and bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.
- P242 Use non-sparking tools.
- P243 Take action to prevent static discharges.
- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P284 In case of inadequate ventilation wear respiratory protection.
- P271 Use only outdoors or in a well-ventilated area.
- P264 Wash contaminated parts thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P270 Do not eat, drink or smoke when using this product.

Response

- P370 + P378 In case of fire: Use appropriate media to extinguish.
- P308 + P313 IF exposed or concerned: Get medical advice/attention.
- P310 Immediately call a POISON CENTER/doctor/physician.
- P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician.
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P363 Wash contaminated clothing before reuse.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P330 IF SWALLOWED: Rinse mouth.
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.
- P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage

- P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
- P403 + P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.

Disposal

- P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name	Content (%)	CAS RN	ENCS	Chemical formula
Ethyl chlorocarbonate	≥ 95	541-41-3	2-1704	C1COOC2H5

Note : The figures shown above are not the specifications of the product.

Impurities

Ethanol 0.23% (CAS RN 64-17-5)

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

IF exposed or concerned: Get medical advice/attention.

**IF INHALED**

Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER/doctor/physician.

IF INHALED: Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Immediately call a POISON CENTER/doctor/physician.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/physician.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Do NOT induce vomiting.

Immediately call a POISON CENTER/doctor/physician.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

In case of fire, use spraying loaded liquid, foam (water-soluble liquid: alcohol-resistant foam), inactive gases, dry powder, dry sand to extinguish.

*Fire Service Act Group 4 Hazardous Materials

Unsuitable extinguishing media

Indoor Fire Plug System or Outdoor Fire Plug System

Sprinkler System

Dry Chemical Extinguishing System-Others (except for phosphates etc., Hydrogen Carbonates etc.)

Fire Extinguisher Discharging Jet Water/Spraying Water

Fire Extinguisher Discharging Jet Loaded Liquid

Fire Extinguisher Discharging Dry Extinguishing agents-Others (except for phosphates etc., Hydrogen Carbonates etc.)

Water Bucket or Water Tank

*Cabinet Order Concerning the Control of Hazardous Materials (Attached Table 5) Group 4 Hazardous Materials

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated



in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Liquid: Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Solid: Sweep up, place in a bag and hold for waste disposal.

Preventive measures for secondary accident

Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Precautions)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands and contaminated parts thoroughly after handling.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity".

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Storage

Conditions for safe storage



- Keep container tightly closed.
- Store locked up. (P405)
- Store in a cool, dry place. Do not store in direct sunlight.
- Storage in accordance with local/national regulation.
- Container and packaging materials for safe handling
- Use closed unbreakable containers.

Section 8. Exposure controls/personal protection

Control parameters

Administrative Control Levels and Concentration standard value

Not established

Occupational Exposure Limit

ACGIH

(Ethanol)

STEL: 1000ppm (URT irr)

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Recommend to use protective equipment in conformity with the standards.

Use appropriate protective equipment in accordance with local/national regulation.

Respiratory protection

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

Hand protection

Wear impervious protective glove.

Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: Colorless to light yellow

Odor: Pungent odor

Melting point/Freezing point: -80.6°C

Boiling point or initial boiling point: (Ethyl chlorocarbonate)95°C

Boiling range data is not available.

Flammability data is not available.

Lower and upper explosion limit/flammability limit:

Lower explosion limit: 3.2 vol %

Upper explosion limit: 27.5 vol %

Flash point: (Ethyl chlorocarbonate)(C.C.)16°C

Auto-ignition temperature: (Ethyl chlorocarbonate)500°C

Decomposition temperature data is not available.



pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Reaction

Solubility in solvent data is not available.

Partition coefficient n-octanol/water data is not available.

Vapor pressure: 5.5 kPa (20°C)

Density and/or relative density: 1.1

Relative vapor density (Air=1): 3.7

Relative density of the Vapor/air – mixture at 20°C (Air = 1): 1.15

Particle characteristics data is not available.

Other information

Other information is not available.

Section 10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

The vapour is heavier than air and may travel along the ground; distant ignition possible.

Decomposes on heating. This produces toxic and irritating fumes including hydrogen chloride and phosgene. Reacts with water and steam. This produces toxic and corrosive hydrogen chloride. Reacts violently with strong oxidants. This generates fire and explosion hazard.

Reacts with amines and bases. Attacks many metals in the presence of moisture. (ICSC 1025)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Bases, Strong oxidizing agents, Water, Amines

Hazardous decomposition products

Carbon oxides, Hydrogen chloride, Phosgene

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Category 3, Toxic if swallowed

[Data for components of the product]

[NITE-CHRIP]

(Ethyl chlorocarbonate)

rat LD50: 270 mg/kg (source: NITE)

(Ethanol)

rat LD50: 7000 – 11000 mg/kg (source: NITE)

Acute toxicity (Dermal)

[Data for components of the product]

[NITE-CHRIP]



(Ethyl chlorocarbonate)
rat LD50: 7120 mg/kg (source: NITE)
(Ethanol)
rabbit LDLo: 20000 mg/kg (source: NITE)

Acute toxicity (Inhalation)

[Product]

Category 1, Fatal if inhaled

[Data for components of the product]

[NITE-CHRIP]

(Ethyl chlorocarbonate)

vapor: male rat LC50: 145 ppm (1-hour) (converted 4-hour equivalent value: 72.5 ppm)

(source: NITE)

(Ethanol)

vapor: rat LC50: 63000 ppmV (source: NITE)

Irritant properties**Skin corrosion/irritation**

[Product]

Category 1, Causes severe skin burns and eye damage

[Data for components of the product]

[NITE-CHRIP]

(Ethyl chlorocarbonate)

Category 1 (source: NITE)

Serious eye damage/irritation

[Product]

Category 1, Causes serious eye damage

[Data for components of the product]

[NITE-CHRIP]

(Ethyl chlorocarbonate)

Category 1 (source: NITE)

(Ethanol)

Category 2B (source: NITE)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

Carcinogenicity

[Product]

Category 1A, May cause cancer

[Data for components of the product]

[NITE-CHRIP]

(Ethanol)

Category 1A (source: NITE)

[IARC]

(Ethanol)

Group 1 : Carcinogenic to humans

[ACGIH]

(Ethanol)

A3: Confirmed Animal Carcinogen with Unknown Relevance to Humans

Reproductive toxicity

[Data for components of the product]

[NITE-CHRIP]

(Ethanol)



Category 1A (source: NITE)
Specific target organ toxicity (STOT)
STOT-single exposure
[Product]
Category 2, May cause damage to organs
[Data for components of the product]
[NITE-CHRIP]
(Ethyl chlorocarbonate)
Category 2 (respiratory system) (source: NITE)
(Ethanol)
Category 3 (Respiratory tract irritation), Category 3 (Narcotic effects) (source: NITE)
STOT-repeated exposure data is not available.
Aspiration hazard data is not available.

Section 12. Ecological Information

Toxicity
Aquatic toxicity
[Data for components of the product]
Hazardous to the aquatic environment, short-term (acute)
[NITE-CHRIP]
(Ethanol)
Algae (*Chlorella vulgaris*) 96-hour EC50: 1000 mg/L (source: NITE)
Crustacea (*Daphnia magna*) 48-hour EC50: 5463 mg/L (source: NITE)
Fish (*Oncorhynchus mykiss*) 96-hour LC50: 11200 ppm (source: NITE)
Hazardous to the aquatic environment, long-term (chronic)
[NITE-CHRIP]
(Ethanol)
Crustacea (*Ceriodaphnia* sp.) 10-day NOEC: 9.6 mg/L (source: NITE)
Water solubility
(Ethyl chlorocarbonate)
reaction (source: ICSC, 2000)
(Ethanol)
miscible (source: ICSC, 2018)
Persistence and degradability
[Data for components of the product]
(Ethanol)
Rapidly degradable (Degradation rate: 89% (by BOD)) (source: NITE)
Bioaccumulative potential
[Data for components of the product]
(Ethanol)
log Pow: -0.32 (source: ICSC, 2018)
Mobility in soil
Mobility in soil data is not available.
Other adverse effects
Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal,



including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container as industrial waste. Accordance with local/national regulation.

Section 14. Transport Information

UN Number or ID Number : 1182

UN Proper Shipping Name :

ETHYL CHLOROFORMATE

Class or division (Transport hazard class) : 6.1

Subsidiary hazard(s) : 3; 8

Packing group : I

ERG GUIDE No.: 155

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 1182

UN Proper Shipping Name :

ETHYL CHLOROFORMATE

Class or division (Transport hazard class) : 6.1

Subsidiary hazard(s) : 3; 8

Packing group : I

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 1182

UN Proper Shipping Name :

ETHYL CHLOROFORMATE

Class or division (Transport hazard class) : 6.1

Subsidiary hazard(s) : 3; 8

Packing group : I

FORBIDDEN

Environmental hazards

Marine pollutants (yes/no) : no

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Ethanol; Ethyl chlorocarbonate

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN

IMDG Code, 2024 Edition (Incorporating Amendment 42-24)

IATA Dangerous Goods Regulations (66th Edition) 2025

2024 EMERGENCY RESPONSE GUIDEBOOK (US DOT)



2025 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

Recommendation of occupational exposure limits (2023–2024) (JSOH)

Supplier's data/information

General Disclaimer

© KISHIDA CHEMICAL CO., LTD.

Unauthorized translation or modification is prohibited.

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2024).