



## Safety Data Sheet

---

### Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Hydrogen peroxide (35%)

SDS No. : 3711E-4

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

---

### Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Oxidizing liquids: Category 2

HEALTH HAZARDS

Acute toxicity (Oral): Category 4

Acute toxicity (Dermal): Category 3

Acute toxicity (Inhalation): Category 2

Skin corrosion/irritation: Category 1

Serious eye damage/eye irritation: Category 1

Carcinogenicity: Category 2

Specific target organ toxicity – single exposure: Category 1 (respiratory system)

Specific target organ toxicity – repeated exposure: Category 1 (respiratory system)

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 1

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H272 May intensify fire; oxidizer

H302 Harmful if swallowed

H311 Toxic in contact with skin

H330 Fatal if inhaled

H314 Causes severe skin burns and eye damage

H351 Suspected of causing cancer

H370 Causes damage to organs (respiratory system)

H372 Causes damage to organs through prolonged or repeated exposure (respiratory system)



H400 Very toxic to aquatic life

## PRECAUTIONARY STATEMENT

### Prevention

- P202 Do not handle until all safety precautions have been read and understood.
- P273 Avoid release to the environment.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P220 Keep away from clothing and other combustible materials.
- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P284 In case of inadequate ventilation wear respiratory protection.
- P271 Use only outdoors or in a well-ventilated area.
- P264 Wash contaminated parts thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P280 Use personal protective equipment as required.
- P270 Do not eat, drink or smoke when using this product.

### Response

- P370 + P378 In case of fire: Use appropriate media to extinguish.
- P391 Collect spillage.
- P314 Get medical advice/attention if you feel unwell.
- P308 + P313 IF exposed or concerned: Get medical advice/attention.
- P310 Immediately call a POISON CENTER/doctor/physician.
- P312 Call a POISON CENTER/doctor/physician if you feel unwell.
- P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician.
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P363 Wash contaminated clothing before reuse.
- P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P330 IF SWALLOWED: Rinse mouth.
- P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
- P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

### Storage

- P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.

### Disposal

- P501 Dispose of contents/container in accordance with local/national regulation.

### Specific adverse human health effects

See "11. Toxicological Information".



---

**Section 3. Composition/information on ingredients**

Mixture/Substance selection:

Mixture

Ingredient name	Content (%)	CAS No.	Chemicals No, Japan	Chemical formula
Hydrogen peroxide	35	7722-84-1	1-419	H <sub>2</sub> O <sub>2</sub>
Water	65	7732-18-5	—	H <sub>2</sub> O

Note : The figures shown above are not the specifications of the product. The content of products may exceed the figures shown above.

---

**Section 4. First-aid measures**

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Do NOT induce vomiting.

Call a POISON CENTER/doctor/physician if you feel unwell.

---

**Section 5. Fire-fighting measures**

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.



Wear protective gloves/protective clothing/eye protection/face protection.  
Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

---

**Section 6. Accidental release measures**

Personnel precautions, protective equipment and emergency procedures

- Keep unauthorized personnel away.
- Ventilate area until material pick up is complete.
- Wear proper protective equipment.

Environmental precautions

- Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

- Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

- Collect spillage.

---

**Section 7. Handling and storage**

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

- Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Keep away from clothing and other combustible materials.

(Exhaust/ventilator)

- Exhaust/ventilator should be available.

(Safety treatments)

- Avoid contact with skin.
- Avoid contact with eyes.

Safety Measures

- Do not handle until all safety precautions have been read and understood.
- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Wash hands et al thoroughly after handling.
- When using do not eat, drink or smoke.

Any incompatibilities

- See "10.Stability and Reactivity".

Advice on general occupational hygiene

- Wash contaminated parts thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Take off immediately all contaminated clothing and wash it before reuse.

Storage

Conditions for safe storage

- Store locked up. (P405)
- Store in a cool, dry place. Do not store in direct sunlight.



Storage in accordance with local/national regulation.  
Container and packaging materials for safe handling  
Store in vented containers.  
Don't overturn containers.

---

## Section 8. Exposure controls/personal protection

### Control parameters

Control value and concentration standard value are not available in ISHA.

### Adopted value

(Hydrogen peroxide)

ACGIH(1996) TWA: 1ppm (Eye, URT & skin irr)

### Exposure controls

#### Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

#### Individual protection measures

Recommend to use protective equipment in conformity with the standards.

Use appropriate protective equipment in accordance with local/national regulation.

#### Respiratory protection

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

#### Hand protection

Wear impervious protective glove.

#### Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

#### Skin and body protection

Wear protective clothing.

---

## Section 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Physical state: Liquid

Color: Colorless, Clear

Odor: Irritant odor

Melting point/Freezing point data is not available.

Boiling point or initial boiling point data is not available.

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point data is not available.

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

### Solubility:

Solubility in water: Soluble

Solubility in solvent data is not available.

n-Octanol/water partition coefficient data is not available.



Vapor pressure data is not available.

Density and/or relative density: 1.13

Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available.

Other information

Other information is not available.

---

## Section 10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

(Hydrogen peroxide)

Decomposes under the influence of light. Decomposes on warming. This produces oxygen. This increases fire hazard. The substance is a strong oxidant. It reacts violently with combustible and reducing materials. This generates fire and explosion hazard particularly in the presence of metals. Attacks many organic substances such as textiles and paper.

(ICSC 0164)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Reducing agents, Metals, Combustible materials

Hazardous decomposition products

Not available.

---

## Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Category 4, Harmful if swallowed

[Data for components of the product]

[GHS Cat. Japan, base data]

(Hydrogen peroxide)

rat LD50=805mg/kg (DFGOT vol.26, 2011)

Acute toxicity (Dermal)

[Product]

Category 3, Toxic in contact with skin

[Data for components of the product]

[GHS Cat. Japan, base data]

(Hydrogen peroxide)

rabbit LD50=690mg/kg (DFGOT vol.26, 2011)

Acute toxicity (Inhalation)

[Product]

Category 2, Fatal if inhaled

[Data for components of the product]



[GHS Cat. Japan, base data]

(Hydrogen peroxide)

mist: mouse LC50=0.46–1.00mg/L/4hr (DFGOT vol.26, 2011)

vapor: rat LC50=1438ppmV/4hr (DFGOT vol.26, 2011)

#### Irritant properties

Skin corrosion/irritation

[Product]

Category 1, Causes severe skin burns and eye damage

[Data for components of the product]

[GHS Cat. Japan, base data]

(Hydrogen peroxide)

rabbit corrosive (EU–RAR, 2003 et al)

Serious eye damage/irritation

[Product]

Category 1, Causes serious eye damage

[Data for components of the product]

[GHS Cat. Japan, base data]

(Hydrogen peroxide)

animal corrosive (EU–RAR, 2003)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

#### Carcinogenicity

[Product]

Category 2, Suspected of causing cancer

[Data for components of the product]

[GHS Cat. Japan, base data]

(Hydrogen peroxide)

cat.2; ACGIH A3 (ACGIH 7th, 2001)

[IARC]

(Hydrogen peroxide)

Group 3 : Not classifiable as to its carcinogenicity to humans

[ACGIH]

(Hydrogen peroxide)

A3(1996) : Confirmed Animal Carcinogen with Unknown Relevance to Humans

Reproductive toxicity data is not available.

#### Specific target organ toxicity (STOT)

STOT–single exposure

[Product]

Category 1, Causes damage to organs

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

(Hydrogen peroxide)

respiratory system (ACGIH, 2001; EU–RAR, 2003)

STOT–repeated exposure

[Product]

Category 1, Causes damage to organs through prolonged or repeated exposure

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]



(Hydrogen peroxide)  
respiratory system (EU-RAR, 2003)  
Aspiration hazard data is not available.

---

**Section 12. Ecological Information**

Toxicity  
Aquatic toxicity  
[Product]  
Category 1, Very toxic to aquatic life  
[Data for components of the product]  
Hazardous to the aquatic environment, short-term (acute)  
[GHS Cat. Japan, base data]  
(Hydrogen peroxide)  
Algae (Nitzschia) EC50=0.85mg/L/72hr (EURAR, 2003)  
Water solubility  
(Hydrogen peroxide)  
miscible (ICSC, 2000)  
Persistence and degradability  
[Data for components of the product]  
(Hydrogen peroxide)  
Rapidly degradable (EU-RAR, 2003)  
Bioaccumulative potential  
[Data for components of the product]  
(Hydrogen peroxide)  
log Pow=-1.36 (ICSC, 2000)  
Mobility in soil  
Mobility in soil data is not available.  
Other adverse effects  
Ozone depleting chemical data is not available.

---

**Section 13. Disposal considerations**

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging  
Waste treatment methods  
Avoid release to the environment.  
Dispose of contents/container as industrial waste. Accordance with local/national regulation.

---

**Section 14. Transport Information**

UN Number or ID Number : 2014  
UN Proper Shipping Name :  
HYDROGEN PEROXIDE, AQUEOUS SOLUTION with 20% or more but 40% or less hydrogen peroxide (stabilized as necessary)  
Class or division (Transport hazard class) : 5.1  
Subsidiary hazard(s) : 8  
Packing group : II  
ERG GUIDE No.: 140



**IMDG Code (International Maritime Dangerous Goods Regulations)**

UN Number or ID Number : 2014

UN Proper Shipping Name :

HYDROGEN PEROXIDE, AQUEOUS SOLUTION with 20% or more but 40% or less hydrogen peroxide (stabilized as necessary)

Class or division (Transport hazard class) : 5.1

Subsidiary hazard(s) : 8

Packing group : II

**IATA (Dangerous Goods Regulations)**

UN Number or ID Number : 2014

UN Proper Shipping Name :

HYDROGEN PEROXIDE, AQUEOUS SOLUTION with 20% or more but 40% or less hydrogen peroxide (stabilized as necessary)

Class or division (Transport hazard class) : 5.1

Subsidiary hazard(s) : 8

Hazard labels : Oxidizer &amp; Corrosive

Packing group : II

**Environmental hazards**

Marine pollutants (yes/no) : yes

---

**Section 15. Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Hydrogen peroxide; Water

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

---

**Section 16. Other information**

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN

IMDG Code, 2022 Edition (Incorporating Amendment 41-22)

IATA Dangerous Goods Regulations (65th Edition) 2024

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2024 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

2023 Recommendation on TLVs (JISOH)

Supplier's data/information

General Disclaimer

The Safety Data Sheet (SDS) is copyrighted material of KISHIDA CHEMICAL CO., LTD.

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your



safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2022).