



Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Hydroxylammonium sulfate

SDS No. : 3813E-4

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Self-reactive substances and mixtures: Type G

HEALTH HAZARDS

Acute toxicity (Oral): Category 4

Acute toxicity (Dermal): Category 4

Serious eye damage/eye irritation: Category 2A

Skin sensitization: Category 1

Carcinogenicity: Category 2

Specific target organ toxicity – single exposure: Category 1 (blood)

Specific target organ toxicity – single exposure: Category 2 (central nervous system)

Specific target organ toxicity – repeated exposure: Category 2 (hematopoietic system)

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 2

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H302 Harmful if swallowed

H312 Harmful in contact with skin

H319 Causes serious eye irritation

H317 May cause an allergic skin reaction

H351 Suspected of causing cancer

H370 Causes damage to organs (blood)

H371 May cause damage to organs (central nervous system)

H373 May cause damage to organs through prolonged or repeated exposure (hematopoietic system)



H401 Toxic to aquatic life

PRECAUTIONARY STATEMENT**Prevention**

- P202 Do not handle until all safety precautions have been read and understood.
P273 Avoid release to the environment.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash contaminated parts thoroughly after handling.
P280 Wear protective gloves or protective clothing.
P280 Wear protective gloves.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear eye protection/face protection.
P280 Use personal protective equipment as required.
P270 Do not eat, drink or smoke when using this product.

Response

- P314 Get medical advice/attention if you feel unwell.
P308 + P313 IF exposed or concerned: Get medical advice/attention.
P312 Call a POISON CENTER/doctor/physician if you feel unwell.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P330 IF SWALLOWED: Rinse mouth.
P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Storage

- P405 Store locked up.

Disposal

- P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name	Content (%)	CAS No.	Chemicals No, Japan	Chemical formula
Hydroxylammonium sulfate	98(min)	10039-54-0	1-375, 1-430	(NH ₃ OH) ₂ SO ₄

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

IF INHALED



Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Use appropriate extinguishing media suitable for surrounding facilities.

In case of fire, use water mist or loaded liquid, foam, dry sand to extinguish.

*Fire Service Act Group 5 Hazardous Materials

Unsuitable extinguishing media

Carbon Dioxide/ Halon Extinguishing System

Dry Chemical Extinguishing System-Using Phosphates, etc./Using Hydrogen Carbonates , etc./Others (except for phosphates etc., Hydrogen Carbonates etc.)

Fire Extinguisher Discharging Carbon Dioxide/Halogenide

Fire Extinguisher Discharging Dry Extinguishing agents- Using Phosphates, etc./Using Hydrogen Carbonates, etc./Others (except for phosphates etc., Hydrogen Carbonates etc.)

*Cabinet Order Concerning the Control of Hazardous Materials (Attached Table 5) Group 5 Hazardous Materials

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

Advice for firefighters**Specific fire-fighting measures**

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures**Personnel precautions, protective equipment and emergency procedures**

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions



- Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.
- Methods and materials for containment and cleaning up
 - Sweep up, place in a bag and hold for waste disposal.
- Preventive measures for secondary accident
 - Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands et al thoroughly after handling.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity".

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash it before reuse.

Storage

Conditions for safe storage

Keep container tightly closed.

Store locked up. (P405)

Store in a cool, dry place. Do not store in direct sunlight.

Storage in accordance with local/national regulation.

Container and packaging materials for safe handling

Use closed unbreakable containers.

Section 8. Exposure controls/personal protection

Control parameters

Control value and concentration standard value are not available in ISHA.

Adopted value

(Other inorganic and organic dust (third class dust))

JSOH Respirable dust 2mg/m³, Total dust 8mg/m³

Exposure controls

**Appropriate engineering controls**

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Recommend to use protective equipment in conformity with the standards.

Use appropriate protective equipment in accordance with local/national regulation.

Respiratory protection

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

Hand protection

Wear impervious protective glove.

Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.

Section 9. Physical and Chemical Properties**Information on basic physical and chemical properties**

Physical state: Crystals or crystalline powder

Color: Colorless to white

Odor: Odorless

Melting point/Freezing point: (decomposes) 120°C

Boiling point or initial boiling point data is not available.

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point data is not available.

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

pH: 3.0~4.0 (50g/L, 25°C)

Kinematic viscosity data is not available.

Solubility:

Solubility in water: 58.7 g/100 ml (20°C)

Solubility in solvent data is not available.

n-Octanol/water partition coefficient: log Pow-3.6

Vapor pressure data is not available.

Density and/or relative density: 1.88 g/cm³

Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available.

Other information

Other information is not available.

Section 10. Stability and Reactivity**Reactivity**

Not available.

Chemical stability

Stable under normal storage/handling conditions.

**Possibility of hazardous reactions**

Decomposes on contact with hot surfaces or flames. This produces corrosive fumes of sulfur oxides. The solution in water is a medium strong acid. The substance is a strong reducing agent. It reacts violently with oxidants, powdered metals, nitrates, nitrites and heavy metal salts. (ICSC 0898)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Oxidizing agents, Powdered metals, Nitrates, Nitrites, Heavy metal salts

Hazardous decomposition products

Nitrogen oxides, Sulfur oxides

Section 11. Toxicological Information**Information on toxicological effects****Acute toxicity****Acute toxicity (Oral)****[Product]**

Category 4, Harmful if swallowed

[Data for components of the product]

[GHS Cat. Japan, base data]

rat LD50=545mg/kg (IUCILID, 2000)

Acute toxicity (Dermal)**[Product]**

Category 4, Harmful in contact with skin

[Data for components of the product]

[GHS Cat. Japan, base data]

rabbit LD50=1500-2000mg/kg (IUCILID, 2000)

Irritant properties

Skin corrosion/irritation data is not available.

Serious eye damage/irritation**[Product]**

Category 2A, Causes serious eye irritation

[Data for components of the product]

[GHS Cat. Japan, base data]

rabbit 50mg/24hr severe irritation (IUCILID, 2000)

Sensitization**Skin sensitization****[Product]**

Category 1, May cause an allergic skin reaction

[Data for components of the product]

[GHS Cat. Japan, base data]

cat. 1; IUCILID, 2000

Mutagenic effects data is not available.

Carcinogenicity**[Product]**

Category 2, Suspected of causing cancer

[Data for components of the product]

[GHS Cat. Japan, base data]



cat.2; (EU risk assessment, 2008 et al.)

[EU]

Category 2; Substances suspected human carcinogens

Reproductive toxicity data is not available.

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Category 1, Causes damage to organs

Category 2, May cause damage to organs

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

blood (IUCILID, 2000)

[cat.2]

[GHS Cat. Japan, base data]

central nervous system (IUCILID, 2000)

STOT-repeated exposure

[Product]

Category 2, May cause damage to organs through prolonged or repeated exposure

[Data for components of the product]

[cat.2]

[GHS Cat. Japan, base data]

hematopoietic system (IUCILID, 2000)

Aspiration hazard data is not available.

Information on other hazards

May cause lung disorders by massive inhalation of powdered substance.

-e.g. fibrosis of lung tissue, cough, sputum, breath shortness, dyspnea, decline of lung function, interstitial lung disease, pneumothorax

Section 12. Ecological Information

Toxicity

Aquatic toxicity

[Product]

Category 2, Toxic to aquatic life

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[GHS Cat. Japan, base data]

Crustacea (Daphnia) EC50=5.0mg/L/48hr (IUCILID, 2000)

Water solubility

58.7 g/100 ml (20°C) (ICSC, 2003)

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

[Data for components of the product]

log Pow=-3.6 (ICSC, 2003)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.



Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

Dispose of contents/container as industrial waste. Accordance with local/national regulation.

Section 14. Transport Information

UN Number or ID Number : 2865

UN Proper Shipping Name :

HYDROXYLAMINE SULPHATE

Class or division (Transport hazard class) : 8

Packing group : III

ERG GUIDE No.: 154

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 2865

UN Proper Shipping Name :

HYDROXYLAMINE SULPHATE

Class or division (Transport hazard class) : 8

Packing group : III

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 2865

UN Proper Shipping Name :

HYDROXYLAMINE SULPHATE

Class or division (Transport hazard class) : 8

Hazard labels : Corrosive

Packing group : III

Environmental hazards

Marine pollutants (yes/no) : no

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Applicable

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN

IMDG Code, 2022 Edition (Incorporating Amendment 41-22)

IATA Dangerous Goods Regulations (65th Edition) 2024



2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2024 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

2023 Recommendation on TLVs (JSOH)

Supplier's data/information

General Disclaimer

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2022).