



Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Lithium chloride solution

SDS No. : 4499E-3

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

HEALTH HAZARDS

Acute toxicity (Oral): Category 4

Skin corrosion/irritation: Category 2

Serious eye damage/eye irritation: Category 2

Reproductive toxicity: Category 1A

Reproductive toxicity – effects on or via lactation: Additional category

Specific target organ toxicity – single exposure: Category 2 (nervous system)

Specific target organ toxicity – repeated exposure: Category 2 (nervous system, kidneys)

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H302 Harmful if swallowed

H315 Causes skin irritation

H319 Causes serious eye irritation

H360 May damage fertility or the unborn child

H362 May cause harm to breast-fed children

H371 May cause damage to organs (nervous system)

H373 May cause damage to organs through prolonged or repeated exposure (nervous system, kidneys)

PRECAUTIONARY STATEMENT

Prevention

P202 Do not handle until all safety precautions have been read and understood.

P263 Avoid contact during pregnancy and while nursing.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.



P264 Wash contaminated parts thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P270 Do not eat, drink or smoke when using this product.

Response

P314 Get medical advice/attention if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P330 IF SWALLOWED: Rinse mouth.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

Ingredient name	Content (%)	CAS No.	ENCS	Chemical formula
Lithium chloride	≥ 40	7447-41-8	1-231	LiCl
Lithium chromate	0.30-0.50	14307-35-8	1-279	CrLi ₂ O ₄
Water	≤ 60	7732-18-5	-	H ₂ O

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**IF SWALLOWED**

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10. Stability and Reactivity".

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.



(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands et al thoroughly after handling.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity".

Advice on general occupational hygiene

Avoid contact during pregnancy and while nursing.

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash it before reuse.

Storage

Conditions for safe storage

Keep container tightly closed.

Store locked up. (P405)

Store in a cool, dry place. Do not store in direct sunlight.

Storage in accordance with local/national regulation.

Container and packaging materials for safe handling

Use closed unbreakable containers.

Section 8. Exposure controls/personal protection

Control parameters

Control value and Concentration standard value

(Lithium chromate)

Japan control value 0.05mg-Cr/m³

Adopted value

(Lithium chromate)

JSOH(1989) 0.05mg-Cr(VI)/m³

(Lithium chromate)

ACGIH(2018) TWA: 0.0002mg-Cr(VI)/m³(I);

STEL: 0.0005mg-Cr(VI)/m³(I) (Lung & sinonasal cancer; resp tract irr; asthma)

[ACGIH] Notation

(Lithium chromate)

Skin; DSEN; RSEN

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Recommend to use protective equipment in conformity with the standards.

Use appropriate protective equipment in accordance with local/national regulation.

Respiratory protection

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

**Hand protection**

Wear impervious protective glove.

Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.

Section 9. Physical and Chemical Properties**Information on basic physical and chemical properties**

Physical state: Liquid

Color: Yellow

Odor: None

Melting point/Freezing point data is not available.

Boiling point or initial boiling point data is not available.

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point data is not available.

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Soluble

Solubility in solvent data is not available.

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Density and/or relative density: 1.25(25°C)

Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available.

Other information

Other information is not available.

Section 10. Stability and Reactivity**Reactivity**

Not available.

Chemical stability

Hygroscopic materials.

Possibility of hazardous reactions

(Lithium chloride)

The solution in water is corrosive to metals. (ICSC 0711)

Conditions to avoid

Contact with fire source.

Incompatible materials

Not available.

Hazardous decomposition products

Chlorine compounds, Chromic compounds

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Category 4, Harmful if swallowed

[Data for components of the product]

[NITE-CHRIP]

(Lithium chloride)

rat LD50: 526 – 840 mg/kg (source: NITE)

Irritant properties

Skin corrosion/irritation

[Product]

Category 2, Causes skin irritation

[Data for components of the product]

[NITE-CHRIP]

(Lithium chloride)

Category 2 (source: NITE)

Serious eye damage/irritation

[Product]

Category 2, Causes serious eye irritation

[Data for components of the product]

[NITE-CHRIP]

(Lithium chloride)

Category 2A (source: NITE)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

Carcinogenicity

[Data for components of the product]

[IARC]

(Lithium chromate)

Group 1 : Carcinogenic to humans

[ACGIH]

(Lithium chromate)

A1(as Cr(VI))(2018) : Confirmed Human Carcinogen

[EU]

(Lithium chromate)

Category 1B; Substances presumed to have carcinogenic potential for humans

Reproductive toxicity

[Product]

Category 1A, May damage fertility or the unborn child

Additional category, May cause harm to breast-fed children

[Data for components of the product]

[NITE-CHRIP]

(Lithium chloride)

Category 1A, Additional category (source: NITE)

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]



Category 2, May cause damage to organs
[Data for components of the product]
[NITE-CHRIP]
(Lithium chloride)
Category 2 (nervous system) (source: NITE)
STOT-repeated exposure
[Product]
Category 2, May cause damage to organs through prolonged or repeated exposure
[Data for components of the product]
[NITE-CHRIP]
(Lithium chloride)
Category 2 (nervous system, kidneys) (source: NITE)
Aspiration hazard data is not available.

Section 12. Ecological Information

Toxicity
Aquatic toxicity
[Data for components of the product]
Hazardous to the aquatic environment, short-term (acute)
[NITE-CHRIP]
(Lithium chloride)
Algae (*Desmodesmus subspicatus*) 72-hour ErC50: > 400 mg/L (source: NITE)
Crustacea (*Daphnia magna*) 48-hour EC50: 249 mg/L (source: NITE)
Fish (*Oncorhynchus mykiss*) 96-hour LC50: 158 mg/L (source: NITE)
Hazardous to the aquatic environment, long-term (chronic)
[NITE-CHRIP]
(Lithium chloride)
Algae (*Desmodesmus subspicatus*) 72-hour NOErC: 25 mg/L (source: NITE)
Water solubility
(Lithium chloride)
76.9 g/100 mL (source: ICSC, 1997)
Persistence and degradability
Persistence and degradability data is not available.
Bioaccumulative potential
[Data for components of the product]
(Lithium chloride)
log Pow: -2.7 (source: ICSC, 1997)
Mobility in soil
Mobility in soil data is not available.
Other adverse effects
Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging
Waste treatment methods
Dispose of contents/container as industrial waste. Accordance with local/national regulation.



Section 14. Transport Information

UN Number or ID Number : Not regulated
IMDG Code (International Maritime Dangerous Goods Regulations)
UN Number or ID Number : Not regulated
IATA (Dangerous Goods Regulations)
UN Number or ID Number : Not regulated
Environmental hazards
Marine pollutants (yes/no) : no

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture
U.S. Toxic Substances Control Act (TSCA) Inventory
Chemicals listed in TSCA Inventory
Lithium chloride; Water; Lithium chromate
Other regulatory information
Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

References and sources for data
Globally Harmonized System of classification and labelling of chemicals, UN
Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN
IMDG Code, 2022 Edition (Incorporating Amendment 41-22)
IATA Dangerous Goods Regulations (65th Edition) 2024
2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)
2024 TLVs and BEIs. (ACGIH)
JIS Z 7252 : 2019
JIS Z 7253 : 2019
2023 Recommendation on TLVs (JSOH)
Supplier's data/information
General Disclaimer
© KISHIDA CHEMICAL CO., LTD.
Unauthorized translation or modification is prohibited.
Please provide SDS to customers for selling or transferring.
All chemicals have unknown hazard. Handle the product with care.
This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.
The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.
The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2023).