

Date of issue: 2019/02/19 Date of revision: 2024/04/26

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Nitric acid, fuming SG:1.50(90-94%)

SDS No.: 5452E-3

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Oxidizing liquids: Category 1
Corrosive to metals: Category 1

HEALTH HAZARDS

Acute toxicity (Inhalation): Category 1 Skin corrosion/irritation: Category 1

Serious eye damage/eye irritation: Category 1

Specific target organ toxicity - single exposure: Category 1 (respiratory organs)

Specific target organ toxicity - repeated exposure: Category 1 (respiratory organs, teeth)

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 3

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger HAZARD STATEMENT

H271 May cause fire or explosion; strong oxidizer

H290 May be corrosive to metals

H330 Fatal if inhaled

H314 Causes severe skin burns and eye damage

H370 Causes damage to organs (respiratory organs)

H372 Causes damage to organs through prolonged or repeated exposure (respiratory organs, teeth)

H402 Harmful to aquatic life

PRECAUTIONARY STATEMENT

Prevention



P273 Avoid release to the environment.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.

P283 Wear fire resistant or flame retardant clothing.

P234 Keep only in original packaging.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P284 In case of inadequate ventilation wear respiratory protection.

P271 Use only outdoors or in a well-ventilated area.

P264 Wash contaminated parts thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P270 Do not eat, drink or smoke when using this product.

Response

P370 + P378 In case of fire: Use appropriate media to extinguish.

P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

P390 Absorb spillage to prevent material-damage.

P314 Get medical advice/attention if you feel unwell.

P310 Immediately call a POISON CENTER/doctor/physician.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P363 Wash contaminated clothing before reuse.

P306 + P360 IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P420 Store separately.

Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name	Content (%)	CAS No.	Chemicals No, Japan	Chemical formula
Nitric acid, fuming	90-94	52583-42-3	1-394	-

Note: The figures shown above are not the specifications of the product.



Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Do NOT induce vomiting.

Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

In case of fire, use water mist or loaded liquid, foam, dry sand to extinguish.

*Fire Service Act Group 6 Hazardous Materials

Unsuitable extinguishing media

Carbon Dioxide/ Halon Extinguishing System

Dry Chemical Extinguishing System-Using Hydrogen Carbonates , etc./Others (except for phosphates etc., Hydrogen Carbonates etc.)

Fire Extinguisher Discharging Carbon Dioxide/Halogenide

Fire Extinguisher Discharging Dry Extinguishing agents-Using Hydrogen Carbonates,

etc./Others (except for phosphates etc., Hydrogen Carbonates etc.)

*Cabinet Order Concerning the Control of Hazardous Materials (Attached Table 5) Group 6 Hazardous Materials

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.



Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Absorb spillage to prevent material-damage.

Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep away from clothing and other combustible materials.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands et al thoroughly after handling.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity".

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Storage

Conditions for safe storage

Keep container tightly closed.

Store locked up. (P405)

Store in a cool, dry place. Do not store in direct sunlight.

Nitric acid, fuming SG:1.50(90-94%),5452E-3,2024/04/26

Keep container protect from light.

Storage in accordance with local/national regulation.

(Incompatible storage condition)

Store separately.

Container and packaging materials for safe handling

Keep only in original packaging.

Store in a corrosion resistant/specified container with a resistant inner liner.

Use closed unbreakable containers.

Section 8. Exposure controls/personal protection

Control parameters

Adopted value

Adopted value in ACGIH is not available.

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Recommend to use protective equipment in conformity with the standards.

Use appropriate protective equipment in accordance with local/national regulation.

Respiratory protection

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

Hand protection

Wear impervious protective glove.

Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: Yellow-brown to red-brown, Clear

Odor: Irritant odor

Melting point/Freezing point data is not available.

Boiling point or initial boiling point: (Nitric acid, fuming)85°C

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point data is not available.

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Soluble



Solubility in solvent data is not available.

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Density and/or relative density: 1.50

Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available.

Other information

Other information is not available.

Section 10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

May be converted by the light.

Possibility of hazardous reactions

(As Nitric acid)

Decomposes on warming. This produces toxic and irritating fumes and gases including nitrogen oxides. The substance is a strong oxidant. It reacts violently with combustible and reducing materials, such as turpentine, charcoal and alcohol. The substance is a strong acid. It reacts violently with bases and is corrosive to metals. This produces flammable/explosive gas (Hydrogen). Reacts violently with organic compounds. (ICSC 0183)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Bases, Reducing agents, Combustible materials, Metals, Organic compounds

Hazardous decomposition products

Nitrogen oxides, Hydrogen

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Inhalation)

[Product]

Category 1, Fatal if inhaled

[Data for components of the product]

[Company proprietary data]

(As Nitric acid)

rat(vapor) LC50=49-118 ppm/4hr

Irritant properties

Skin corrosion/irritation

[Product]

Category 1, Causes severe skin burns and eye damage

[Data for components of the product]

[Company proprietary data]

(As Nitric acid)

Category 1

Serious eye damage/irritation



```
[Product]
```

Category 1, Causes serious eye damage

[Data for components of the product]

[Company proprietary data]

(As Nitric acid)

Category 1

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

Carcinogenic effects data is not available.

Reproductive toxicity data is not available.

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Category 1, Causes damage to organs

[Data for components of the product]

[cat.1]

[Company proprietary data]

(As Nitric acid) respiratory organs

STOT-repeated exposure

[Product]

Category 1, Causes damage to organs through prolonged or repeated exposure

[Data for components of the product]

[cat.1]

[Company proprietary data]

(As Nitric acid) respiratory organs, teeth

Aspiration hazard data is not available.

Section 12. Ecological Information

Toxicity

Aquatic toxicity

[Product]

Category 3, Harmful to aquatic life

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[Company proprietary data]

(As Nitric acid)

Category 3

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

Bioaccumulative potential data is not available.

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal,

Nitric acid, fuming SG:1.50(90-94%),5452E-3,2024/04/26

including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

Dispose of contents/container as industrial waste. Accordance with local/national regulation.

Section 14. Transport Information

UN Number or ID Number : 2032 UN Proper Shipping Name : NITRIC ACID, RED FUMING

Class or division (Transport hazard class): 8

Subsidiary hazard(s): 5.1; 6.1

Packing group: I ERG GUIDE No.: 157

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number: 2032 UN Proper Shipping Name: NITRIC ACID, RED FUMING

Class or division (Transport hazard class): 8

Subsidiary hazard(s): 5.1; 6.1

Packing group: I

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 2032 UN Proper Shipping Name : NITRIC ACID, RED FUMING

Class or division (Transport hazard class): 8

Subsidiary hazard(s): 5.1; 6.1

Packing group : I Environmental hazards

Marine pollutants (yes/no): no

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Applicable

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN

IMDG Code, 2022 Edition (Incorporating Amendment 41-22)

IATA Dangerous Goods Regulations (65th Edition) 2024

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)



Nitric acid, fuming SG:1.50(90-94%),5452E-3,2024/04/26

2024 TLVs and BEIs. (ACGIH) Supplier's data/information

General Disclaimer

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2022).