



Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: n-Octane

SDS No. : 5705E-2

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD.

Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN

Division: Safety Management Dept. of Chemicals

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

e-mail address: kagakuhinanzenkanri@kishida.co.jp

2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 2

HEALTH HAZARDS

Skin corrosion/irritation: Category 2

Serious eye damage/eye irritation: Category 2

Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation)

Specific target organ toxicity – single exposure: Category 3 (Narcosis)

Aspiration hazard: Category 1

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment (Acute): Category 1

Hazardous to the aquatic environment (Long-term): Category 2

Label elements



Signal word: Danger

HAZARD STATEMENT

Highly flammable liquid and vapor

Causes skin irritation

Causes serious eye irritation

May cause respiratory irritation

May cause drowsiness or dizziness

May be fatal if swallowed and enters airways

Very toxic to aquatic life

Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENT

Prevention

Avoid release to the environment.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.



Use explosion-proof electrical/ventilating/lighting equipment.
Use non-sparking tools.
Take action to prevent static discharges.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Use only outdoors or in a well-ventilated area.
Wash contaminated parts thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.

Response

In case of fire: Use appropriate media other than water to extinguish.
Collect spillage.
Call a POISON CENTER/doctor/physician if you feel unwell.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF ON SKIN: Wash with plenty of soap and water.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Specific Physical and Chemical hazards

Highly flammable liquid. Vapor/air mixture may explode.

3. Composition/information on ingredients**Mixture/Substance selection:****Substance**

Ingredient name: n-Octane

Content (%): 98(min)

Chemical formula: C₈H₁₈

Chemicals No, Japan: 2-8

CAS No.: 111-65-9

MW: 114.23

ECNO: 203-892-1

Note : The figures shown above are not the specifications of the product.

4. First-aid measures**Descriptions of first-aid measures****General measures**

Call a POISON CENTER/doctor/physician if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

**IF IN EYES**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Do NOT induce vomiting.

Immediately call a POISON CENTER/doctor/physician.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

In case of fire, use foam, dry powder, CO2 to extinguish.

Unsuitable extinguishing media

Indoor firefighting equipment or outdoor firefighting equipment

Sprinkler equipment

Dry-powder firefighting equipment – except for phosphate etc., hydrogen carbonate etc.

Straight stream water extinguisher

Water mist extinguisher

Reinforcing liquid jet extinguisher

Dry-powder extinguisher – except for phosphate etc., hydrogen carbonate etc.

Bucket of water or tank of water

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Advice for firefighters**Specific fire-fighting measures**

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

6. Accidental release measures**Personnel precautions, protective equipment and emergency procedures**

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses or low areas.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.



7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Avoid breathing dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

When using do not eat, drink or smoke.

Any incompatibilities

See "10.Stability and Reactivity"

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Take off contaminated clothing and wash it before reuse.

Storage

Conditions for safe storage

Keep container tightly closed.

Store in a cool, dry place. Do not store in direct sunlight.

Container and packaging materials for safe handling

Glass

8. Exposure controls/personal protection

Control parameters

Adopted value

(n-Octane)

ACGIH(1999) TWA: 300ppm (URT irr)

OSHA-PEL

(n-Octane)

TWA: 500ppm, 2350mg/m³

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection.

Hand protection

Wear protective gloves.

Eye protection



Wear eye/face protection.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: Colorless

Odor: Characteristic odor

Melting point/Freezing point: -56.8°C

Boiling point or initial boiling point: (n-Octane)126°C

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit:

Lower explosion limit: 1.0 vol %

Upper explosion limit: 6.5 vol %

Flash point: (n-Octane)13°C

Auto-ignition temperature: (n-Octane)220°C

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: None

n-Octanol/water partition coefficient: log Pow4.00 through 5.18

Vapor pressure: 1.33 kPa(20°C)

Density and/or relative density: 0.70

Relative vapor density (Air=1): 3.94

Particle characteristics data is not available.

10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

The vapour is heavier than air and may travel along the ground; distant ignition possible.

As a result of flow, agitation, etc., electrostatic charges can be generated.

Reacts with strong oxidants. This generates fire and explosion hazard. Attacks some forms of plastic, rubber and coatings. (ICSC 0933)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon oxides

11. Toxicological Information

Information on toxicological effects

Acute toxicity data is not available.

Irritant properties

Skin corrosion/irritation

[GHS Cat. Japan, base data]

(n-Octane)
human hyperemia et al (PATTY 6th, 2012)
Serious eye damage/irritation
[GHS Cat. Japan, base data]
(n-Octane)
recoverable eyes disability (HSDB, 2014)
Allergenic and sensitizing effects data is not available.
Mutagenic effects data is not available.
Carcinogenic effects data is not available.
Reproductive toxicity data is not available.
STOT
STOT-single exposure
[cat.3 (resp. irrit.)]
[GHS Cat. Japan, base data]
(n-Octane)
respiratory tract irritation (HSDB, 2014)
[cat.3 (drow./dizz.)]
[GHS Cat. Japan, base data]
(n-Octane)
narcotic effect (HSDB, 2014)
STOT-repeated exposure data is not available.
Aspiration hazard
[cat.1]
[GHS Cat. Japan, base data]
(n-Octane)
cat. 1; hydrocarbon, kinematic viscosity=0.7373 (25°C), chemical pneumonia (HSDB, Access on June 2014)

12. Ecological Information

Ecotoxicity

Aquatic toxicity

Very toxic to aquatic life

Toxic to aquatic life with long lasting effects

Hazardous to the aquatic environment (Acute)

[GHS Cat. Japan, base data]

(n-Octane)

Crustacea (Mysidopsis bahia) LC50=0.1mg/L/96hr (SIDS, 2010)

Hazardous to the aquatic environment (Long-term)

[GHS Cat. Japan, base data]

(n-Octane)

Fish (Atheriniformes) early life stage NOEC=0.028mg/L (MOE Japan, 1998)

Water solubility

(n-Octane)

insoluble (ICSC, 1997)

Persistence and degradability

(n-Octane)

Degrade rapidly (SIDS, 2010)

Bioaccumulative potential

(n-Octane)

log Pow=5.18 (PHYSPROP DB, 2005)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects



Ozone depleting chemical data is not available.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

Dispose of contents/container in accordance with local/national regulation.

14. Transport Information

UN No. or ID No.: 1262

UN Proper Shipping Name :

OCTANES

Class or division (Transport hazard class) : 3

Packing group : II

ERG GUIDE No.: 128

IMDG Code (International Maritime Dangerous Goods Regulations)

UN No.: 1262

Proper Shipping Name :

OCTANES

Class or division : 3

Packing group : II

IATA Dangerous Goods Regulations

UN No.: 1262

Proper Shipping Name :

OCTANES

Class or division : 3

Hazard labels : Flamm.liquid

Packing group : II

Environmental hazards

MARPOL Annex III – Prevention of pollution by harmful substances

Marine pollutants (yes/no) : yes

MARPOL Annex V – Prevention of pollution by garbage discharge

Hazardous to the aquatic environment – acute hazard: cat.1

n-Octane

Hazardous to the aquatic environment – long-term hazard: cat.1, 2

n-Octane

Maritime transport in bulk according to IMO instruments

Noxious Liquid ; Cat. X

n-Octane

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals listed in TSCA Inventory

n-Octane

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.



16. Other information**GHS classification and labelling**

Flam. Liq. 2: H225 Highly flammable liquid and vapor
Skin Irrit. 2: H315 Causes skin irritation
Eye Irrit. 2: H319 Causes serious eye irritation
STOT SE 3: H335 May cause respiratory irritation
STOT SE 3: H336 May cause drowsiness or dizziness
Asp. Tox. 1: H304 May be fatal if swallowed and enters airways
Aquatic Acute 1: H400 Very toxic to aquatic life
Aquatic Chronic 2: H411 Toxic to aquatic life with long lasting effects

Reference Book

Globally Harmonized System of classification and labelling of chemicals, UN
Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN
IMDG Code, 2018 Edition (Incorporating Amendment 39-18)
IATA Dangerous Goods Regulations (62nd Edition) 2021
2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)
2021 TLVs and BEIs. (ACGIH)
Supplier's data/information

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2019).