

Date of issue: 2019/05/27 Date of revision: 2024/06/11

# Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking Product identifier: Product name: Orsat solution I SDS No. : E0138E-3
Relevant identified uses of the substance or mixture and uses advised against Research and Development
Details of the supplier of the safety data sheet Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN Division: Chemical Safety Management Department Telephone number: +81-6-6946-8061 FAX: +81-6-6946-1607

# Section 2. Hazards identification

GHS classification and label elements of the product Classification of the substance or mixture HEALTH HAZARDS

Acute toxicity (Oral): Category 4

Skin corrosion/irritation: Category 1

Serious eye damage/eye irritation: Category 1

Specific target organ toxicity - single exposure: Category 1 (respiratory system)

Specific target organ toxicity - repeated exposure: Category 1 (respiratory system) Aspiration hazard: Category 1

(Note) GHS classification without description: Not classified/Classification not possible Label elements



Signal word: Danger

HAZARD STATEMENT

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H370 Causes damage to organs (respiratory system)

H372 Causes damage to organs through prolonged or repeated exposure (respiratory system)

H304 May be fatal if swallowed and enters airways

### PRECAUTIONARY STATEMENT

Prevention

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash contaminated parts thoroughly after handling.

P280 Wear protective gloves, protective clothing or face protection.

P280 Wear eye protection/face protection.

P270 Do not eat, drink or smoke when using this product.

#### Response

P314 Get medical advice/attention if you feel unwell.



## Orsat solution I,E0138E-3,2024/06/11

P310 Immediately call a POISON CENTER/doctor/physician.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/physician.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P363 Wash contaminated clothing before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P330 IF SWALLOWED: Rinse mouth.

P331 IF SWALLOWED: Do NOT induce vomiting.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

#### Storage

P405 Store locked up.

#### Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".

## Section 3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

Ingredient name	Content (%)	CAS No.	Chemicals No, Japan	Chemical formula
Potassium hydroxide	27	1310-58-3	1-369	КОН
Water	73	7732-18-5	-	H2O

Note : The figures shown above are not the specifications of the product.

## Section 4. First-aid measures

Descriptions of first-aid measures General measures Get medical advice/attention if you feel unwell. IF INHALED Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell. IF ON SKIN Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF SWALLOWED Rinse mouth. Do NOT induce vomiting.



Immediately call a POISON CENTER/doctor/physician. Call a POISON CENTER/doctor/physician if you feel unwell.

#### Section 5. Fire-fighting measures

Extin	guishing media
Su	uitable extinguishing media
	Use appropriate extinguishing media suitable for surrounding facilities.
Ur	nsuitable extinguishing media
	Unsuitable extinguishing media data is not available.
Spec	ific hazards arising from the substance or mixture
	Fire may produce irritating, corrosive and/or toxic gases.
	Runoff from fire control or dilution water may cause pollution.
	See ″10.Stability and Reactivity″.
Advid	ce for firefighters
Sp	pecific fire-fighting measures
	Evacuate non-essential personnel to safe area.
Sp	pecial protective equipment and precautions for fire-fighters
	Wear fire resistant or flame retardant clothing.
	Wear protective gloves/protective clothing/eye protection/face protection.
	Firefighters should wear self-contained breathing apparatus with a full facepiece operated
	in the positive pressure mode.

## Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.

### Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)



Orsat solution I,E0138E-3,2024/06/11

Avoid contact with skin. Avoid contact with eyes. Safety Measures Wear protective gloves/protective clothing/eye protection/face protection. Wash hands et al thoroughly after handling. When using do not eat, drink or smoke. Any incompatibilities See "10.Stability and Reactivity". Advice on general occupational hygiene Wash contaminated parts thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Storage Conditions for safe storage Keep container tightly closed. Store locked up. (P405) Store in a cool, dry place. Do not store in direct sunlight. Storage in accordance with local/national regulation. Container and packaging materials for safe handling Use closed unbreakable containers. Section 8. Exposure controls/personal protection **Control parameters** Control value and concentration standard value are not available in ISHA. Adopted value (Potassium hydroxide) JSOH(1978) (ceiling) 2mg/m3 (Potassium hydroxide) ACGIH(1992) STEL: C 2mg/m3 (URT, eye & skin irr) Exposure controls Appropriate engineering controls Do not use in areas without adequate ventilation. Eye wash station should be available. Washing facilities should be available. Individual protection measures Recommend to use protective equipment in conformity with the standards. Use appropriate protective equipment in accordance with local/national regulation. Respiratory protection Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask. Hand protection Wear impervious protective glove. Eye protection Wear eye/face protection. Wear safety goggles in cases gas is generated. Skin and body protection Wear protective clothing.



## Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties Physical state: Liquid Color: Colorless, Clear Odor: None Melting point/Freezing point data is not available. Boiling point or initial boiling point data is not available. Boiling range data is not available. Flammability (gases, liquids and solids) data is not available. Lower and upper explosion limit/flammability limit data is not available. Flash point data is not available. Auto-ignition temperature data is not available. Decomposition temperature data is not available. pH data is not available. Kinematic viscosity data is not available. Solubility: Solubility in water: Soluble Solubility in solvent data is not available. n-Octanol/water partition coefficient data is not available. Vapor pressure data is not available. Density and/or relative density: 1.26 Density and/or relative density data is not available. Relative vapor density (Air=1) data is not available. Particle characteristics data is not available. Other information

Other information is not available.

## Section 10. Stability and Reactivity

Reactivity Not available. Chemical stability Stable under normal storage/handling conditions. Possibility of hazardous reactions (Potassium hydroxide) The solution in water is a strong base. It reacts violently with acid and is corrosive to metals such as aluminium, tin, lead and zinc. This produces a combustible/explosive gas (hydrogen). Reacts with ammonium salts. This produces ammonia. This generates fire hazard. Contact with moisture and water may generate heat. (ICSC 0357) Conditions to avoid Contact with incompatible materials. Contact with fire source. Incompatible materials Acids, Metals, Ammonium salts

Hazardous decomposition products

Hydrogen



Section 11. Toxicological Information Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Product] Category 4, Harmful if swallowed [Data for components of the product] [GHS Cat. Japan, base data] (Potassium hydroxide) rat LD50=273mg/kg (SIDS, 2004) Irritant properties Skin corrosion/irritation [Product] Category 1, Causes severe skin burns and eye damage [Data for components of the product] [GHS Cat. Japan, base data] (Potassium hydroxide) rabbit/human corrosive (SIDS, 2004; ECETOC TR66, 1995; JSOH, 1978; PATTY 6th, 2012) Serious eye damage/irritation [Product] Category 1, Causes serious eye damage [Data for components of the product] [GHS Cat. Japan, base data] (Potassium hydroxide) rabbit corrosive (SIDS, 2004; JSOH, 1978; PATTY 6th, 2012) Allergenic and sensitizing effects data is not available. Mutagenic effects data is not available. Carcinogenic effects data is not available. Reproductive toxicity data is not available. Specific target organ toxicity (STOT) STOT-single exposure [Product] Category 1, Causes damage to organs [Data for components of the product] [cat.1] [GHS Cat. Japan, base data] (Potassium hydroxide) respiratory system (ACGIH 7th, 2001; SIDS, 2004; PATTY 6th, 2012) STOT-repeated exposure [Product] Category 1, Causes damage to organs through prolonged or repeated exposure [Data for components of the product] [cat.1] [GHS Cat. Japan, base data] (Potassium hydroxide) respiratory system (ACGIH 7th, 2001) Aspiration hazard [Product] Category 1, May be fatal if swallowed and enters airways



[Data for components of the product] [cat.1] [GHS Cat. Japan, base data] (Potassium hydroxide) cat. 1; ACGIH 7th, 2001; SIDS, 2004

## Section 12. Ecological Information

Toxicity Toxicity data is not available. Water solubility (Potassium hydroxide) 110 g/100 ml (25°C) (ICSC, 2010) Persistence and degradability Persistence and degradability data is not available. Bioaccumulative potential Bioaccumulative potential data is not available. Mobility in soil Mobility in soil data is not available. Other adverse effects Ozone depleting chemical data is not available.

## Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging Waste treatment methods Dispose of contents/container as industrial waste. Accordance with local/national regulation.

#### Section 14. Transport Information

UN Number or ID Number : 1814 UN Proper Shipping Name : POTASSIUM HYDROXIDE SOLUTION Class or division (Transport hazard class) : 8 Packing group : II ERG GUIDE No.: 154 IMDG Code (International Maritime Dangerous Goods Regulations) UN Number or ID Number : 1814 UN Proper Shipping Name : POTASSIUM HYDROXIDE SOLUTION Class or division (Transport hazard class): 8 Packing group : II IATA (Dangerous Goods Regulations) UN Number or ID Number : 1814 UN Proper Shipping Name : POTASSIUM HYDROXIDE SOLUTION Class or division (Transport hazard class): 8 Hazard labels : Corrosive



Orsat solution I,E0138E-3,2024/06/11

Packing group : II Environmental hazards Marine pollutants (yes/no) : no

## Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Potassium hydroxide; Water

### Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

### Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN IMDG Code, 2022 Edition (Incorporating Amendment 41–22) IATA Dangerous Goods Regulations (65th Edition) 2024 2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT) 2024 TLVs and BEIs. (ACGIH) JIS Z 7252 : 2019 JIS Z 7253 : 2019 2023 Recommendation on TLVs (JSOH) Supplier's data/information

## **General Disclaimer**

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2022).