

Date of issue: 2020/08/05 Date of revision: 2025/08/04

# Safety Data Sheet

## Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Paraffin, liquid, light

SDS No.: 5944E-2

Relevant identified uses of the substance or mixture and uses advised against

Research and Development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: KISHIDA CHEMICAL CO., LTD. Address: 3-1, Honmachibashi, Chuo-ku, Osaka, JAPAN Division: Chemical Safety Management Department

Telephone number: +81-6-6946-8061

FAX: +81-6-6946-1607

# Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

**HEALTH HAZARDS** 

Specific target organ toxicity - repeated exposure: Category 1 (liver, mesenteric node)

Aspiration hazard: Category 1

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H372 Causes damage to organs through prolonged or repeated exposure (liver, mesenteric node)

H304 May be fatal if swallowed and enters airways

#### PRECAUTIONARY STATEMENT

Prevention

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash contaminated parts thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response

P314 Get medical advice/attention if you feel unwell.

P331 IF SWALLOWED: Do NOT induce vomiting.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

Specific adverse human health effects

See "11. Toxicological Information".



## Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name	Content (%)	CAS RN	ENCS	Chemical formula
Paraffin,liquid	<100	8042-47-5	_	_

Note: The figures shown above are not the specifications of the product.

Stabilizing additives

DL- $\alpha$ -Tocopherol (CAS No.10191-41-0)

## Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

IF INHALED: Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Do NOT induce vomiting.

Immediately call a POISON CENTER/doctor/physician.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

## Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

In case of fire, use spraying loaded liquid, foam (water-soluble liquid: alcohol-resistant

foam), inactive gases, dry powder, dry sand to extinguish.

\*Fire Service Act Group 4 Hazardous Materials

Unsuitable extinguishing media

Indoor Fire Plug System or Outdoor Fire Plug System

Sprinkler System

Dry Chemical Extinguishing System-Others (except for phosphates etc., Hydrogen Carbonates etc.)

Fire Extinguisher Discharging Jet Water/Spraying Water

Fire Extinguisher Discharging Jet Loaded Liquid

Fire Extinguisher Discharging Dry Extinguishing agents-Others (except for phosphates etc.,

Hydrogen Carbonates etc.)

# Paraffin, liquid, light, 5944E-2, 2025/08/04

Water Bucket or Water Tank

\*Cabinet Order Concerning the Control of Hazardous Materials (Attached Table 5) Group 4 Hazardous Materials

Specific hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

See "10.Stability and Reactivity".

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

#### Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Prevent spills from entering sewers, watercourses, low areas or rivers. To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for containment and cleaning up

Liquid: Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Solid: Sweep up, place in a bag and hold for waste disposal.

Preventive measures for secondary accident

Collect spillage.

## Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Precautions)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands and contaminated parts thoroughly after handling.

When using do not eat, drink or smoke.



Any incompatibilities

See "10.Stability and Reactivity".

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

## Storage

Conditions for safe storage

Keep container tightly closed.

Store locked up. (P405)

Store in a cool, dry place. Do not store in direct sunlight.

Storage in accordance with local/national regulation.

Container and packaging materials for safe handling

Use closed unbreakable containers.

#### Section 8. Exposure controls/personal protection

Control parameters

Administrative Control Levels and Concentration standard value

Not established

Occupational Exposure Limit

**ACGIH** 

(Paraffin, liquid)

TWA: as low as possible(L)(as Poorly and mildly refined Mineral oil, excluding metal working fluids) (URT irr)

TWA: 5mg/m3(I)(as Pure, highly and severely refined Mineral oil, excluding metal working fluids) (URT irr)

## Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Recommend to use protective equipment in conformity with the standards.

Use appropriate protective equipment in accordance with local/national regulation.

Respiratory protection

Wear respiratory protection (dust-proof mask/gas mask). Select chemical cartridge corresponding to type of gases when using a gas mask.

Hand protection

Wear impervious protective glove.

Eye protection

Wear eye/face protection. Wear safety goggles in cases gas is generated.

Skin and body protection

Wear protective clothing.

#### Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Viscous liquid Color: Colorless, clear to yellow

Odor: Odorless

# Paraffin, liquid, light, 5944E-2, 2025/08/04

Melting point/Freezing point: -24°C(pour point)

Boiling point or initial boiling point: (Paraffin,liquid)218~643°C

Boiling range data is not available.

Flammability data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point: (Paraffin,liquid)(O.C.) >115°C

Auto-ignition temperature: (Paraffin,liquid)260~371°C Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity: 12~15mm2/s(37.8°C)

Solubility:

Solubility in water: None

Solubility in solvent data is not available. Partition coefficient n-octanol/water: log Pow>6

Vapor pressure: negligible (20°C)

Density and/or relative density:  $0.82 \sim 0.88(20/20^{\circ}C)$  Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available. Other information

Other information is not available.

## Section 10. Stability and Reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

On combustion, forms toxic gases including carbon monoxide. Reacts with strong oxidants.

(ICSC 1597)

Conditions to avoid

Contact with incompatible materials.

Contact with fire source.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon oxides

#### Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Data for components of the product]

[Company proprietary data]

(DL- $\alpha$ -Tocopherol)

rat LD50>5 g/kg

Irritant properties

Skin corrosion/irritation data is not available.

Serious eye damage/irritation data is not available.

Paraffin, liquid, light, 5944E-2, 2025/08/04

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

Carcinogenicity

[Data for components of the product]

[ACGIH]

(Paraffin, liquid)

A2(as Poorly and mildly refined Mineral oil, excluding metal working fluids): Suspected

Human Carcinogen

Reproductive toxicity data is not available.

Specific target organ toxicity (STOT)

STOT-single exposure data is not available.

STOT-repeated exposure

[Product]

Category 1, Causes damage to organs through prolonged or repeated exposure

[Data for components of the product]

[Company proprietary data]

(Paraffin, liquid)

Category 1 (liver, mesenteric node)

Aspiration hazard

[Product]

Category 1, May be fatal if swallowed and enters airways

[Data for components of the product]

[Company proprietary data]

(Paraffin, liquid)

Category 1

## Section 12. Ecological Information

Toxicity

Toxicity data is not available.

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

[Data for components of the product]

(Paraffin, liquid)

log Pow: > 6 (source: ICSC, 2006)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

# Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container as industrial waste. Accordance with local/national regulation.



## Section 14. Transport Information

UN Number or ID Number: Not regulated

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number: Not regulated

IATA (Dangerous Goods Regulations)

UN Number or ID Number: Not regulated

Environmental hazards

Marine pollutants (yes/no): no

#### Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

Paraffin,liquid; DL-α-Tocopherol

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

#### Section 16. Other information

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN

IMDG Code, 2024 Edition (Incorporating Amendment 42-24)

IATA Dangerous Goods Regulations (66th Edition) 2025

2024 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2025 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

Recommendation of occupational exposure limits (2023-2024) (JSOH)

Supplier's data/information

#### General Disclaimer

© KISHIDA CHEMICAL CO., LTD.

Unauthorized translation or modification is prohibited.

Please provide SDS to customers for selling or transferring.

All chemicals have unknown hazard. Handle the product with care.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2023).